



## **Cisco UCS Central Faults Reference, Release 1.4**

**First Published: January 16, 2016**

**Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2016 Cisco Systems, Inc. All rights reserved.



## **PART 1**

### **Non-FSM Faults**



# Core Faults

---

## fltSysdebugCoreCoreFile

**Fault Code:** F1000005

### Message

Process core dump generated: [name]

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: core-file-generated
mibFaultCode: 10000005
mibFaultName: fltSysdebugCoreCoreFile
moClass: sysdebug:Core
Type: server
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]
```

## fltStorageItemCapacityExceeded

**Fault Code:** F1000034

### Message

Disk usage for partition [systemName] [name] exceeded 70%

### Explanation

This fault occurs when the partition disk usage exceeds 70% but is less than 90%.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Reduce the partition disk usage to less than 70% by deleting unused and unnecessary files.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: warning
Cause: capacity-exceeded
mibFaultCode: 10000034
mibFaultName: fltStorageItemCapacityExceeded
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

## fltStorageItemCapacityWarning

**Fault Code:** F10000035

#### Message

Disk usage for partition [systemName] [name] exceeded 90%

#### Explanation

This fault occurs when the partition disk usage exceeds 90%.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Reduce the partition disk usage to less than 90% by deleting unused and unnecessary files.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: major
Cause: capacity-exceeded
mibFaultCode: 10000035
mibFaultName: fltStorageItemCapacityWarning
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

## fltStorageItemSpeedLowSD

**Fault Code:** F10000336

#### Message

Disk read speed for partition [name] is less than 75 MB/s

#### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: speed-reduced
mibFaultCode: 10000336
mibFaultName: fltStorageItemSpeedLowSD
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

**fltStorageItemSpeedDegradedSD**

**Fault Code:** F10000337

**Message**

Disk read speed for partition [name] is less than 100 MB/s

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: speed-reduced
mibFaultCode: 10000337
mibFaultName: fltStorageItemSpeedDegradedSD
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

**fltStorageItemSpeedWarningSD**

**Fault Code:** F10000338

**Message**

Disk read speed for partition [name] is less than 125 MB/s

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: minor
Cause: speed-reduced
mibFaultCode: 10000338
mibFaultName: fltStorageItemSpeedWarningSD
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

**fltCommSvcEpCommSvcNotDeployed**

**Fault Code:** F10000339

**Message**

Communication Service configuration can't be deployed. Error: [configStatusMessage]

**Explanation**

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

**Fault Details**

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fltPkiTPStatus**

**Fault Code:** F10000591

**Message**

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of TrustPoint has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

**fltPkiKeyRingStatus**

**Fault Code: F1000592**

**Message**

[name] Keyring's certificate is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of Keyring has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```

**fltMgmtExportPolicyNo-scheduler-exists**

**Fault Code: F1000645**

**Message**

scheduler [schedName] not found

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: not-found
mibFaultCode: 10000645
mibFaultName: fltMgmtExportPolicyNoSchedulerExists
moClass: mgmt:ExportPolicy
Type: management
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: org-[name]/
Affected MO: org-[name]/deviceprofile-[name]/
```



## Identifier Manager Faults

---

### fltUuidpoolPoolEmpty

**Fault Code:** F10000198

**Message**

UUID pool [name] is empty

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000198
mibFaultName: fltUuidpoolPoolEmpty
moClass: uuidpool:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/uuid-pool-[name]
```

### fltFcpoolInitiatorsEmpty

**Fault Code:** F10000200

**Message**

FC pool [purpose] [name] is empty

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000200
mibFaultName: fltFcpoolInitiatorsEmpty
moClass: fcpool:Initiators
Type: server
Auto Cleared: true
Affected MO: org-[name]/wwn-pool-[name]
```

**fltMacpoolPoolEmpty**

**Fault Code: F10000207**

**Message**

MAC pool [name] is empty

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000207
mibFaultName: fltMacpoolPoolEmpty
moClass: macpool:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/mac-pool-[name]
```

**fltIdentpoolElementDuplicatedAssigned**

**Fault Code: F10000208**

**Message**

ID is duplicated assigned

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: duplicated-assigned
mibFaultCode: 10000208
mibFaultName: fltIdentpoolElementDuplicatedAssigned
moClass: identpool:Element
Type: server
Auto Cleared: true
```

**fltIdentpoolElementDuplicatedDefined**

**Fault Code: F10000209**

**Message**

ID is defined in multiple systems

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: duplicated-defined
mibFaultCode: 10000209
mibFaultName: fltIdentpoolElementDuplicatedDefined
moClass: identpool:Element
Type: server
Auto Cleared: true
```

**fltIppoolPoolEmpty**

**Fault Code: F10000210**

**Message**

IP pool [name] is empty

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000210
mibFaultName: fltIppoolPoolEmpty
moClass: ippool:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/ip-pool-[name]
```

**fltIqnpoolPoolEmpty**

**Fault Code:** F10000212

**Message**

iqn pool [name] is empty

**Explanation**

This fault typically occurs when a iqn pool does not contain any iqns.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** If the pool is in use, add a block of iqns to the pool.
  - Step 2** If the pool is not in use, ignore the fault.

**Fault Details**

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000212
mibFaultName: fltIqnpoolPoolEmpty
moClass: iqnpool:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/iqn-pool-[name]
```

**fltCommSvcEpCommSvcNotDeployed**

**Fault Code:** F10000339

**Message**

Communication Service configuration can't be deployed. Error: [configStatusMessage]

**Explanation**

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

**Fault Details**

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fltPkiTPStatus**

**Fault Code: F1000591**

**Message**

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of TrustPoint has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

**fltPkiKeyRingStatus**

**Fault Code: F1000592**

**Message**

[name] Keyring's certificate is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of Keyring has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** major  
**Cause:** invalid-keyring-certificate  
**mibFaultCode:** 10000592  
**mibFaultName:** fltPkiKeyRingStatus  
**moClass:** pki:KeyRing  
**Type:** security  
**Auto Cleared:** true  
**Affected MO:** sys/pki-ext/keyring-[name]



# Operations Manager Faults

---

## fltMgmtImportItemImportXMLError

**Fault Code:** F1000033

**Message**

Import from '[localFile]' failed, Error message: [statusReport]

**Explanation**

This fault typically occurs when import operation fails

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Click 'Properties' of this import operation and check Status to see error description
  - Step 2** According to error description, change import configuration and try import again
  - Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: import-from-xml-failed
mibFaultCode: 10000033
mibFaultName: fltMgmtImportItemImportXMLError
moClass: mgmt:ImportItem
Type: configuration
Auto Cleared: true
Affected MO: sys/importer-[hostname]/imp-provider-[sysid]
```

## fltFirmwareSourceRemote-download-failure

**Fault Code:** F1000241

**Message**

[type] Auto Download Failed. Error: [downloadError]

**Explanation**

This fault typically occurs when the download configuration is not correct



**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Review the fault and the error message on the Faults tab.
  - Step 2** Check Username, Password and Download State
  - Step 3** Check Proxy configuration if exists
  - Step 4** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: minor
Cause: download-error
mibFaultCode: 10000241
mibFaultName: fltFirmwareSourceRemoteDownloadFailure
moClass: firmware:Source
Type: management
Auto Cleared: true
Affected MO: sys/fw-catalogue/source-[type]
```

**fltCommSvcEpCommSvcNotDeployed**

**Fault Code:** F10000339

**Message**

Communication Service configuration can't be deployed. Error: [configStatusMessage]

**Explanation**

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

**Fault Details**

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fltPkiTPStatus**

**Fault Code:** F10000591

**Message**

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of TrustPoint has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

**fltPkiKeyRingStatus**

**Fault Code: F1000592**

**Message**

[name] Keyring's certificate is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of Keyring has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```

**fltConfigBackupUngrouped-domain**

**Fault Code: F1000616**

**Message**

Unable to backup remotely.[faultDescr]

**Explanation**

remote scheduled backup failed . This fault typically occurs if the admin supplied wrong password, host, user name or path to the remote machine.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that remote scheduled backup policy parameters are valid

**Fault Details**

```

Severity: major
Cause: remote-failed
mibFaultCode: 10000616
mibFaultName: fltConfigBackupUngroupedDomain
moClass: config:Backup
Type: server
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]

```

**fltMgmtExportPolicyNo-scheduler-exists**

**Fault Code:** F10000645

**Message**

scheduler [schedName] not found

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: major
Cause: not-found
mibFaultCode: 10000645
mibFaultName: fltMgmtExportPolicyNoSchedulerExists
moClass: mgmt:ExportPolicy
Type: management
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: org-[name]/
Affected MO: org-[name]/deviceprofile-[name]/

```



## Policy Manager Faults

---

### fltFirmwareDownloadPolicyError

**Fault Code:** F1000242

**Message**

[type] Download Policy Configuration Error. Check scheduler Name, Username, Password and HTTP URL

**Explanation**

This fault typically occurs when the download configuration is not correct

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Review the fault and the error message on the FSM tab.
  - Step 2** Check scheduler Name, Username, Password and HTTP URL in download configuration
  - Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: minor
Cause: configuration-error
mibFaultCode: 10000242
mibFaultName: fltFirmwareDownloadPolicyError
moClass: firmware:DownloadPolicy
Type: management
Auto Cleared: true
Affected MO: domaingroup-[name]/dl-policy-[type]
```

### fltCommSvcEpCommSvcNotDeployed

**Fault Code:** F1000339

**Message**

Communication Service configuration can't be deployed. Error: [configStatusMessage]

**Explanation**

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

**Fault Details**

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

**fltPkiTPStatus****Fault Code: F1000591****Message**

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of TrustPoint has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: domaingroup-[name]/tp-[name]
Affected MO: org-[name]/deviceprofile-[name]/pki-ext/tp-[name]
Affected MO: sys/pki-ext/tp-[name]
```

## fltPkiKeyRingStatus

**Fault Code:** F1000592

### Message

[name] Keyring's certificate is invalid, reason: [certStatus].

### Explanation

This fault occurs when certificate status of Keyring has become invalid.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext/keyring-[name]
Affected MO: sys/pki-ext/keyring-[name]
```

## fltMgmtExportPolicyNo-scheduler-exists

**Fault Code:** F1000645

### Message

scheduler [schedName] not found

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: major
Cause: not-found
mibFaultCode: 10000645
mibFaultName: fltMgmtExportPolicyNoSchedulerExists
moClass: mgmt:ExportPolicy
Type: management
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: org-[name]/
Affected MO: org-[name]/deviceprofile-[name]/
```



## Resource Manager Faults

---

### fltComputeGroupMembershipGroup-Membership-State-Fault

**Fault Code:** F10000261

**Message**

UCS to Group Membership cannot be processed. [configStatusMessage]

**Explanation**

This fault occurs when a group membership cannot be processed.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description for additional information.
  - Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: invalid-config
mibFaultCode: 10000261
mibFaultName: fltComputeGroupMembershipGroupMembershipStateFault
moClass: compute:GroupMembership
Type: configuration
Auto Cleared: true
Affected MO: compute/membership-[ip]
```

### fltComputeGroupMembershipGroup-Membership-Group-Fault

**Fault Code:** F10000262

**Message**

Group [groupDn] doesn't exist.

**Explanation**

This fault occurs when a UCS domain's group membership cannot be processed because the group doesn't exist.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please provide a existing domain group.
- Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: invalid-config
mibFaultCode: 10000262
mibFaultName:fltComputeGroupMembershipGroupMembershipGroupFault
moClass: compute:GroupMembership
Type: configuration
Auto Cleared: true
Affected MO: compute/membership-[ip]
```

**fltOrgDomainGroupPolicyUCS-Grouping-Policy-Fault**

**Fault Code:** F10000263

**Message**

UCS Grouping Policy cannot be processed. [configStatusMessage]

**Explanation**

The domain group policy can not be applied. This fault typically occurs when there is no domain group or registration policy set for the domain group policy. Please check the fault message for details.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** 1. Check that a valid domain group and registration policy are associated with this domain group policy.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: invalid-config
mibFaultCode: 10000263
mibFaultName:fltOrgDomainGroupPolicyUCSGroupingPolicyFault
moClass: org:DomainGroupPolicy
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/domaingroup-policy-[name]
```

**fltCommSvcEpCommSvcNotDeployed**

**Fault Code:** F10000339

**Message**

Communication Service configuration can't be deployed. Error: [configStatusMessage]



**Explanation**

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

**Fault Details**

**Severity:** major  
**Cause:** comm-svc-config-error  
**mibFaultCode:** 10000339  
**mibFaultName:** fltCommSvcEpCommSvcNotDeployed  
**moClass:** comm:SvcEp  
**Type:** comm-svc-not-deployed  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]/svc-ext  
**Affected MO:** sys/svc-ext

**fltVnicFcIfVsanUnresolvable**

**Fault Code:** F10000388

**Message**

The named vsan [name] for vHBA [name] cannot be resolved

**Explanation**

This fault (warning) occurs when a Service Profile's vnic interface (SAN) is unresolvable.

**Recommended Action**

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic interface name to an existing VSAN.  
**Step 2** Create the named vsan .

**Fault Details**

**Severity:** warning  
**Cause:** referenced-vsan-unresolvable  
**mibFaultCode:** 10000388  
**mibFaultName:** fltVnicFcIfVsanUnresolvable  
**moClass:** vnic:FcIf  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** org-[name]/req-[name]/inst-[id]/fc-[name]/if-default  
**Affected MO:** org-[name]/templ-[name]/inst-[id]/fc-[name]/if-default  
**Affected MO:**  
 compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default  
**Affected MO:**  
 domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:** compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:** compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:** org-[name]/templ-[name]/ls-[name]/fc-[name]/if-default

**Affected MO:** org-[name]/ls-[name]/fc-[name]/if-default  
**Affected MO:** org-[name]/san-conn-pol-[name]/fc-[name]/if-default  
**Affected MO:** org-[name]/san-conn-templ-[name]/if-default

## fltVnicEtherIfVlanUnresolvable

**Fault Code:** F10000389

### Message

The named vlan [name] for vNIC [name] cannot be resolved

### Explanation

This fault (warning) occurs when a Service Profile's vnic interface (LAN) is unresolvable.

### Recommended Action

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic interface name to an existing VLAN.
  - Step 2** Create the named vlan .

### Fault Details

**Severity:** warning  
**Cause:** referenced-vlan-unresolvable  
**mibFaultCode:** 10000389  
**mibFaultName:** fltVnicEtherIfVlanUnresolvable  
**moClass:** vnic:EtherIf  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]



**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicEtherIfVlanAccessFault

**Fault Code:** F1000390

### Message

The named vlan [name] for vNIC [name] cannot be accessed from org [name]

### Explanation

This fault typically occurs when a Service Profile's vnic interface (LAN) is resolvable but the service profile does not have access to the vlan.

### Recommended Action

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic's interface name to a VLAN that you have access to.
  - Step 2** Configure access to the named vlan by creating a vlan permit or vlan group permit in the service profile's org (or a parent org).

### Fault Details

**Severity:** major

**Cause:** inaccessible-vlan-referenced

**mibFaultCode:** 10000390

**mibFaultName:** fltVnicEtherIfVlanAccessFault

**moClass:** vnic:EtherIf

**Type:** configuration

**Auto Cleared:** true

**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]



**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicEtherIfVlanSyncFault

**Fault Code:** F10000391

### Message

The named vlan [name] for vNIC [name] cannot be pushed to UCSM

### Explanation

The vlan was unable to be pushed down to UCSM. This fault typically occurs if a vlan with the same name already exists on the UCSM do main or the vlan id cannot be set because it is already taken.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If the vlan already exists on the UCSM domain, delete the local vlan.
  - Step 2** If the vlan id is already taken, change the vlan id.
  - Step 3** If the vlan does not exist, delete the vnic reference.
  - Step 4** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

**Severity:** major  
**Cause:** fail-sync-to-ucsm  
**mibFaultCode:** 10000391  
**mibFaultName:** fltVnicEtherIfVlanSyncFault  
**moClass:** vnic:EtherIf  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:** compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:** domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicFcIfVsanSyncFault

**Fault Code:** F1000392

### Message

The named vsan [name] for vHBA [name] cannot be pushed to UCSM

### Explanation

The vsan was unable to be pushed down to UCSM. This fault typically occurs if a vsan with the same name already exists on the UCSM domain or the vsan id cannot be set because it is already taken.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If the vsan already exists on the UCSM domain, delete the local vsan.
  - Step 2** If the vsan id is already taken, change the vsan id.
  - Step 3** If the vsan does not exist, delete the vHBA reference.
  - Step 4** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

**Severity:** major

**Cause:** fail-sync-to-ucsm

**mibFaultCode:** 10000392

**mibFaultName:** fltVnicFcIfVsanSyncFault

**moClass:** vnic:FcIf

**Type:** configuration

**Auto Cleared:** true

**Affected MO:** org-[name]/req-[name]/inst-[id]/fc-[name]/if-default

**Affected MO:** org-[name]/templ-[name]/inst-[id]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:** compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default



**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanep-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default

**Affected MO:** org-[name]/templ-[name]/ls-[name]/fc-[name]/if-default

**Affected MO:** org-[name]/ls-[name]/fc-[name]/if-default

**Affected MO:** org-[name]/san-conn-pol-[name]/fc-[name]/if-default

**Affected MO:** org-[name]/san-conn-templ-[name]/if-default

## fltVnicEtherUnassociatedVnicIfFault

**Fault Code:** F1000393

### Message

[name] isn't associated with any VLAN

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** unassociated-vlan

**mibFaultCode:** 10000393

**mibFaultName:** fltVnicEtherUnassociatedVnicIfFault

**moClass:** vnic:Ether

**Type:** configuration

**Auto Cleared:** true

**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]

**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-  
slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-  
slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remo-  
per-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/re-  
moper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPort-  
Id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPor-  
tId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-  
eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-ph-  
ys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-  
slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-e-  
th-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortI-  
d]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPor-  
tId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[a-  
ggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-  
[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:** compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:** domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[nam-  
e]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-ph-  
ys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup- [name] / fabric / server / sw- [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / eth- estc / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / eth- estc / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / eth- estc / [id] / pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / eth- estc / [id] / pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / eth- estc / [id] / remoper- pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / eth- estc / [id] / remoper- pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / lan / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / lan / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / lan / [id] / pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / lan / [id] / pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / lan / [id] / remoper- pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / lan / [id] / remoper- pc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / fc- estc / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / fc- estc / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / san / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / san / [id] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / san / [id] / fcoesanpc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / san / [id] / fcoesanpc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

compute / sys- [id] / fabric / san / [id] / remoper- fcoesanpc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:**

domaingroup- [name] / fabric / san / [id] / remoper- fcoesanpc- [portId] / slot- [slotId] -aggr- port- [aggrPortId] / remoper-phys- slot- [slotId] -port- [portId] / ether- [name]

**Affected MO:** compute / sys- [id] / fabric / lan / [id] / remoper- pc- [portId] / ether- [name]

**Affected MO:** domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**  
compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]



**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:** compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:** domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]

**Affected MO:** compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:** domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]

## fltVnicFcUnassociatedVnicIfFault

**Fault Code:** F1000394

### Message

[name] isn't associated with any VSAN

### Explanation

There is no vsan associated with this vhba.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Associate a vsan with this vhba.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

**Severity:** warning

**Cause:** unassociated-vlan

**mibFaultCode:** 10000394

**mibFaultName:** fltVnicFcUnassociatedVnicIfFault

**moClass:** vnic:Fc

**Type:** configuration

**Auto Cleared:** true

**Affected MO:** org-[name]/req-[name]/inst-[id]/fc-[name]

**Affected MO:** org-[name]/templ-[name]/inst-[id]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:** compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]

**Affected MO:** domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:** compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]

**Affected MO:** domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:** compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]

**Affected MO:** domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/fc-[name]

**Affected MO:** org-[name]/ls-[name]/fc-[name]

**Affected MO:** org-[name]/san-conn-pol-[name]/fc-[name]

## fltLsSPMetaUngrouped-domain

**Fault Code:** F10000396

### Message

Unable to resolve Vsans/vlans. Service profile deployed on [serverDn] failed due to an ungrouped domain.

### Explanation

Server deployment failed . This fault typically occurs if the service profile uses a Vlan or a Vsan, but it is deployed on a physical blade/server that belongs to an ungrouped domain .

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** add the UCS of the physical server to a domain
  - Step 2** Remove the interface name from the Vnic: remove the usage of the Vlan or Vsan from the service profile

### Fault Details

```
Severity: major
Cause: ungrouped-domain
mibFaultCode: 10000396
mibFaultName: fltLsSPMetaUngroupedDomain
moClass: ls:SPMeta
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/spmeta
Affected MO: org-[name]/ls-[name]/spmeta
```

## fltLsServerFailed

**Fault Code:** F10000397

### Message

Service profile [name] failed

### Explanation

Server has failed. This fault typically occurs if the adapter power on self-test results in major and critical errors.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the POST results for the server. In Cisco UCS Manager GUI, you can access the POST results from the General tab for the server. In Cisco UCS Manager CLI, you can access the POST results through the **show post** command under the scope for the server.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.



**Fault Details**

**Severity:** major  
**Cause:** server-failed  
**mibFaultCode:** 10000397  
**mibFaultName:** fltLsServerFailed  
**moClass:** ls:Server  
**Type:** server  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

**fltLsServerDiscoveryFailed**

**Fault Code:** F10000398

**Message**

Service profile [name] discovery failed

**Explanation**

The shallow discovery that occurs when the server associated with service profile fails. If the server is up and the data path is working, this fault typically occurs as a result of one of the following issues:

- Cisco UCS Manager cannot communicate with the CIMC on the server.
- The server cannot communicate with the fabric interconnect.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Check the FSM tab and view the current state of the server and any FSM operations.
- Step 2** Check the error descriptions and see if any server components indicate a failure.
- Step 3** If the server or a server component has failed, do the following:
- a. Check the operational state of the server.
  - b. If the server is not operable, reacknowledge the server.
- Step 4** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

**Severity:** major  
**Cause:** discovery-failed  
**mibFaultCode:** 10000398  
**mibFaultName:** fltLsServerDiscoveryFailed  
**moClass:** ls:Server  
**Type:** server  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

## fltLsServerConfigFailure

**Fault Code:** F10000399

### Message

Service profile [name] configuration failed due to [configQualifier]

### Explanation

The named configuration qualifier is not available. This fault typically occurs because Cisco UCS Manager cannot successfully deploy the service profile due to a lack of resources that meet the named qualifier. For example, this fault can occur if the following occurs:

- The service profile is configured for a server adapter with vHBAs, and the adapter on the server does not support vHBAs.
- The service profile is created from a template which includes a server pool, and the server pool is empty.
- The local disk configuration policy in the service profile specifies the No Local Storage mode, but the server contains local disks.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the status of the server pool associated with the service profile. If the pool is empty, add more blade servers to it.
- Step 2** Check the state of the server and ensure that it is in either the discovered or unassociated state.
- Step 3** If the server is associated or undiscovered, do one of the following:
- Discover the server.
  - Disassociate the server from the current service profile.
  - Select another server to associate with the service profile.
- Step 4** Review each policy in the service profile and verify that the selected server meets the requirements in the policy.
- Step 5** If the server does not meet the requirements of the service profile, do one of the following:
- Modify the service profile to match the server.
  - Select another server that does meet the requirements to associate with the service profile.
- Step 6** If you can verify that the server meets the requirements of the service profile, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: major
Cause: configuration-failure
mibFaultCode: 10000399
mibFaultName: fltLsServerConfigFailure
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fltLsServerMaintenanceFailed

**Fault Code:** F10000400

### Message

Service profile [name] maintenance failed

### Explanation

Cisco UCS Manager currently does not use this fault.

### Recommended Action

If you see this fault, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: major
Cause: maintenance-failed
mibFaultCode: 10000400
mibFaultName: fltLsServerMaintenanceFailed
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fltLsServerRemoved

**Fault Code:** F10000401

### Message

Service profile [name] underlying resource removed

### Explanation

Cisco UCS Manager cannot access the server associated with the service profile. This fault typically occurs as a result of one of the following issues:

- The server has been physically removed from the slot.
- The server is not available.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If the server was removed from the slot, reinsert the server in the slot.
- Step 2** If the server was not removed, remove and reinsert the server.**NOTE:** If the server is operable, this action can be disruptive to current operations.
- Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: major
Cause: equipment-removed
mibFaultCode: 10000401
```

```

mibFaultName: fltLsServerRemoved
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fltLsServerInaccessible

**Fault Code:** F10000402

### Message

Service profile [name] cannot be accessed

### Explanation

Cisco UCS Manager cannot communicate with the CIMC on the server. This fault typically occurs as a result of one of the following issues:

- The server port or ports have failed.
- The I/O module is offline.
- The BMC has failed.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If Cisco UCS Manager shows that the CIMC is down, physically reseal the server.
- Step 2** If Cisco UCS Manager shows that the server ports have failed, attempt to enable them.
- Step 3** If the I/O module is offline, check for faults on that component.
- Step 4** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```

Severity: major
Cause: server-inaccessible
mibFaultCode: 10000402
mibFaultName: fltLsServerInaccessible
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fltLsServerAssociationFailed

**Fault Code:** F10000403

### Message

Service profile [name] association failed for [pnDn]

**Explanation**

The service profile could not be associated with the server. This fault typically occurs because Cisco UCS Manager cannot communicate with one or more of the following:

- Fabric interconnect
- CIMC on the server
- SAS controller driver
- Server

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Check the FSM tab for the server and service profile to determine why the association failed.
- Step 2** If the server is stuck in an inappropriate state, such as booting, power cycle the server.
- Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: association-failed
mibFaultCode: 10000403
mibFaultName: fltLsServerAssociationFailed
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fltLsComputeBindingAssignmentRequirementsNotMet**

**Fault Code: F10000404**

**Message**

Assignment of service profile [name] to server [pnDn] failed

**Explanation**

The server could not be assigned to the selected service profile. This fault typically occurs as a result of one of the following issues:

- The selected server does not meet the requirements of the service profile.
- If the service profile was configured for restricted migration, the selected server does not match the currently or previously assigned server.

**Recommended Action**

If you see this fault, select a different server that meets the requirements of the service profile or matches the currently or previously assigned server.

**Fault Details**

```
Severity: minor
Cause: assignment-failed
mibFaultCode: 10000404
```

```

mibFaultName: fltLsComputeBindingAssignmentRequirementsNotMet
moClass: ls:ComputeBinding
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/
Affected MO: org-[name]/ls-[name]/

```

## fltLsServerUnassociated

**Fault Code:** F10000405

### Message

Service profile [name] is not associated

### Explanation

The service profile has not yet been associated with a server or a server pool. This fault typically occurs as a result of one of the following issues:

- There is no acceptable server in the server pool.
- The association failed.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If you did not intend to associate the service profile, ignore the fault.
- Step 2** If you did intend to associate the service profile, check the association failure fault.
- Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```

Severity: warning
Cause: unassociated
mibFaultCode: 10000405
mibFaultName: fltLsServerUnassociated
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fltLsServerServer-unfulfilled

**Fault Code:** F10000406

### Message

Server [pnDn] does not fulfill Service profile [name] due to [configQualifier]

### Explanation

The server no longer meets the qualification requirements of the service profile. This fault typically occurs as a result of one of the following issues:

- The server has been physically changed.

- A required component of the server has failed.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the server inventory compare to the service profile qualifications.
- Step 2** If the server inventory does not match the service profile qualifications, do one of the following:
- Associate the server with a different service profile.
  - Ensure the server has sufficient resources to qualify for the current service profile.
- Step 3** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: server-failed
mibFaultCode: 10000406
mibFaultName: fltLsServerServerUnfulfilled
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fltLsmaintMaintPolicyUnresolvableScheduler

**Fault Code:** F10000407

### Message

Schedule [schedName] referenced by maintenance policy [name] does not exist

### Explanation

The schedule that is referenced by the maintenance policy does not exist. This fault typically occurs as a result of one of the following issues:

- The schedule does not exist.
- The schedule was deleted.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check if the named schedule exists. If it is deleted or missing, try to create it.
- Step 2** If the named schedule is deleted or missing, recreate it.
- Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: non-existent-scheduler
mibFaultCode: 10000407
mibFaultName: fltLsmaintMaintPolicyUnresolvableScheduler
moClass: lsmaint:MaintPolicy
Type: server
```

**Auto Cleared:** true  
**Affected MO:** domaingroup-[name]/maint-[name]  
**Affected MO:** org-[name]/maint-[name]

## fltComputePoolEmpty

**Fault Code:** F1000557

### Message

server pool [name] is empty

### Explanation

This fault typically occurs when the selected server pool does not contain any servers.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Verify the qualifier settings in the server pool policy qualifications. If the policy was modified after the server was discovered, reacknowledge the server.
  - Step 2** Manually associate the service profile with a server.
  - Step 3** If the server pool is not used, ignore the fault.
  - Step 4** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

**Severity:** minor  
**Cause:** empty-pool  
**mibFaultCode:** 1000557  
**mibFaultName:** fltComputePoolEmpty  
**moClass:** compute:Pool  
**Type:** server  
**Auto Cleared:** true  
**Affected MO:** org-[name]/compute-pool-[name]

## fltComputeAOperationRemote-operation-fail

**Fault Code:** F1000558

### Message

Remote operation failed in UCSM. Error Code: [[remoteErrorCode]]. [remoteErrorDescr]

### Explanation

This fault typically occurs when a remote physical operation performed on UCS Central encounters an error condition.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Verify the UCSM Client is in registered operation status



- Step 2** Verify the UCSM Client is in connected connection status
- Step 3** If the UCSM Client has not responded wait for 30 seconds before retrying the operation on the same object
- Step 4** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: info
Cause: remote-operation-fail
mibFaultCode: 10000558
mibFaultName:fltComputeAOperationRemoteOperationFail
moClass: compute:AOperation
Type: configuration
Auto Cleared: true
```

## fltLslIssuesConfigFailure

**Fault Code: F1000571**

#### Message

Service profile [name] configuration failed due to [iscsiConfigIssues] [networkConfigIssues] [serverConfigIssues] [storageConfigIssues] [vnicConfigIssues]

#### Explanation

The named configuration qualifier is not available. This fault typically occurs because Cisco UCS Manager cannot successfully deploy the service profile due to a lack of resources that meet the named qualifier. For example, this fault can occur if the following occurs:

- The service profile is configured for a server adapter with vHBAs, and the adapter on the server does not support vHBAs.
- The service profile is created from a template which includes a server pool, and the server pool is empty.
- The local disk configuration policy in the service profile specifies the No Local Storage mode, but the server contains local disks.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the status of the server pool associated with the service profile. If the pool is empty, add more blade servers to it.
- Step 2** Check the state of the server and ensure that it is in either the discovered or unassociated state.
- Step 3** If the server is associated or undiscovered, do one of the following:
- Discover the server.
  - Disassociate the server from the current service profile.
  - Select another server to associate with the service profile.
- Step 4** Review each policy in the service profile and verify that the selected server meets the requirements in the policy.
- Step 5** If the server does not meet the requirements of the service profile, do one of the following:

- Modify the service profile to match the server.
- Select another server that does meet the requirements to associate with the service profile.

**Step 6** If you can verify that the server meets the requirements of the service profile, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: warning
Cause: configuration-failure
mibFaultCode: 10000571
mibFaultName: fltLsIssuesConfigFailure
moClass: ls:Issues
Type: server
Auto Cleared: true
Affected MO: org-[name]/req-[name]/inst-[id]/config-issue
Affected MO: org-[name]/templ-[name]/ls-[name]/config-issue
Affected MO: org-[name]/ls-[name]/config-issue
```

## fltVnicFaultVlanSyncFault

**Fault Code: F10000572**

#### Message

The named vXan [name] cannot be pushed to UCSM. UCSM Message - [descr]

#### Explanation

The vlan/vsan was unable to be pushed down to UCSM. This fault typically occurs if a vlan/vsan with the same name already exists on the UCSM domain or the vlan/vsan id cannot be set because it is already taken. Please check the fault message for details.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If the vlan/vsan already exists on the UCSM domain, delete the local vlan/vsan.
  - Step 2** If the vlan/vsan id is already taken, change the vlan/vsan id.
  - Step 3** If the vlan/vsan does not exist, delete the vnic/vhba reference.
  - Step 4** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: major
Cause: fail-sync-to-ucsm
mibFaultCode: 10000572
mibFaultName: fltVnicFaultVlanSyncFault
moClass: vnic:Fault
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/inigrp-fc/inigrp-fc-if-[name]/fault-if
Affected MO: org-[name]/ls-[name]/inigrp-fc/inigrp-fc-if-[name]/fault-if
Affected MO:
org-[name]/templ-[name]/ls-[name]/grp-[name]/fc-group/inigrp-fc/inigrp-fc-if-[name]/fa
ult-if
Affected MO:
org-[name]/ls-[name]/grp-[name]/fc-group/inigrp-fc/inigrp-fc-if-[name]/fault-if
```

**Affected MO:**

org-[name]/san-conn-pol-[name]/grp-[name]/fc-group/inigrp-fc/inigrp-fc-if-[name]/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if/fault-if

**Affected MO:** org-[name]/ls-[name]/mgmt/mgmt-if/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/ls-[name]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/ls-[name]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/lan-conn-pol-[name]/iscsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/lstorageIScsi-[name]/vlan/fault-if

**Affected MO:** org-[name]/ls-[name]/lstorageIScsi-[name]/vlan/fault-if

**Affected MO:** compute/sys-[id]/chassis-[id]/blade-[slotId]/os/eth-lif-[name]/fault-if

**Affected MO:**

compute/sys-[id]/storage/array-[name]/processor-[name]/eth-lif-[name]/fault-if

**Affected MO:** storage/array-[name]/processor-[name]/eth-lif-[name]/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/fc-[name]/if-default/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fc-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-pc-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoe-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-fcoesanep-slot-[slotId]-port-[portId]/fc-[name]/if-default/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/fc-[name]/if-default/fault-if

**Affected MO:** org-[name]/ls-[name]/fc-[name]/if-default/fault-if

**Affected MO:** org-[name]/san-conn-pol-[name]/fc-[name]/if-default/fault-if

**Affected MO:** org-[name]/san-conn-templ-[name]/if-default/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/fcoe/fault-if

**Affected MO:** org-[name]/ls-[name]/fcoe/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/fcoe/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if



**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-  
slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-  
slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remo-  
per-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/re-  
moper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPort-  
Id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPo-  
rtId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-  
eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-ph-  
ys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-  
slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-e-  
th-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortI-  
d]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPor-  
tId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[a-  
ggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-  
[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]  
/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[nam-  
e]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/fcoe/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/fcoe/fault-if

**Affected MO:** org-[name]/ls-[name]/ether-[name]/fcoe/fault-if

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/fcoe/fault-if

**Affected MO:** org-[name]/lan-conn-templ-[name]/fcoe/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/ls-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if



**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/vlan-[vnet]/fault-if

**Affected MO:** org-[name]/ls-[name]/vlan-[vnet]/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:** org-[name]/ls-[name]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/vlan-[vnet]/fault-if

**Affected MO:**

compute/sys-[id]/chassis-[id]/blade-[slotId]/os/eth-lif-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/storage/array-[name]/processor-[name]/eth-lif-[name]/ipv4/fault-if

**Affected MO:** storage/array-[name]/processor-[name]/eth-lif-[name]/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/ls-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**  
compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if



**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]  
/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]  
/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-ph  
ys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-  
phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phy  
s-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-p  
hys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortI  
d]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[agg  
rPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[a  
ggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-  
if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slo  
t-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-s  
lot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remo  
per-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/re  
moper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPort  
Id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPo  
rtId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys  
-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-ph  
ys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slo  
t-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-s  
lot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortI  
d]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]/ipv4/fault-if

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/templ-[name]/ls-[name]/iscsi-boot-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:** org-[name]/ls-[name]/iscsi-boot-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/req-[name]/inst-[id]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/templ-[name]/inst-[id]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/templ-[name]/ls-[name]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/ls-[name]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/templ-[name]/ls-[name]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/ls-[name]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:**

org-[name]/lan-conn-pol-[name]/iscsi-[name]/iscsi-initiator-params/boot-vnic-[name]/ipv4/fault-if

**Affected MO:** org-[name]/req-[name]/inst-[id]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/inst-[id]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/lan-conn-pol-[name]/iscsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/templ-[name]/ls-[name]/lstorageIScsi-[name]/vlan/ipv4/fault-if

**Affected MO:** org-[name]/ls-[name]/lstorageIScsi-[name]/vlan/ipv4/fault-if

## fltVnicMgmtIfVlanUnresolvable

**Fault Code:** F1000573

### Message

The named vlan [name] for vNIC [name] cannot be resolved

**Explanation**

This fault (warning) occurs when a Service Profile's vnic interface (LAN) is unresolvable.

**Recommended Action**

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic interface name to an existing VLAN.
  - Step 2** Create the named vlan .

**Fault Details**

```

Severity: warning
Cause: referenced-vlan-unresolvable
mibFaultCode: 10000573
mibFaultName: fltVnicMgmtIfVlanUnresolvable
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if

```

**fltVnicMgmtIfVlanAccessFault**

**Fault Code:** F1000574

**Message**

The named vlan [name] for vNIC [name] cannot be accessed from org [name]

**Explanation**

This fault typically occurs when a Service Profile's vnic interface (LAN) is resolvable but the service profile does not have access to the vlan.

**Recommended Action**

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic's interface name to a VLAN that you have access to.
  - Step 2** Configure access to the named vlan by creating a vlan permit or vlan group permit in the service profile's org (or a parent org).

**Fault Details**

```

Severity: major
Cause: inaccessible-vlan-referenced
mibFaultCode: 10000574
mibFaultName: fltVnicMgmtIfVlanAccessFault
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if

```

## fltVnicMgmtIfVlanSyncFault

**Fault Code:** F1000575

### Message

The named vlan [name] for vNIC [name] cannot be pushed to UCSM

### Explanation

The vlan was unable to be pushed down to UCSM. This fault typically occurs if a vlan with the same name already exists on the UCSM domain or the vlan id cannot be set because it is already taken.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** If the vlan already exists on the UCSM domain, delete the local vlan.
  - Step 2** If the vlan id is already taken, change the vlan id.
  - Step 3** If the vlan does not exist, delete the vnic reference.
  - Step 4** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: major
Cause: fail-sync-to-ucsm
mibFaultCode: 10000575
mibFaultName: fltVnicMgmtIfVlanSyncFault
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if
```

## fltVnicMgmtUnassociatedVnicIfFault

**Fault Code:** F1000576

### Message

[name] isn't associated with any VLAN

### Explanation

There is no vlan associated with this vnic.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Associate a vlan with this vnic.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: unassociated-vlan
```

```

mibFaultCode: 10000576
mibFaultName: fltVnicMgmtUnassociatedVnicIfFault
moClass: vnic:Mgmt
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt
Affected MO: org-[name]/ls-[name]/mgmt

```

## fltPkiTPStatus

**Fault Code: F1000591**

### Message

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

### Explanation

This fault occurs when certificate status of TrustPoint has become invalid.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]

```

## fltPkiKeyRingStatus

**Fault Code: F1000592**

### Message

[name] Keyring's certificate is invalid, reason: [certStatus].

### Explanation

This fault occurs when certificate status of Keyring has become invalid.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592

```



```

mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]

```

## fltQueryUsageContextTimeout

**Fault Code:** F10000593

### Message

Getting usage for [targetDn] times out

### Explanation

This fault occurs when UCS Central fails to get usage from UCSM within the timeout period.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which will have details of UCSM connection time out and other additional information.
  - Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```

Severity: minor
Cause: get-usage-timeout
mibFaultCode: 10000593
mibFaultName: fltQueryUsageContextTimeout
moClass: query:UsageContext
Type: configuration
Auto Cleared: true
Affected MO: query/usage-[sessionId]

```

## fltQueryUsageContextFailed

**Fault Code:** F10000594

### Message

Getting usage for [targetDn] fails, since [statusDescription]

### Explanation

This fault occurs when UCS Central fails to get usage from UCSM.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which will have details of UCSM connection failure and other additional information.
  - Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

**Severity:** minor  
**Cause:** get-usage-failed  
**mibFaultCode:** 10000594  
**mibFaultName:** fltQueryUsageContextFailed  
**moClass:** query:UsageContext  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** query/usage-[sessionId]

**fltQueryDependencyContextTimeout**

**Fault Code:** F10000595

**Message**

Getting Dependency for [targetDn] times out

**Explanation**

This fault occurs when UCS Central fails to get policy dependencies from UCSM within the timeout period.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which will have details of UCSM connection time out and other additional information.
- Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

**Severity:** minor  
**Cause:** get-dependency-timeout  
**mibFaultCode:** 10000595  
**mibFaultName:** fltQueryDependencyContextTimeout  
**moClass:** query:DependencyContext  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** query/dependency-[sessionId]

**fltQueryDependencyContextFailed**

**Fault Code:** F10000596

**Message**

Getting Dependency for [targetDn] fails, since [statusDescription]

**Explanation**

This fault occurs when UCS Central fails to get policy dependencies from UCSM.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which will have details of UCSM connection failure and other additional information.
- Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: minor
Cause: get-dependency-failed
mibFaultCode: 10000596
mibFaultName: fltQueryDependencyContextFailed
moClass: query:DependencyContext
Type: configuration
Auto Cleared: true
Affected MO: query/dependency-[sessionId]
```

**fltQueryImportContextTimeout****Fault Code:** F10000597**Message**

Importing for [targetDn] times out

**Explanation**

This fault occurs when UCS Central fails to import policies from UCSM within the timeout period.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which will have details of UCSM connection time out and other additional information.
- Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: minor
Cause: import-timeout
mibFaultCode: 10000597
mibFaultName: fltQueryImportContextTimeout
moClass: query:ImportContext
Type: configuration
Auto Cleared: true
Affected MO: query/import-[sessionId]
```

**fltQueryImportContextFailed****Fault Code:** F10000598**Message**

Importing for [targetDn] fails, since [statusDescription]

**Explanation**

This fault occurs when UCS Central fails to import policies from UCSM.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which will have details of UCSM connection failure and other additional information.
- Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: minor
Cause: import-failed
mibFaultCode: 10000598
mibFaultName: fltQueryImportContextFailed
moClass: query:ImportContext
Type: configuration
Auto Cleared: true
Affected MO: query/import-[sessionId]
```

**fltComputeRemoteOpStatusRemote-op-failed**

**Fault Code: F10000634**

**Message**

Remote operation of type [opType] on [name] failed. Reason: [descr]

**Explanation**

This fault occurs when a remote operation on a UCS domain failed.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Please check the fault description, which gives what type of operation failed and also provides additional information.
- Step 2** If the above actions did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: info
Cause: remote-failed
mibFaultCode: 10000634
mibFaultName: fltComputeRemoteOpStatusRemoteOpFailed
moClass: compute:RemoteOpStatus
Type: operational
Auto Cleared: true
Affected MO: compute/sys-[id]/backup-[hostname]/remote-op-status
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]/remote-op-status
Affected MO: sys/backup-[hostname]/remote-op-status
```

## fltStorageMetaGlobal-array-storageArray-not-opts

**Fault Code:** F10000656

### Message

UCSM [UCSDomainName] did not opt for global storage-autoConfig

### Explanation

Server deployment failed . This fault typically occurs if the service profile uses a Vlan or a Vsan, but it is deployed on a physical blade/server that belongs to an ungrouped domain .

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** add the UCS of the physical server to a domain
  - Step 2** Remove the interface name from the Vnic: remove the usage of the Vlan or Vsan from the service profile

### Fault Details

```
Severity: minor
Cause: global-array-storage-array-not-opts
mibFaultCode: 10000656
mibFaultName: fltStorageMetaGlobalArrayStorageArrayNotOpted
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaDomain-group-missing

**Fault Code:** F10000657

### Message

UCSM [UCSDomainName] does not belong to a domain group. no Array profile will be deployed

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: domain-group-missing
mibFaultCode: 10000657
mibFaultName: fltStorageMetaDomainGroupMissing
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaMissing-arrayAutoConfigRef

**Fault Code:** F10000658

### Message

ArrayAutoConfig reference does not exist on [UCSDomainName]'s domainGroup and above hierarchy

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: missing-array-auto-config-ref
mibFaultCode: 10000658
mibFaultName: fltStorageMetaMissingArrayAutoConfigRef
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaStorage-blade-not-in-discovery-mode

**Fault Code:** F10000659

### Message

storageBlade not in discovery mode

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: storage-blade-not-in-discovery-mode
mibFaultCode: 10000659
mibFaultName: fltStorageMetaStorageBladeNotInDiscoveryMode
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaMissing-arrayAutoConfigPolicy

**Fault Code:** F10000660

### Message

at least [numOfMissingPolicies] missing arrayAutoConfig policies for AutoConfigReferences at [groupDn]

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: missing-array-auto-config-policy
mibFaultCode: 10000660
mibFaultName: fltStorageMetaMissingArrayAutoConfigPolicy
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaMissing-qualifier

**Fault Code:** F10000661

### Message

UCSM [UCSDomainName] is missing [numOfMissingqualifyingPolicies] qualifying policies used by AutoConfig

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: missing-qualifier
mibFaultCode: 10000661
mibFaultName: fltStorageMetaMissingQualifier
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaMatching-qualifier-error

**Fault Code:** F10000662

### Message

UCSM [UCSDomainName] got [numOfUnqualifyingPolicies] qualifying errors for the storageBlade

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: matching-qualifier-error
mibFaultCode: 10000662
mibFaultName: fltStorageMetaMatchingQualifierError
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```

## fltStorageMetaStorage-blade-already-in-use

**Fault Code:** F10000663

### Message

storageBlade is already used. will not apply new personality

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: minor
Cause: storage-blade-already-in-use
mibFaultCode: 10000663
mibFaultName: fltStorageMetaStorageBladeAlreadyInUse
moClass: storage:Meta
Type: storage
Auto Cleared: true
Affected MO: compute/sys-[id]/chassis-[id]/storage-blade-[slotId]/meta
```



## fltFabricChangedObjectRefVxan-range-check-to-ucsm-failed

**Fault Code:** F10000689

**Message**

UCSM [name] will not receive Vxan [centraleVnetEpDn] due to [configRangeMessage]

**Explanation**

indicates the reason a vXan can not be sent to a ucsm from central .

**Recommended Action**

If you see this fault, take the following actions:

---

**Step 1** according to the error message change the vlan ID

**Fault Details**

**Severity:** major  
**Cause:** vxan-range-check-to-ucsm-failed  
**mibFaultCode:** 10000689  
**mibFaultName:** fltFabricChangedObjectRefVxanRangeCheckToUcsmFailed  
**moClass:** fabric:ChangedObjectRef  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/syncEp/ChangedObjectRef[id]

## fltFabricChangedObjectRefUcsm-check-vxan-deployment-to-ucsm-failed

**Fault Code:** F10000690

**Message**

UCSM [name] will not receive Vxan [centraleVnetEpDn] due to [ucsmConfigMessage]

**Explanation**

indicates the reason a vXan can not be sent to a ucsm from central .

**Recommended Action**

If you see this fault, take the following actions:

---

**Step 1** according to the error message or rename in case of name collision with local Vxan

**Fault Details**

**Severity:** major  
**Cause:** ucsm-check-vxan-deployment-to-ucsm-failed  
**mibFaultCode:** 10000690  
**mibFaultName:** fltFabricChangedObjectRefUcsmCheckVxanDeploymentToUcsmFailed  
**moClass:** fabric:ChangedObjectRef  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/syncEp/ChangedObjectRef[id]

## fltSmartlicenseEntitlementEnforcementModeFault

**Fault Code:** F10000750

### Message

entitlement [tag] is not in compliance mode

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: not-in-compliance
mibFaultCode: 10000750
mibFaultName: fltSmartlicenseEntitlementEnforcementModeFault
moClass: smartlicense:Entitlement
Type: management
Auto Cleared: true
Affected MO: smartlicense/entitlement-ep/entitlement[tag]
Affected MO: smartlicense/entitlement[tag]
```

## fltVnicEtherIfPrimaryVlanMissingForIsolated

**Fault Code:** F10000793

### Message

Primary Vlan can not be resolved for isolated vlan [name]

### Explanation

This fault typically occurs when UCS Central encounters a problem resolving the primary VLAN ID corresponding to a particular isolated VLAN.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Associate the isolated VLAN with a valid primary VLAN.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: primary-vlan-missing-for-isolated
mibFaultCode: 10000793
mibFaultName: fltVnicEtherIfPrimaryVlanMissingForIsolated
moClass: vnic:EtherIf
Type: configuration
Auto Cleared: true
```

**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicEtherIfPrimaryVlanMissingForCommunity

**Fault Code:** F10000794

### Message

Primary Vlan can not be resolved for community vlan [name]

### Explanation

This fault typically occurs when UCS Central encounters a problem resolving the primary VLAN ID corresponding to a particular community VLAN.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Associate the community VLAN with a valid primary VLAN.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```

Severity: warning
Cause: primary-vlan-missing-for-community
mibFaultCode: 10000794
mibFaultName: fltVnicEtherIfPrimaryVlanMissingForCommunity
moClass: vnic:EtherIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

```



**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicMgmtIfPrimaryVlanMissingForIsolated

**Fault Code:** F1000795

### Message

Primary Vlan can not be resolved for isolated vlan [name]

### Explanation

This fault typically occurs when UCS Central encounters a problem resolving the primary VLAN ID corresponding to a particular isolated VLAN.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Associate the isolated VLAN with a valid primary VLAN.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

**Severity:** warning  
**Cause:** primary-vlan-missing-for-isolated  
**mibFaultCode:** 10000795  
**mibFaultName:** fltVnicMgmtIfPrimaryVlanMissingForIsolated  
**moClass:** vnic:MgmtIf  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if  
**Affected MO:** org-[name]/ls-[name]/mgmt/mgmt-if

## fltVnicMgmtIfPrimaryVlanMissingForCommunity

**Fault Code:** F10000796

### Message

Primary Vlan can not be resolved for community vlan [name]

### Explanation

This fault typically occurs when UCS Central encounters a problem resolving the primary VLAN ID corresponding to a particular community VLAN.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Associate the community VLAN with a valid primary VLAN.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: primary-vlan-missing-for-community
mibFaultCode: 10000796
mibFaultName: fltVnicMgmtIfPrimaryVlanMissingForCommunity
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if
```

## fltVnicEtherIfPrimaryVlanAccessFaultForIsolated

**Fault Code:** F10000797

### Message

Primary vlan cannot be accessed from org [name] for isolated vlan [name]

### Explanation

This fault typically occurs when a Service Profile's vnic interface (LAN) is resolvable but the service profile does not have access to the vlan.

### Recommended Action

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic's interface name to a VLAN that you have access to.
  - Step 2** Configure access to the named vlan by creating a vlan permit or vlan group permit in the service profile's org (or a parent org).

### Fault Details

```
Severity: major
Cause: inaccessible-vlan-referenced
mibFaultCode: 10000797
```

```

mibFaultName: fltVnicEtherIfPrimaryVlanAccessFaultForIsolated
moClass: vnic:EtherIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]
Affected MO:
domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

```

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]



**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]  
/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-  
port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicEtherIfPrimaryVlanAccessFaultForCommunity

**Fault Code:** F10000798

### Message

Primary vlan cannot be accessed from org [name] for community vlan [name]

### Explanation

This fault typically occurs when a Service Profile's vnic interface (LAN) is resolvable but the service profile does not have access to the vlan.

### Recommended Action

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic's interface name to a VLAN that you have access to.
- Step 2** Configure access to the named vlan by creating a vlan permit or vlan group permit in the service profile's org (or a parent org).

### Fault Details

**Severity:** major  
**Cause:** inaccessible-vlan-referenced  
**mibFaultCode:** 10000798  
**mibFaultName:** fltVnicEtherIfPrimaryVlanAccessFaultForCommunity  
**moClass:** vnic:EtherIf  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/ls-[name]/if-[name]  
**Affected MO:** org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:** org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]  
**Affected MO:**  
 compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]  
**Affected MO:**  
 compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-eth-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/server/sw-[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/eth-estc/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/fc-estc/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]



**Affected MO:**

compute/sys-[id]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/san/[id]/remoper-fcoesanpc-[portId]/slot-[slotId]-aggr-port-[aggrPortId]/remoper-phys-slot-[slotId]-port-[portId]/ether-[name]/if-[name]

**Affected MO:**

compute/sys-[id]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:**

domaingroup-[name]/fabric/lan/[id]/remoper-pc-[portId]/ether-[name]/if-[name]

**Affected MO:** org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/ls-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]

**Affected MO:** org-[name]/lan-conn-templ-[name]/if-[name]

## fltVnicMgmtIfPrimaryVlanAccessFaultIsolated

**Fault Code:** F10000799

### Message

Primary vlan cannot be accessed from org [name] for isolated vlan [name]

### Explanation

This fault typically occurs when a Service Profile's vnic interface (LAN) is resolvable but the service profile does not have access to the vlan.

### Recommended Action

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic's interface name to a VLAN that you have access to.
  - Step 2** Configure access to the named vlan by creating a vlan permit or vlan group permit in the service profile's org (or a parent org).

### Fault Details

**Severity:** major

**Cause:** inaccessible-vlan-referenced

**mibFaultCode:** 10000799

**mibFaultName:** fltVnicMgmtIfPrimaryVlanAccessFaultIsolated

**moClass:** vnic:MgmtIf

**Type:** configuration

**Auto Cleared:** true

**Affected MO:** org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if

**Affected MO:** org-[name]/ls-[name]/mgmt/mgmt-if

## fltVnicMgmtIfPrimaryVlanAccessFaultForCommunity

**Fault Code:** F10000800

### Message

Primary vlan cannot be accessed from org [name] for community vlan [name]

### Explanation

This fault typically occurs when a Service Profile's vnic interface (LAN) is resolvable but the service profile does not have access to the vlan.

### Recommended Action

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vnic's interface name to a VLAN that you have access to.
  - Step 2** Configure access to the named vlan by creating a vlan permit or vlan group permit in the service profile's org (or a parent org).

### Fault Details

```
Severity: major
Cause: inaccessible-vlan-referenced
mibFaultCode: 10000800
mibFaultName: fltVnicMgmtIfPrimaryVlanAccessFaultForCommunity
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if
```

## fltStorageInitiatorConfiguration-error

**Fault Code:** F10000842

### Message

Initiator [name] either cannot be resolved or does not match with one of the storage targets. No zones are deployed for this initiator and the target.

### Explanation

Initiator either cannot be resolved or does not match with one of the targets.

### Recommended Action

If you see this fault, take the following action:

- 
- Step 1** Check if vhba interface referenced by this Initiator exists.
  - Step 2** Check if switch id or vsan name of the vhba interface referenced by this Initiator matches one of the targets.

### Fault Details

```
Severity: warning
```

```

Cause: configuration-error
mibFaultCode: 10000842
mibFaultName: fltStorageInitiatorConfigurationError
moClass: storage:Initiator
Type: equipment
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/grp-[name]/ini-[name]
Affected MO: org-[name]/ls-[name]/grp-[name]/ini-[name]
Affected MO: org-[name]/san-conn-pol-[name]/grp-[name]/ini-[name]

```

## fltStorageInitiatorDuplicate-fc-zone

**Fault Code: F1000843**

### Message

Duplicate FC zones are created for initiator [name], because the same target wwpn [duplicateTarget] is duplicately configured in both boot and storage connection policy.

### Explanation

Duplicate FC zones are created, because the same target wwpn is duplicately configured in both boot and storage connection policy.

### Recommended Action

If you see this fault, take the following action:

- 
- Step 1** Remove the duplicate target wwpn from either boot policy or storage connection policy.

### Fault Details

```

Severity: info
Cause: configuration-error
mibFaultCode: 10000843
mibFaultName: fltStorageInitiatorDuplicateFcZone
moClass: storage:Initiator
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/grp-[name]/ini-[name]
Affected MO: org-[name]/ls-[name]/grp-[name]/ini-[name]
Affected MO: org-[name]/san-conn-pol-[name]/grp-[name]/ini-[name]

```

## fltStorageIniGroupSwitch-mode-disabled

**Fault Code: F1000844**

### Message

FC zones cannot be deployed because FI is not running in FC switch mode.

### Explanation

FC zones cannot be deployed because FI is not running in FC switch mode.

### Recommended Action

If you see this fault, take the following action:

- 
- Step 1** If you want FC zones to be deployed, enable FC switch mode.
- Step 2** If FI is running FC end-host mode and you want this fault to be cleared, remove initiators from the initiator group.

**Fault Details**

**Severity:** warning  
**Cause:** configuration-error  
**mibFaultCode:** 10000844  
**mibFaultName:** fltStorageIniGroupSwitchModeDisabled  
**moClass:** storage:IniGroup  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]/grp-[name]  
**Affected MO:** org-[name]/ls-[name]/grp-[name]  
**Affected MO:** org-[name]/san-conn-pol-[name]/grp-[name]

**fltStorageADefConfiguration-error****Fault Code:** F1000845**Message**

Vsan trunking is not supported on Vhbas. Targets with overlapping path should have same vsan.

**Explanation**

Under a storage connection policy, storage targets with overlapping path setting should have similar VSAN setting.

**Recommended Action**

If you see this fault, take the following action:

- 
- Step 1** Under the storage connection policy find out the targets with overlapping path setting. Make sure that same VSAN is applied on these targets.

**Fault Details**

**Severity:** info  
**Cause:** configuration-error  
**mibFaultCode:** 10000845  
**mibFaultName:** fltStorageADefConfigurationError  
**moClass:** storage:ADef  
**Type:** equipment  
**Auto Cleared:** true

**fltStorageVsanRefVsanUnresolvable****Fault Code:** F1000846**Message**

The named vsan [name] for storage target cannot be resolved

**Explanation**

This fault (warning) occurs when a Storage Target's vsan interface (VSAN) is unresolvable. In this case, the default vsan will be used as the operational vsan.

**Recommended Action**

This fault will be removed if you perform one of the following actions:

- 
- Step 1** Change the vsan reference name to an existing VSAN.
  - Step 2** Create the named vsan .

**Fault Details**

**Severity:** warning  
**Cause:** referenced-vsan-unresolvable  
**mibFaultCode:** 10000846  
**mibFaultName:**fltStorageVsanRefVsanUnresolvable  
**moClass:** storage:VsanRef  
**Type:** configuration  
**Auto Cleared:** true  
**Affected MO:**  
 org-[name]/templ-[name]/ls-[name]/grp-[name]/fc-group/storage-conndef/fc-target-ep-[targetwwpn]/vsan-ref  
**Affected MO:**  
 org-[name]/ls-[name]/grp-[name]/fc-group/storage-conndef/fc-target-ep-[targetwwpn]/vsan-ref  
**Affected MO:**  
 org-[name]/san-conn-pol-[name]/grp-[name]/fc-group/storage-conndef/fc-target-ep-[targetwwpn]/vsan-ref  
**Affected MO:** org-[name]/storage-connpolicy-[name]/fc-target-ep-[targetwwpn]/vsan-ref



## Statistics Manager Faults

---

### fltCommSvcEpCommSvcNotDeployed

**Fault Code:** F10000339

**Message**

Communication Service configuration can't be deployed. Error: [configStatusMessage]

**Explanation**

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

**Fault Details**

**Severity:** major  
**Cause:** comm-svc-config-error  
**mibFaultCode:** 10000339  
**mibFaultName:** fltCommSvcEpCommSvcNotDeployed  
**moClass:** comm:SvcEp  
**Type:** comm-svc-not-deployed  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

### fltConfigDbConfigStats-DB-Error

**Fault Code:** F10000536

**Message**

Statistics database connect/read/write error (Possible database connectivity or disk space issue):[[lastDbStatus]] Please check

**Explanation**

This fault occurs when the statistics database is configured incorrectly, is down, or ran out of disk space.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Check the statistics database configuration, correct them if required.
  - Step 2** Check the statistics database to see if it is down or ran out of disk space..
  - Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: db-connect-read-write-error
mibFaultCode: 10000536
mibFaultName: fltConfigDbConfigStatsDBError
moClass: config:DbConfig
Type: admin
Auto Cleared: true
Affected MO: sys/dbconfig
```

**fltPkiTPStatus**

**Fault Code: F10000591**

**Message**

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of TrustPoint has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

**fltPkiKeyRingStatus**

**Fault Code: F10000592**

**Message**

[name] Keyring's certificate is invalid, reason: [certStatus].

**Explanation**

This fault occurs when certificate status of Keyring has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** major  
**Cause:** invalid-keyring-certificate  
**mibFaultCode:** 10000592  
**mibFaultName:** fltPkiKeyRingStatus  
**moClass:** pki:KeyRing  
**Type:** security  
**Auto Cleared:** true  
**Affected MO:** sys/pki-ext/keyring-[name]





## Service Registry Faults

---

### **fltExtpolProviderProviderLostConnectivity**

**Fault Code:** F10000190

**Message**

Service provider ([capability], [ip], [ipv6]) lost connectivity

**Explanation**

This provider is not reachable from UCS Central registry. This fault typically occurs if the provider process has crashed or too busy to respond to heartbeat message sent by registry.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** In the Cisco UCS Central CLI, check the provider process state through **show pmon state in local-mgmt** shell. You can check the same information through GUI from **Administrator** in UCS Central.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: critical
Cause: provider-lost-connectivity
mibFaultCode: 10000190
mibFaultName: fltExtpolProviderProviderLostConnectivity
moClass: extpol:Provider
Type: network
Auto Cleared: true
Affected MO: extpol/reg/providers/prov-[type]
```

### **fltExtpolControllerControllerLostConnectivity**

**Fault Code:** F10000191

**Message**

Management controller ([capability], [ip], [ipv6]) lost connectivity

**Explanation**

This controller is not reachable from UCS Central registry. This fault typically occurs if the controller process has crashed or too busy to respond to heartbeat message sent by registry.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** In the Cisco UCS Central CLI, check the provider process state through **show pmon state in local-mgmt** shell. You can check the same information through GUI from **Administrator** in UCS Central.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: critical
Cause: controller-lost-connectivity
mibFaultCode: 10000191
mibFaultName: fltExtpolControllerControllerLostConnectivity
moClass: extpol:Controller
Type: network
Auto Cleared: true
Affected MO: extpol/reg/controllers/contro-[id]
```

**fltExtpolClientClientLostConnectivity**

**Fault Code: F10000192**

**Message**

Managed endpoint ([capability], [ip], [ipv6]) lost connectivity

**Explanation**

This registered UCS Domain is not reachable from UCS Central registry. This fault typically occurs if the UCS Domain has lost network access or UCS Domain DME process has crashed or too busy to respond to heartbeat message sent by registry.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** In the Cisco UCS Central CLI, check the client process state through **show clients detail in service-reg** shell. You can check the same information through GUI from **Administrator** in UCS Central.
  - Step 2** Check the network connectivity from UCS domain to UCS Central. Also check, if UCSM is busy processing a bulkier, lengthy transaction.
  - Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: major
Cause: client-lost-connectivity
mibFaultCode: 10000192
mibFaultName: fltExtpolClientClientLostConnectivity
moClass: extpol:Client
Type: network
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolRegistryServiceRegistryVersionMismatch

**Fault Code:** F10000193

### Message

Service Registry ([capability], [ip], [ipv6]) software version is not compatible

### Explanation

UCS Central registry is not running the compatible version in the package.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Upgrade to a valid UCS Central package or contact Cisco TAC.

### Fault Details

**Severity:** critical  
**Cause:** service-registry-version-mismatch  
**mibFaultCode:** 10000193  
**mibFaultName:** fltExtpolRegistryServiceRegistryVersionMismatch  
**moClass:** extpol:Registry  
**Type:** network  
**Auto Cleared:** true  
**Affected MO:** extpol/reg

## fltExtpolProviderProviderVersionMismatch

**Fault Code:** F10000194

### Message

Service provider ([capability], [ip], [ipv6]) software version is not compatible

### Explanation

UCS Central provider is not running the compatible version in the package.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Upgrade to a valid UCS Central package or contact Cisco TAC.

### Fault Details

**Severity:** critical  
**Cause:** provider-version-mismatch  
**mibFaultCode:** 10000194  
**mibFaultName:** fltExtpolProviderProviderVersionMismatch  
**moClass:** extpol:Provider  
**Type:** network  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/providers/prov-[type]

## fltExtpolControllerControllerVersionMismatch

**Fault Code:** F10000195

**Message**

Management controller ([capability], [ip], [ipv6]) software version is not compatible

**Explanation**

UCS Central controller is not running the compatible version in the package.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Upgrade to a valid UCS Central package or contact Cisco TAC.

**Fault Details**

**Severity:** critical  
**Cause:** controller-version-mismatch  
**mibFaultCode:** 10000195  
**mibFaultName:** fltExtpolControllerControllerVersionMismatch  
**moClass:** extpol:Controller  
**Type:** network  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/controllers/contro-[id]

## fltExtpolClientClientVersionMismatch

**Fault Code:** F10000196

**Message**

Managed endpoint ([capability], [ip], [ipv6]) software version is not compatible

**Explanation**

UCS Domain is not running the compatible software version to UCS Central.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Upgrade UCS Domain to a compatible version, in order to get it registered with UCS Central.

**Fault Details**

**Severity:** critical  
**Cause:** client-version-mismatch  
**mibFaultCode:** 10000196  
**mibFaultName:** fltExtpolClientClientVersionMismatch  
**moClass:** extpol:Client  
**Type:** network  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]

## fltCommSvcEpCommSvcNotDeployed

**Fault Code:** F10000339

### Message

Communication Service configuration can't be deployed. Error: [configStatusMessage]

### Explanation

This fault typically occurs because Cisco UCS Manager has detected an invalid communication policy configuration.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Verify that ports configured across all communication services is unique.

### Fault Details

**Severity:** major  
**Cause:** comm-svc-config-error  
**mibFaultCode:** 10000339  
**mibFaultName:** fltCommSvcEpCommSvcNotDeployed  
**moClass:** comm:SvcEp  
**Type:** comm-svc-not-deployed  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fltLicenseInstanceGracePeriodWarning1

**Fault Code:** F10000362

### Message

license for feature [feature] on UCS Central [scope] has entered into the grace period.

### Explanation

At least one UCS domain is registered with UCS Central without having a license. This fault typically occurs if one or more UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Admin tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under license scope from **service-reg** session.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

**Severity:** warning  
**Cause:** license-graceperiod-entered

```

mibFaultCode: 10000362
mibFaultName: fltLicenseInstanceGracePeriodWarning1
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

```

## fltLicenseInstanceGracePeriodWarning2

**Fault Code:** F10000363

### Message

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 10 days

### Explanation

At least one UCS domain is registered with UCS Central without having a license. This fault typically occurs if one or more UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Admin tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
  - Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```

Severity: warning
Cause: license-graceperiod-10days
mibFaultCode: 10000363
mibFaultName: fltLicenseInstanceGracePeriodWarning2
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

```

## fltLicenseInstanceGracePeriodWarning3

**Fault Code:** F10000364

### Message

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 30 days

### Explanation

At least one UCS Domain with UCS Central has been running in the grace period for more than 30 days. This fault typically occurs if one or more UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 120 days.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Manager GUI, you can access the licensing information from the Admin tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: warning
Cause: license-graceperiod-30days
mibFaultCode: 10000364
mibFaultName: fltLicenseInstanceGracePeriodWarning3
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

**fltLicenseInstanceGracePeriodWarning4**

**Fault Code: F10000365**

**Message**

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 60 days

**Explanation**

At least one UCS Domain with UCS Central has been running in the grace period for more than 60 days. This fault typically occurs if one or more UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 60 days.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Admin tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: warning
Cause: license-graceperiod-60days
mibFaultCode: 10000365
mibFaultName: fltLicenseInstanceGracePeriodWarning4
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fltLicenseInstanceGracePeriodWarning5

**Fault Code:** F1000366

### Message

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 90 days

### Explanation

At least one UCS Domain with UCS Central has been running in the grace period for more than 90 days. This fault typically occurs if one or more UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 90 days.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed by UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Admin tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: major
Cause: license-graceperiod-90days
mibFaultCode: 10000366
mibFaultName: fltLicenseInstanceGracePeriodWarning5
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fltLicenseInstanceGracePeriodWarning6

**Fault Code:** F1000367

### Message

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 119 days

### Explanation

At least one UCS Domain with UCS Central has been running in the grace period for more than 119 days. This fault typically occurs if one or more UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 119 days.

### Recommended Action

If you see this fault, take the following actions:



- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Admin tab for UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: critical
Cause: license-graceperiod-119days
mibFaultCode: 10000367
mibFaultName: fltLicenseInstanceGracePeriodWarning6
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fltLicenseInstanceGracePeriodWarning7

**Fault Code: F10000368**

#### Message

Grace period for feature [feature] on UCS Central [scope] is expired. Please acquire a license for the same.

#### Explanation

At least one UCS Domain with UCS Central has been running in the grace period for more than 120 days. UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 120 days. At this stage, the system licensing state is set to expired.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Admin tab for UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** Disable the unlicensed UCS Domains to bring the number of enabled Domains down to the number of total licenses.
- Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC immediately to procure more licenses.

#### Fault Details

```
Severity: critical
Cause: license-graceperiod-expired
mibFaultCode: 10000368
mibFaultName: fltLicenseInstanceGracePeriodWarning7
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fltLicenseFileBadLicenseFile

**Fault Code:** F1000369

### Message

license file [name] on UCS Central [scope] can not be installed

### Explanation

The installation of a license file on UCS Central failed. This fault typically occurs if the license file is badly formatted or its host ID does not match that of the UCS Domain.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** In the Cisco UCS Central CLI, check the host IDs for UCS Domains. You can access the host ID information by entering the **show server-host-id detail** command under the license scope.
- Step 2** Match the host IDs with the contents of the license file. If the host ID matches that of one of the UCS Domain, create a **show tech-support** file and contact Cisco TAC. If it does not match, contact Cisco TAC to obtain the correct license File.

### Fault Details

```
Severity: critical
Cause: license-file-uninstallable
mibFaultCode: 10000369
mibFaultName: fltLicenseFileBadLicenseFile
moClass: license:File
Type: management
Auto Cleared: false
Affected MO: sys/license/file-[scope]:[id]
```

## fltLicenseFileFileNotDeleted

**Fault Code:** F1000370

### Message

license file [name] from UCS Central [scope] could not be deleted

### Explanation

The deletion of a license file on UCS Central has failed. This fault typically occurs if license framework is not able to delete a file.

### Recommended Action

If you see this fault, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: critical
Cause: license-file-not-deleted
mibFaultCode: 10000370
mibFaultName: fltLicenseFileFileNotDeleted
moClass: license:File
Type: management
```

```
Auto Cleared: false
Affected MO: sys/license/file-[scope]:[id]
```

## fltExtpolClientGracePeriodWarning

**Fault Code:** F10000372

### Message

UCS domain [name] registered with UCS Central has entered into the grace period.

### Explanation

A UCS domain is registered with UCS Central without having a license. This fault typically occurs if this UCS domain is registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under license scope from **service-reg** session.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: license-graceperiod-entered
mibFaultCode: 10000372
mibFaultName: fltExtpolClientGracePeriodWarning
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning2

**Fault Code:** F10000373

### Message

UCS Domain [name] registered with UCS Central is running in the grace period for more than 10 days

### Explanation

This UCS domain is registered with UCS Central without having a license. This fault typically occurs if this UCS domain is registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: warning
Cause: license-graceperiod-10days
mibFaultCode: 10000373
mibFaultName: fltExtpolClientGracePeriodWarning2
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning3

**Fault Code: F10000374**

#### Message

UCS Domain [name] registered with UCS Central is running in the grace period for more than 30 days

#### Explanation

This UCS Domain registered with UCS Central has been running in the grace period for more than 30 days. This fault typically occurs if this UCS domain is registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 120 days.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Manager GUI, you can access the licensing information from the Operations Management tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: warning
Cause: license-graceperiod-30days
mibFaultCode: 10000374
mibFaultName: fltExtpolClientGracePeriodWarning3
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning4

**Fault Code:** F1000375

### Message

UCS Domain [name] registered with UCS Central is running in the grace period for more than 60 days

### Explanation

This UCS Domain registered with UCS Central has been running in the grace period for more than 60 days. This fault typically occurs if this UCS domain is registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 60 days.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

### Fault Details

```
Severity: warning
Cause: license-graceperiod-60days
mibFaultCode: 10000375
mibFaultName: fltExtpolClientGracePeriodWarning4
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning5

**Fault Code:** F1000376

### Message

UCS Domain [name] registered with UCS Central is running in the grace period for more than 90 days

### Explanation

This UCS Domain registered with UCS Central has been running in the grace period for more than 90 days. This fault typically occurs if this UCS domains is registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 90 days.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed by UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for the UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: major
Cause: license-graceperiod-90days
mibFaultCode: 10000376
mibFaultName: fltExtpolClientGracePeriodWarning5
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning6

**Fault Code: F10000377**

#### Message

UCS Domain [name] registered with UCS Central is running in the grace period for more than 119 days

#### Explanation

This UCS Domain registered with UCS Central has been running in the grace period for more than 119 days. This fault typically occurs if this UCS domain is registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 119 days.

#### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

#### Fault Details

```
Severity: critical
Cause: license-graceperiod-119days
mibFaultCode: 10000377
mibFaultName: fltExtpolClientGracePeriodWarning6
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning7

**Fault Code:** F1000378

### Message

Grace period for UCS Domain [name] registered with UCS Central has expired. Please acquire a license for the same.

### Explanation

This UCS Domain registered with UCS Central has been running in the grace period for more than 120 days. UCS domains are registered with UCS Central after all default (and procured) licenses are assigned to other UCS domains and the unlicensed UCS Domains have been running for more than 120 days. At this stage, the system licensing state is set to expired.

### Recommended Action

If you see this fault, take the following actions:

- 
- Step 1** Check the number of licenses installed and consumed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
  - Step 2** Disable the unlicensed UCS Domains to bring the number of enabled Domains down to the number of total licenses.
  - Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC immediately to procure more licenses.

### Fault Details

```
Severity: critical
Cause: license-graceperiod-expired
mibFaultCode: 10000378
mibFaultName: fltExtpolClientGracePeriodWarning7
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltExtpolClientGracePeriodWarning1

**Fault Code:** F1000379

### Message

UCS Domain [name] is registered with UCS Central without a valid license.

### Explanation

This UCS domain is registered with UCS Central without having a license. This fault typically occurs if this UCS domain is registered with UCS Central without the initial activation license and after all default licenses are assigned to other UCS domains.

### Recommended Action

If you see this fault, take the following actions:

- Step 1** Check if the initial activation license is installed on UCS Central. In the Cisco UCS Central GUI, you can access the licensing information from the Operations Management tab for UCS Central. In the Cisco UCS Central CLI, you can access the licensing information by entering the **show usage detail** command under the license scope.
- Step 2** Disable the unlicensed UCS Domains to bring the number of enabled Domains down to the number of total licenses.
- Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC immediately to procure more licenses.

#### Fault Details

```
Severity: critical
Cause: license-insufficient
mibFaultCode: 10000379
mibFaultName: fltExtpolClientGracePeriodWarning1
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

## fltPkiTPStatus

**Fault Code: F10000591**

#### Message

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

#### Explanation

This fault occurs when certificate status of TrustPoint has become invalid.

#### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

#### Fault Details

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

## fltPkiKeyRingStatus

**Fault Code: F10000592**

#### Message

[name] Keyring's certificate is invalid, reason: [certStatus].



**Explanation**

This fault occurs when certificate status of Keyring has become invalid.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```

**fltExtpolClientClientNotReachable**

**Fault Code: F10000644**

**Message**

Managed endpoint ([capability], [ip], [ipv6]) is not reachable

**Explanation**

This registered UCS Domain is not reachable from UCS Central registry. This fault typically occurs if the UCS Domain has lost network access.

**Recommended Action**

If you see this fault, take the following actions:

- 
- Step 1** In the Cisco UCS Central CLI, check the client process state through **show clients detail** in **service-reg** shell. You can check the same information through GUI from **Administrator** in UCS Central.
  - Step 2** Check the network connectivity from UCS domain to UCS Central.
  - Step 3** If the above action did not resolve the issue, create a **show tech-support** file and contact Cisco TAC.

**Fault Details**

```
Severity: info
Cause: client-lost-connectivity
mibFaultCode: 10000644
mibFaultName: fltExtpolClientClientNotReachable
moClass: extpol:Client
Type: network
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```



## **PART 2**

### **FSM Faults**



## Core Faults

---

### fsmStFailSysdebugLogControlEpPersistence:persist

**Fault Code:** F10016392

**Message**

[FSM:STAGE:FAILED|RETRY]: persist the Log Control Ep  
change(FSM-STAGE:sam:dme:SysdebugLogControlEpPersistence:persist)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** persist-failed  
**mibFaultCode:** 10016392  
**mibFaultName:** fsmStFailSysdebugLogControlEpPersistencePersist  
**moClass:** sysdebug:LogControlEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/sysdebug/logcontrol

### fsmStFailDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10016394

**Message**

[FSM:STAGE:FAILED|RETRY]: push the object modifications to  
client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-change-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailDupeChangeTrackerEpConfigureSendChange
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmStFailMgmtRegistryInfoConfigure:config**

**Fault Code: F10016394**

**Message**

[FSM:STAGE:FAILED|RETRY]: update service-reg ip in sam.config(FSM-STAGE:sam:dme:MgmtRegistryInfoConfigure:config)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailMgmtRegistryInfoConfigureConfig
moClass: mgmt:RegistryInfo
Type: fsm
Auto Cleared: true
Affected MO: sys/registryinfo
```

**fsmStFailOrgOrgConfigure:config**

**Fault Code: F10016394**

**Message**

[FSM:STAGE:FAILED|RETRY]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigure:config)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailOrgOrgConfigureConfig
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]
```

**fsmStFailSysdebugAutoCoreFileExportTargetConfigure:Local**

**Fault Code:** F10016394

**Message**

[FSM:STAGE:FAILED|RETRY]: configuring automatic core file export service on local(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailSysdebugAutoCoreFileExportTargetConfigureLocal
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/file-export
Affected MO: sys/sysdebug/file-export
```

**fsmStFailSysdebugManualCoreFileExportTargetExport:Execute**

**Fault Code:** F10016397

**Message**

[FSM:STAGE:FAILED|RETRY]: export core file [name] to [hostname](FSM-STAGE:sam:dme:SysdebugManualCoreFileExportTargetExport:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016397
mibFaultName: fsmStFailSysdebugManualCoreFileExportTargetExportExecute
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/export-to-[hostname]
```

**fsmStFailSysfileMutationSingle:Execute**

**Fault Code: F10016398**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: [action] file
[name](FSM-STAGE:sam:dme:SysfileMutationSingle:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016398
mibFaultName: fsmStFailSysfileMutationSingleExecute
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmStFailSysfileMutationGlobal:Local**

**Fault Code: F10016399**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: remove files from
local(FSM-STAGE:sam:dme:SysfileMutationGlobal:Local)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016399
mibFaultName: fsmStFailSysfileMutationGlobalLocal
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmStFailTopSystemHostName:config**

**Fault Code: F10016400**

**Message**

[FSM:STAGE:FAILED|RETRY]: Configure the Virtual Machine Hostname:  
[name](FSM-STAGE:sam:dme:TopSystemHostName:config)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-failed
mibFaultCode: 10016400
mibFaultName: fsmStFailTopSystemHostNameConfig
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

**fsmStFailTopSystemHostName:configPeer**

**Fault Code: F10016400**

**Message**

[FSM:STAGE:FAILED|RETRY]: Configure the Virtual Machine Hostname on peer:  
[name](FSM-STAGE:sam:dme:TopSystemHostName:configPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-peer-failed
mibFaultCode: 10016400
mibFaultName: fsmStFailTopSystemHostNameConfigPeer
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

**fsmStFailSysdebugTechSupportInitiate:Local**

**Fault Code: F10016421**

**Message**

[FSM:STAGE:FAILED|RETRY]: create tech-support file from GUI(FSM-STAGE:sam:dme:SysdebugTechSupportInitiate:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016421
mibFaultName: fsmStFailSysdebugTechSupportInitiateLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

**fsmStFailSysdebugTechSupportDeleteTechSupFile:Local**

**Fault Code: F10016422**

**Message**

[FSM:STAGE:FAILED|RETRY]: delete tech-support file from GUI(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:Local)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016422
mibFaultName: fsmStFailSysdebugTechSupportDeleteTechSupFileLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

**fsmStFailNetworkElementUpdateElement:updateAttr**

**Fault Code: F10016424**

**Message**

[FSM:STAGE:FAILED|RETRY]: update virtual machine: [rn]  
attributes(FSM-STAGE:sam:dme:NetworkElementUpdateElement:updateAttr)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: update-attr-failed
mibFaultCode: 10016424
mibFaultName: fsmStFailNetworkElementUpdateElementUpdateAttr
moClass: network:Element
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]
```

**fsmStFailAaaEpUpdateEp:SetEpLocal**

**Fault Code: F10016426**

**Message**

[FSM:STAGE:FAILED|RETRY]: external aaa server configuration to  
primary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-ep-local-failed
mibFaultCode: 10016426
mibFaultName: fsmStFailAaaEpUpdateEpSetEpLocal
moClass: aaa:Ep
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name] /
Affected MO: sys/
```

**fsmStFailAaaUserEpUpdateUserEp:SetUserLocal**

**Fault Code: F10016427**

**Message**

[FSM:STAGE:FAILED|RETRY]: user configuration to primary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-user-local-failed
mibFaultCode: 10016427
mibFaultName: fsmStFailAaaUserEpUpdateUserEpSetUserLocal
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext
```

**fsmStFailAaaUserEpUpdateUserEp:SetUserPeer**

**Fault Code: F10016427**

**Message**

[FSM:STAGE:FAILED|RETRY]: user configuration on subordinate(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserPeer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-user-peer-failed
mibFaultCode: 10016427
mibFaultName: fsmStFailAaaUserEpUpdateUserEpSetUserPeer
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext
```

**fsmStFailObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10016441**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016441
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailTestingServiceProfileResolvePolicyFsm:Resolve

**Fault Code:** F10016441

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:TestingServiceProfileResolvePolicyFsm:Resolve)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-failed  
**mibFaultCode:** 10016441  
**mibFaultName:** fsmStFailTestingServiceProfileResolvePolicyFsmResolve  
**moClass:** testing:ServiceProfile  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/service-profile-[name]

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016442

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 10016442  
**mibFaultName:** fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailTestingServiceProfileResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016442

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:TestingServiceProfileResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 10016442  
**mibFaultName:** fsmStFailTestingServiceProfileResolveManyPolicyFsmResolveMany  
**moClass:** testing:ServiceProfile  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/service-profile-[name]

## fsmStFailCertRepairEpRepairCert:request

**Fault Code:** F10016504

### Message

[FSM:STAGE:FAILED|RETRY]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailCertRepairEpRepairCert:verify**

**Fault Code: F10016504**

**Message**

[FSM:STAGE:FAILED|RETRY]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailObserveObservedResolveResourceFsm:Execute**

**Fault Code: F10016511**

**Message**

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveVMFsm:Execute**

**Fault Code: F10016512**

**Message**

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016513  
**mibFaultName:** fsmStFailObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10016515  
**mibFaultName:** fsmStFailCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp



**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fsmStFailExtpolEpRegisterFsm:Execute

**Fault Code:** F10016518

### Message

[FSM:STAGE:FAILED|RETRY]: Register FSM  
 Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016518  
**mibFaultName:** fsmStFailExtpolEpRegisterFsmExecute  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

## fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10016532

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016532  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10016533

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016533  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10016536

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany**

**Fault Code:** F10016537

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10016538

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
  pe]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
  ]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
  yName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
  Name]

```

## fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10016540

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll**

**Fault Code:** F10016541

**Message**

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016542

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10016544

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code:** F10016545

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10016546

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailMgmtIfVirtualIfConfig:Local

**Fault Code:** F10016725

### Message

[FSM:STAGE:FAILED|RETRY]: Updating virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016725
mibFaultName: fsmStFailMgmtIfVirtualIfConfigLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

## fsmStFailMgmtIfEnableVip:Local

**Fault Code:** F10016726

### Message

[FSM:STAGE:FAILED|RETRY]: Enable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfEnableVip:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016726
mibFaultName: fsmStFailMgmtIfEnableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
```

**Affected MO:** sys/mgmt/if-[id]

## fsmStFailMgmtIfDisableVip:Local

**Fault Code:** F10016727

### Message

[FSM:STAGE:FAILED|RETRY]: Disable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfDisableVip:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016727  
**mibFaultName:** fsmStFailMgmtIfDisableVipLocal  
**moClass:** mgmt:If  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/switch-[id]/mgmt/if-[id]  
**Affected MO:** sys/mgmt/if-[id]

## fsmStFailOrgOrgConfigurePeer:config

**Fault Code:** F10016728

### Message

[FSM:STAGE:FAILED|RETRY]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigurePeer:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 10016728  
**mibFaultName:** fsmStFailOrgOrgConfigurePeerConfig  
**moClass:** org:Org  
**Type:** fsm

**Auto Cleared:** true  
**Affected MO:** org-[name]

## fsmStFailTopSystemPeerHostName:config

**Fault Code:** F10016729

### Message

[FSM:STAGE:FAILED|RETRY]: Configure the Peer Virtual Machine Hostname:  
[name](FSM-STAGE:sam:dme:TopSystemPeerHostName:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 10016729  
**mibFaultName:** fsmStFailTopSystemPeerHostNameConfig  
**moClass:** top:System  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys

## fsmStFailAaaRealmUpdateRealm:SetRealm

**Fault Code:** F10016998

### Message

[FSM:STAGE:FAILED|RETRY]: realm  
configuration(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealm)

### Explanation

Cisco UCS Central could not update the configurations in the primary node for Authentication realms.

### Recommended Action

If you see this fault, take the following actions:

### Fault Details

**Severity:** warning  
**Cause:** set-realm-failed  
**mibFaultCode:** 10016998  
**mibFaultName:** fsmStFailAaaRealmUpdateRealmSetRealm  
**moClass:** aaa:Realm  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** domaingroup-[name]/

**Affected MO:** sys/

## fsmRmtErrSysdebugLogControlEpPersistence:persist

**Fault Code:** F10077832

### Message

[FSM:STAGE:REMOTE-ERROR]: persist the Log Control Ep change(FSM-STAGE:sam:dme:SysdebugLogControlEpPersistence:persist)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** persist-failed  
**mibFaultCode:** 10077832  
**mibFaultName:** fsmRmtErrSysdebugLogControlEpPersistencePersist  
**moClass:** sysdebug:LogControlEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/sysdebug/logcontrol

## fsmRmtErrDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10077834

### Message

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10077834  
**mibFaultName:** fsmRmtErrDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

## fsmRmtErrMgmtRegistryInfoConfigure:config

**Fault Code:** F10077834

### Message

[FSM:STAGE:REMOTE-ERROR]: update service-reg ip in sam.config(FSM-STAGE:sam:dme:MgmtRegistryInfoConfigure:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 10077834  
**mibFaultName:** fsmRmtErrMgmtRegistryInfoConfigureConfig  
**moClass:** mgmt:RegistryInfo  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/registryinfo

## fsmRmtErrOrgOrgConfigure:config

**Fault Code:** F10077834

### Message

[FSM:STAGE:REMOTE-ERROR]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigure:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 10077834  
**mibFaultName:** fsmRmtErrOrgOrgConfigureConfig



```

moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]

```

## fsmRmtErrSysdebugAutoCoreFileExportTargetConfigure:Local

**Fault Code:** F10077834

### Message

[FSM:STAGE:REMOTE-ERROR]: configuring automatic core file export service on local(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 10077834
mibFaultName: fsmRmtErrSysdebugAutoCoreFileExportTargetConfigureLocal
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/file-export
Affected MO: sys/sysdebug/file-export

```

## fsmRmtErrSysdebugManualCoreFileExportTargetExport:Execute

**Fault Code:** F10077837

### Message

[FSM:STAGE:REMOTE-ERROR]: export core file [name] to [hostname](FSM-STAGE:sam:dme:SysdebugManualCoreFileExportTargetExport:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077837

```

```

mibFaultName: fsmRmtErrSysdebugManualCoreFileExportTargetExportExecute
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/export-to-[hostname]

```

## fsmRmtErrSysfileMutationSingle:Execute

**Fault Code:** F10077838

### Message

```
[FSM:STAGE:REMOTE-ERROR]: [action] file
[name](FSM-STAGE:sam:dme:SysfileMutationSingle:Execute)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077838
mibFaultName: fsmRmtErrSysfileMutationSingleExecute
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation

```

## fsmRmtErrSysfileMutationGlobal:Local

**Fault Code:** F10077839

### Message

```
[FSM:STAGE:REMOTE-ERROR]: remove files from
local(FSM-STAGE:sam:dme:SysfileMutationGlobal:Local)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed

```

```

mibFaultCode: 10077839
mibFaultName: fsmRmtErrSysfileMutationGlobalLocal
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation

```

## fsmRmtErrTopSystemHostName:config

**Fault Code:** F10077840

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure the Virtual Machine Hostname:  
[name](FSM-STAGE:sam:dme:TopSystemHostName:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: config-failed
mibFaultCode: 10077840
mibFaultName: fsmRmtErrTopSystemHostNameConfig
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys

```

## fsmRmtErrTopSystemHostName:configPeer

**Fault Code:** F10077840

### Message

[FSM:STAGE:REMOTE-ERROR]: Configure the Virtual Machine Hostname on peer:  
[name](FSM-STAGE:sam:dme:TopSystemHostName:configPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: config-peer-failed
mibFaultCode: 10077840
mibFaultName: fsmRmtErrTopSystemHostNameConfigPeer
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys

```

## fsmRmtErrSysdebugTechSupportInitiate:Local

**Fault Code:** F10077861

### Message

[FSM:STAGE:REMOTE-ERROR]: create tech-support file from GUI(FSM-STAGE:sam:dme:SysdebugTechSupportInitiate:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: local-failed
mibFaultCode: 10077861
mibFaultName: fsmRmtErrSysdebugTechSupportInitiateLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmRmtErrSysdebugTechSupportDeleteTechSupFile:Local

**Fault Code:** F10077862

### Message

[FSM:STAGE:REMOTE-ERROR]: delete tech-support file from GUI(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: local-failed
mibFaultCode: 10077862
mibFaultName: fsmRmtErrSysdebugTechSupportDeleteTechSupFileLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

## fsmRmtErrNetworkElementUpdateElement:updateAttr

**Fault Code:** F10077864

### Message

[FSM:STAGE:REMOTE-ERROR]: update virtual machine: [rn]  
attributes(FSM-STAGE:sam:dme:NetworkElementUpdateElement:updateAttr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: update-attr-failed
mibFaultCode: 10077864
mibFaultName: fsmRmtErrNetworkElementUpdateElementUpdateAttr
moClass: network:Element
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]

```

## fsmRmtErrAaaEpUpdateEp:SetEpLocal

**Fault Code:** F10077866

### Message

[FSM:STAGE:REMOTE-ERROR]: external aaa server configuration to  
primary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: set-ep-local-failed
mibFaultCode: 10077866
mibFaultName: fsmRmtErrAaaEpUpdateEpSetEpLocal
moClass: aaa:Ep
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/

```

## fsmRmtErrAaaUserEpUpdateUserEp:SetUserLocal

**Fault Code:** F10077867

### Message

[FSM:STAGE:REMOTE-ERROR]: user configuration to primary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: set-user-local-failed
mibFaultCode: 10077867
mibFaultName: fsmRmtErrAaaUserEpUpdateUserEpSetUserLocal
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext

```

## fsmRmtErrAaaUserEpUpdateUserEp:SetUserPeer

**Fault Code:** F10077867

### Message

[FSM:STAGE:REMOTE-ERROR]: user configuration on subordinate(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserPeer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** set-user-peer-failed  
**mibFaultCode:** 10077867  
**mibFaultName:** fsmRmtErrAaaUserEpUpdateUserEpSetUserPeer  
**moClass:** aaa:UserEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/user-ext

**fsmRmtErrObserveObservedResolvePolicyFsm:Execute**

**Fault Code:** F10077881

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077881  
**mibFaultName:** fsmRmtErrObserveObservedResolvePolicyFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

**fsmRmtErrTestingServiceProfileResolvePolicyFsm:Resolve**

**Fault Code:** F10077881

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:TestingServiceProfileResolvePolicyFsm:Resolve)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-failed  
**mibFaultCode:** 10077881  
**mibFaultName:** fsmRmtErrTestingServiceProfileResolvePolicyFsmResolve  
**moClass:** testing:ServiceProfile  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/service-profile-[name]

**fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany**

**Fault Code:** F10077882

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 10077882  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmRmtErrTestingServiceProfileResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10077882

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:TestingServiceProfileResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 10077882  
**mibFaultName:** fsmRmtErrTestingServiceProfileResolveManyPolicyFsmResolveMany  
**moClass:** testing:ServiceProfile  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/service-profile-[name]

## fsmRmtErrCertRepairEpRepairCert:request

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrCertRepairEpRepairCert:verify

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertVerify  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10077951

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077951  
**mibFaultName:** fsmRmtErrObserveObservedResolveResourceFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]

**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077952  
**mibFaultName:** fsmRmtErrObserveObservedResolveVMFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10077953

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

```

Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmRmtErrCommSvcEpRestartWebSvc:restart

**Fault Code:** F10077955

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

## fsmRmtErrExtpolEpRegisterFsm:Execute

**Fault Code:** F10077958

### Message

[FSM:STAGE:REMOTE-ERROR]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077958  
**mibFaultName:** fsmRmtErrExtpolEpRegisterFsmExecute  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code:** F10077972

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10077972  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-  
[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy  
pe]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType  
]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic  
yName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy  
Name]

## fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10077973

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10077974

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany**

**Fault Code:** F10077976

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10077977

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10077977

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10077978

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10077979

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany**

**Fault Code:** F10077980

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10077981

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10077981

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10077982

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10077983

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll**

**Fault Code:** F10077984

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10077985

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10077985

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10077986

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrMgmtIfVirtualIfConfig:Local

**Fault Code:** F10078165

**Message**

[FSM:STAGE:REMOTE-ERROR]: Updating virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078165
mibFaultName: fsmRmtErrMgmtIfVirtualIfConfigLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

**fsmRmtErrMgmtIfEnableVip:Local**

**Fault Code: F10078166**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Enable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfEnableVip:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078166
mibFaultName: fsmRmtErrMgmtIfEnableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

**fsmRmtErrMgmtIfDisableVip:Local**

**Fault Code: F10078167**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Disable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfDisableVip:Local)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078167
mibFaultName: fsmRmtErrMgmtIfDisableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

**fsmRmtErrOrgOrgConfigurePeer:config**

**Fault Code: F10078168**

**Message**

[FSM:STAGE:REMOTE-ERROR]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigurePeer:config)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-failed
mibFaultCode: 10078168
mibFaultName: fsmRmtErrOrgOrgConfigurePeerConfig
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]
```

**fsmRmtErrTopSystemPeerHostName:config**

**Fault Code: F10078169**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Configure the Peer Virtual Machine Hostname: [name](FSM-STAGE:sam:dme:TopSystemPeerHostName:config)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-failed
mibFaultCode: 10078169
mibFaultName: fsmRmtErrTopSystemPeerHostNameConfig
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

**fsmRmtErrAaaRealmUpdateRealm:SetRealm**

**Fault Code:** F10078438

**Message**

[FSM:STAGE:REMOTE-ERROR]: realm  
configuration(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealm)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-realm-failed
mibFaultCode: 10078438
mibFaultName: fsmRmtErrAaaRealmUpdateRealmSetRealm
moClass: aaa:Realm
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

**fsmFailSysdebugLogControlEpPersistence**

**Fault Code:** F10999432

**Message**

[FSM:FAILED]: sam:dme:SysdebugLogControlEpPersistence

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999432
mibFaultName: fsmFailSysdebugLogControlEpPersistence
moClass: sysdebug:LogControlEp
Type: fsm
Auto Cleared: true
Affected MO: sys/sysdebug/logcontrol
```

**fsmFailDupeChangeTrackerEpConfigure**

**Fault Code:** F10999434

**Message**

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailDupeChangeTrackerEpConfigure
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmFailMgmtRegistryInfoConfigure**

**Fault Code:** F10999434

**Message**

[FSM:FAILED]: sam:dme:MgmtRegistryInfoConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailMgmtRegistryInfoConfigure
moClass: mgmt:RegistryInfo
Type: fsm
Auto Cleared: true
Affected MO: sys/registryinfo
```

## fsmFailOrgOrgConfigure

**Fault Code: F10999434**

**Message**

[FSM:FAILED]: sam:dme:OrgOrgConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailOrgOrgConfigure
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]
```

## fsmFailSysdebugAutoCoreFileExportTargetConfigure

**Fault Code: F10999434**

**Message**

[FSM:FAILED]: sam:dme:SysdebugAutoCoreFileExportTargetConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailSysdebugAutoCoreFileExportTargetConfigure
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/file-export
Affected MO: sys/sysdebug/file-export
```

**fsmFailSysdebugManualCoreFileExportTargetExport**

**Fault Code:** F10999437

**Message**

[FSM:FAILED]: sam:dme:SysdebugManualCoreFileExportTargetExport

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999437
mibFaultName: fsmFailSysdebugManualCoreFileExportTargetExport
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/export-to-[hostname]
```

**fsmFailSysfileMutationSingle**

**Fault Code:** F10999438

**Message**

[FSM:FAILED]: sam:dme:SysfileMutationSingle

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999438
mibFaultName: fsmFailSysfileMutationSingle
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmFailSysfileMutationGlobal**

**Fault Code: F10999439**

**Message**

[FSM:FAILED]: sam:dme:SysfileMutationGlobal

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999439
mibFaultName: fsmFailSysfileMutationGlobal
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

**fsmFailTopSystemHostName**

**Fault Code: F10999440**

**Message**

[FSM:FAILED]: sam:dme:TopSystemHostName

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999440
mibFaultName: fsmFailTopSystemHostName
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

**fsmFailSysdebugTechSupportInitiate**

**Fault Code: F10999461**

**Message**

[FSM:FAILED]: sam:dme:SysdebugTechSupportInitiate

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999461
mibFaultName: fsmFailSysdebugTechSupportInitiate
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

**fsmFailSysdebugTechSupportDeleteTechSupFile**

**Fault Code: F10999462**

**Message**

[FSM:FAILED]: sam:dme:SysdebugTechSupportDeleteTechSupFile

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999462
mibFaultName: fsmFailSysdebugTechSupportDeleteTechSupFile
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

## fsmFailNetworkElementUpdateElement

**Fault Code:** F10999464

**Message**

[FSM:FAILED]: sam:dme:NetworkElementUpdateElement

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999464
mibFaultName: fsmFailNetworkElementUpdateElement
moClass: network:Element
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]
```

## fsmFailAaaEpUpdateEp

**Fault Code:** F10999466

**Message**

[FSM:FAILED]: sam:dme:AaaEpUpdateEp



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999466
mibFaultName: fsmFailAaaEpUpdateEp
moClass: aaa:Ep
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

**fsmFailAaaUserEpUpdateUserEp**

**Fault Code: F10999467**

**Message**

[FSM:FAILED]: sam:dme:AaaUserEpUpdateUserEp

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999467
mibFaultName: fsmFailAaaUserEpUpdateUserEp
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext
```

**fsmFailObserveObservedResolvePolicyFsm**

**Fault Code: F10999481**

**Message**

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999481
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmFailTestingServiceProfileResolvePolicyFsm**

**Fault Code:** F10999481

**Message**

[FSM:FAILED]: sam:dme:TestingServiceProfileResolvePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999481
mibFaultName: fsmFailTestingServiceProfileResolvePolicyFsm
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]
```

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999482

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999482
mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailTestingServiceProfileResolveManyPolicyFsm

**Fault Code:** F10999482

**Message**

[FSM:FAILED]: sam:dme:TestingServiceProfileResolveManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999482  
**mibFaultName:** fsmFailTestingServiceProfileResolveManyPolicyFsm  
**moClass:** testing:ServiceProfile  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/service-profile-[name]

**fsmFailCertRepairEpRepairCert**

**Fault Code:** F1099544

**Message**

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999544  
**mibFaultName:** fsmFailCertRepairEpRepairCert  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

**fsmFailObserveObservedResolveResourceFsm**

**Fault Code:** F1099551

**Message**

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

```

Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmFailCommSvcEpRestartWebSvc**

**Fault Code: F1099555**

**Message**

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fsmFailExtpolEpRegisterFsm**

**Fault Code: F1099558**

**Message**

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

**fsmFailPolicyPolicyScopeReleasePolicyFsm**

**Fault Code: F10999572**

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseOperationFsm

**Fault Code:** F10999573

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999573

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseStorageFsm

**Fault Code:** F10999574

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveManyOperationFsm**

**Fault Code:** F10999576

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F1099577

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999577

**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

**Fault Code:** F10999578

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999579  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyOperationFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseManyStorageFsm****Fault Code:** F10999580**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999580  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllPolicyFsm

**Fault Code:** F10999581

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999581

**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllStorageFsm**

**Fault Code:** F10999583

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999584

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllOperationFsm

**Fault Code:** F10999585

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailMgmtIfVirtualIfConfig****Fault Code: F10999765****Message**

[FSM:FAILED]: sam:dme:MgmtIfVirtualIfConfig

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999765
mibFaultName: fsmFailMgmtIfVirtualIfConfig
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]

```

## fsmFailMgmtIfEnableVip

**Fault Code:** F10999766

**Message**

[FSM:FAILED]: sam:dme:MgmtIfEnableVip

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999766
mibFaultName: fsmFailMgmtIfEnableVip
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

## fsmFailMgmtIfDisableVip

**Fault Code:** F10999767

**Message**

[FSM:FAILED]: sam:dme:MgmtIfDisableVip

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999767
mibFaultName: fsmFailMgmtIfDisableVip
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

## fsmFailOrgOrgConfigurePeer

**Fault Code:** F10999768

**Message**

[FSM:FAILED]: sam:dme:OrgOrgConfigurePeer

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999768  
**mibFaultName:** fsmFailOrgOrgConfigurePeer  
**moClass:** org:Org  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]

## fsmFailTopSystemPeerHostName

**Fault Code:** F10999769

**Message**

[FSM:FAILED]: sam:dme:TopSystemPeerHostName

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999769  
**mibFaultName:** fsmFailTopSystemPeerHostName  
**moClass:** top:System  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys

## fsmFailAaaRealmUpdateRealm

**Fault Code:** F1100038

**Message**

[FSM:FAILED]: sam:dme:AaaRealmUpdateRealm

**Explanation**

Cisco UCS Central could not set the configurations for Authentication Realm.

**Recommended Action**

Check the error for the failed FSM stage and take the recommended action for that stage.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 11000038  
**mibFaultName:** fsmFailAaaRealmUpdateRealm  
**moClass:** aaa:Realm  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** domaingroup-[name]/  
**Affected MO:** sys/



## Identifier Manager Faults

---

### fsmStFailCertRepairEpRepairCert:request

**Fault Code:** F10016504

**Message**

```
[FSM:STAGE:FAILED|RETRY]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning  
Cause: request-failed  
mibFaultCode: 10016504  
mibFaultName: fsmStFailCertRepairEpRepairCertRequest  
moClass: cert:RepairEp  
Type: fsm  
Auto Cleared: true  
Affected MO: sys/cert-repair
```

### fsmStFailCertRepairEpRepairCert:verify

**Fault Code:** F10016504

**Message**

```
[FSM:STAGE:FAILED|RETRY]: checking that cert was  
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10016510**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveResourceFsm:Execute**

**Fault Code: F10016511**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveVMFsm:Execute**

**Fault Code: F10016512**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
```



**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fsmStFailExtpolEpRegisterFsm:Execute

**Fault Code:** F10016518

### Message

[FSM:STAGE:FAILED|RETRY]: Register FSM  
 Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016518  
**mibFaultName:** fsmStFailExtpolEpRegisterFsmExecute  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

## fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10016532

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016532  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10016533

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016533  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016535

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany**

**Fault Code:** F10016536

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10016537

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10016537

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany**

**Fault Code:** F10016540

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10016541

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016541

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll**

**Fault Code:** F10016544

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10016545

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10016545

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmStFailDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10017032

### Message

[FSM:STAGE:FAILED|RETRY]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-change-failed
mibFaultCode: 10017032
mibFaultName: fsmStFailDupeChangeTrackerEpConfigureSendChange
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmRmtErrCertRepairEpRepairCert:request**

**Fault Code: F10077944**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmRmtErrCertRepairEpRepairCert:verify**

**Fault Code: F10077944**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmRmtErrObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10077950**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10077951

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
```

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10077953

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077953  
**mibFaultName:** fsmRmtErrObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrCommSvcEpRestartWebSvc:restart

**Fault Code:** F10077955

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fsmRmtErrExtpolEpRegisterFsm:Execute**

**Fault Code: F10077958**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

**fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code: F10077972**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release**

**Fault Code:** F10077973

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10077974

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-failed

**mibFaultCode:** 10077974

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10077975

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10077976

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany**

**Fault Code:** F10077977

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10077978

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10077978

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10077979

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10077980

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll**

**Fault Code:** F10077981

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10077982

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10077982

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10077983

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10077984

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code:** F10077985

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10077986

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10077986

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10078472

### Message

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10078472  
**mibFaultName:** fsmRmtErrDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

## fsmFailCertRepairEpRepairCert

**Fault Code:** F10999544

### Message

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999544  
**mibFaultName:** fsmFailCertRepairEpRepairCert  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F10999550

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code:** F10999551

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
```

**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999552  
**mibFaultName:** fsmFailObserveObservedResolveVMFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed

```

mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailCommSvcEpRestartWebSvc

**Fault Code:** F10999555

### Message

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

## fsmFailExtpolEpRegisterFsm

**Fault Code:** F10999558

### Message

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999558  
**mibFaultName:** fsmFailExtpolEpRegisterFsm  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmFailPolicyPolicyScopeReleasePolicyFsm**

**Fault Code:** F1099572

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999572  
**mibFaultName:** fsmFailPolicyPolicyScopeReleasePolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseOperationFsm**

**Fault Code:** F1099573

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseStorageFsm**

**Fault Code:** F10999574

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999575

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999575

**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code:** F10999576

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F10999577

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999577  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseManyPolicyFsm****Fault Code:** F10999578**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999578  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999579

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F10999580

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllPolicyFsm**

**Fault Code:** F10999581

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999582

**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmFailPolicyPolicyScopeResolveAllStorageFsm

**Fault Code:** F10999583

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseAllOperationFsm****Fault Code:** F10999585**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999586

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailDupeChangeTrackerEpConfigure

**Fault Code:** F1100072

**Message**

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 11000072  
**mibFaultName:** fsmFailDupeChangeTrackerEpConfigure  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep



## Operations Manager Faults

### fsmStFailMgmtBackupBackup:backupLocal

**Fault Code:** F10016411

**Message**

[FSM:STAGE:FAILED|RETRY]: internal database  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** backup-local-failed  
**mibFaultCode:** 10016411  
**mibFaultName:** fsmStFailMgmtBackupBackupBackupLocal  
**moClass:** mgmt:Backup  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/backup-[hostname]

### fsmStFailMgmtBackupBackup:upload

**Fault Code:** F10016411

**Message**

[FSM:STAGE:FAILED|RETRY]: internal system  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10016411
mibFaultName: fsmStFailMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]
```

**fsmStFailMgmtImporterImport:config**

**Fault Code: F10016412**

**Message**

[FSM:STAGE:FAILED|RETRY]: importing the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:config)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: config-failed
mibFaultCode: 10016412
mibFaultName: fsmStFailMgmtImporterImportConfig
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

**fsmStFailMgmtImporterImport:downloadLocal**

**Fault Code: F10016412**

**Message**

[FSM:STAGE:FAILED|RETRY]: downloading the configuration file from the remote location(FSM-STAGE:sam:dme:MgmtImporterImport:downloadLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: download-local-failed
mibFaultCode: 10016412
mibFaultName: fsmStFailMgmtImporterImportDownloadLocal
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

**fsmStFailMgmtImporterImport:reportResults**

**Fault Code: F10016412**

**Message**

[FSM:STAGE:FAILED|RETRY]: Report results of configuration application(FSM-STAGE:sam:dme:MgmtImporterImport:reportResults)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: report-results-failed
mibFaultCode: 10016412
mibFaultName: fsmStFailMgmtImporterImportReportResults
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

**fsmStFailMgmtDataExporterExportData:dmeDataExport**

**Fault Code: F10016415**

**Message**

[FSM:STAGE:FAILED|RETRY]: exporting data from application database(FSM-STAGE:sam:dme:MgmtDataExporterExportData:dmeDataExport)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: dme-data-export-failed
mibFaultCode: 10016415
mibFaultName: fsmStFailMgmtDataExporterExportDataDmeDataExport
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]
```

**fsmStFailMgmtDataExporterExportData:upload**

**Fault Code: F10016415**

**Message**

[FSM:STAGE:FAILED|RETRY]: uploading data to backup server(FSM-STAGE:sam:dme:MgmtDataExporterExportData:upload)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10016415
mibFaultName: fsmStFailMgmtDataExporterExportDataUpload
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]
```

**fsmStFailMgmtDataImporterImportData:dmeImport**

**Fault Code: F10016416**

**Message**

[FSM:STAGE:FAILED|RETRY]: importing the configuration file(FSM-STAGE:sam:dme:MgmtDataImporterImportData:dmeImport)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: dme-import-failed
mibFaultCode: 10016416
mibFaultName: fsmStFailMgmtDataImporterImportDataDmeImport
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

**fsmStFailMgmtDataImporterImportData:download**

**Fault Code: F10016416**

**Message**

[FSM:STAGE:FAILED|RETRY]: downloading files from backup server(FSM-STAGE:sam:dme:MgmtDataImporterImportData:download)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: download-failed
mibFaultCode: 10016416
mibFaultName: fsmStFailMgmtDataImporterImportDataDownload
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

**fsmStFailMgmtDataImporterImportData:reportResults**

**Fault Code: F10016416**

**Message**

[FSM:STAGE:FAILED|RETRY]: Report results of application data import(FSM-STAGE:sam:dme:MgmtDataImporterImportData:reportResults)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: report-results-failed
mibFaultCode: 10016416
mibFaultName: fsmStFailMgmtDataImporterImportDataReportResults
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

**fsmStFailCertRepairEpRepairCert:request**

**Fault Code: F10016504**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailCertRepairEpRepairCert:verify**

**Fault Code: F10016504**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10016510**

**Message**

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10016511

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveVMFsm:Execute

**Fault Code:** F10016512

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
```

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016513  
**mibFaultName:** fsmStFailObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fsmStFailExtpolEpRegisterFsm:Execute**

**Fault Code: F10016518**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

**fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code: F10016532**

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release**

**Fault Code:** F10016533

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-failed

**mibFaultCode:** 10016534

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016535

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10016536

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany**

**Fault Code:** F10016537

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10016538

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10016540

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll**

**Fault Code:** F10016541

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016542

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10016544

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code:** F10016545

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10016546

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailConsumerInstRenameCfgDir:MoveCfgDirsFromTmpLocation

**Fault Code:** F10016607

### Message

[FSM:STAGE:FAILED|RETRY]: moving config backup dirs for client [ip] from temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsFromTmpLocation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: move-cfg-dirs-from-tmp-location-failed
mibFaultCode: 10016607
mibFaultName: fsmStFailConsumerInstRenameCfgDirMoveCfgDirsFromTmpLocation
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]
```

## fsmStFailConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation

**Fault Code:** F10016607

### Message

[FSM:STAGE:FAILED|RETRY]: moving config backup dirs for client [ip] to temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: move-cfg-dirs-to-tmp-location-failed
mibFaultCode: 10016607
mibFaultName: fsmStFailConsumerInstRenameCfgDirMoveCfgDirsToTmpLocation
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]
```

## fsmStFailNfsClientDefAddConfig:InternalAdd

**Fault Code:** F10016608

### Message

[FSM:STAGE:FAILED|RETRY]: adding client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefAddConfig:InternalAdd)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** internal-add-failed  
**mibFaultCode:** 10016608  
**mibFaultName:** fsmStFailNfsClientDefAddConfigInternalAdd  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmStFailNfsClientDefAddConfig:PeerAdd

**Fault Code:** F10016608

### Message

[FSM:STAGE:FAILED|RETRY]: adding [ip] to peer(FSM-STAGE:sam:dme:NfsClientDefAddConfig:PeerAdd)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** peer-add-failed  
**mibFaultCode:** 10016608  
**mibFaultName:** fsmStFailNfsClientDefAddConfigPeerAdd  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmStFailNfsClientDefDeleteConfig:InternalDelete

**Fault Code:** F10016609

### Message

[FSM:STAGE:FAILED|RETRY]: deleting client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:InternalDelete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** internal-delete-failed  
**mibFaultCode:** 10016609  
**mibFaultName:** fsmStFailNfsClientDefDeleteConfigInternalDelete  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmStFailNfsClientDefDeleteConfig:PeerDelete

**Fault Code:** F10016609

### Message

[FSM:STAGE:FAILED|RETRY]: delete [ip] from peer(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:PeerDelete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** peer-delete-failed  
**mibFaultCode:** 10016609  
**mibFaultName:** fsmStFailNfsClientDefDeleteConfigPeerDelete  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmStFailFirmwareDownloaderDownload:DeleteLocal

**Fault Code:** F10016623

### Message

[FSM:STAGE:FAILED|RETRY]: deleting temporary files created during download of [fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 10016623
mibFaultName: fsmStFailFirmwareDownloaderDownloadDeleteLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

## fsmStFailFirmwareDownloaderDownload:Local

**Fault Code:** F10016623

### Message

[FSM:STAGE:FAILED|RETRY]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016623
mibFaultName: fsmStFailFirmwareDownloaderDownloadLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

## fsmStFailFirmwareDownloaderDownload:UnpackLocal

**Fault Code:** F10016623

### Message

[FSM:STAGE:FAILED|RETRY]: unpacking image  
[fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:UnpackLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** unpack-local-failed  
**mibFaultCode:** 10016623  
**mibFaultName:** fsmStFailFirmwareDownloaderDownloadUnpackLocal  
**moClass:** firmware:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/fw-catalogue/dnld-[fileName]

## fsmStFailConfigBackupDelete:Local

**Fault Code:** F10016624

### Message

[FSM:STAGE:FAILED|RETRY]: deleting backup instance [fileName] archived on  
[ts](FSM-STAGE:sam:dme:ConfigBackupDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016624  
**mibFaultName:** fsmStFailConfigBackupDeleteLocal  
**moClass:** config:Backup  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:**

sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]

**Affected MO:**

universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]

## fsmStFailConfigConsumerCatalogueDelete:Local

**Fault Code:** F10016624

### Message

[FSM:STAGE:FAILED|RETRY]: deleting consumer catalogue [name](FSM-STAGE:sam:dme:ConfigConsumerCatalogueDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016624  
**mibFaultName:** fsmStFailConfigConsumerCatalogueDeleteLocal  
**moClass:** config:ConsumerCatalogue  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/config-catalogue/consumer-catalogue-[internalName]  
**Affected MO:** universe/inst-[connectorId]/consumer-catalogue-[internalName]

## fsmStFailFirmwareDistributableDelete:Local

**Fault Code:** F10016624

### Message

[FSM:STAGE:FAILED|RETRY]: deleting package [name] from primary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

```

Cause: local-failed
mibFaultCode: 10016624
mibFaultName: fsmStFailFirmwareDistributableDeleteLocal
moClass: firmware:Distributable
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/distrib-[name]
Affected MO: sys/remote-fw-catalogue-[server]/distrib-[name]

```

## fsmStFailConfigConsumerCatalogueCreate:MakeCfgDirs

**Fault Code:** F10016769

### Message

```
[FSM:STAGE:FAILED|RETRY]: creating backup dir
[internalName](FSM-STAGE:sam:dme:ConfigConsumerCatalogueCreate:MakeCfgDirs)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: make-cfg-dirs-failed
mibFaultCode: 10016769
mibFaultName: fsmStFailConfigConsumerCatalogueCreateMakeCfgDirs
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]

```

## fsmStFailNfsExportDefImageSync:Local

**Fault Code:** F10016770

### Message

```
[FSM:STAGE:FAILED|RETRY]: syncing [name] to remote storage
VM(FSM-STAGE:sam:dme:NfsExportDefImageSync:Local)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.



**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016770  
**mibFaultName:** fsmStFailNfsExportDefImageSyncLocal  
**moClass:** nfs:ExportDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]

**fsmStFailNfsExportDefAddRepo:Local**

**Fault Code:** F10016771

**Message**

[FSM:STAGE:FAILED|RETRY]: adding [name] remote storage VM(FSM-STAGE:sam:dme:NfsExportDefAddRepo:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016771  
**mibFaultName:** fsmStFailNfsExportDefAddRepoLocal  
**moClass:** nfs:ExportDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]

**fsmStFailDupeChangeTrackerEpConfigure:SendChange**

**Fault Code:** F10017032

**Message**

[FSM:STAGE:FAILED|RETRY]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10017032  
**mibFaultName:** fsmStFailDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

**fsmStFailMgmtBackupTriggerTrigger:StateDisable**

**Fault Code:** F10017035

**Message**

[FSM:STAGE:FAILED|RETRY]: Set Adminstate to disable(FSM-STAGE:sam:dme:MgmtBackupTriggerTrigger:StateDisable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** state-disable-failed  
**mibFaultCode:** 10017035  
**mibFaultName:** fsmStFailMgmtBackupTriggerTriggerStateDisable  
**moClass:** mgmt:BackupTrigger  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** domaingroup-[name]/trigger  
**Affected MO:** org-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/trigger  
**Affected MO:** domaingroup-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** org-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** domaingroup-[name]/cfg-exp-policy-[name]/trigger  
**Affected MO:** org-[name]/cfg-exp-policy-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/cfg-exp-policy-[name]/trigger

**fsmStFailMgmtBackupTriggerTrigger:StateEnable**

**Fault Code:** F10017035

**Message**

[FSM:STAGE:FAILED|RETRY]: Set Adminstate to enable(FSM-STAGE:sam:dme:MgmtBackupTriggerTrigger:StateEnable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: state-enable-failed
mibFaultCode: 10017035
mibFaultName: fsmStFailMgmtBackupTriggerTriggerStateEnable
moClass: mgmt:BackupTrigger
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/trigger
Affected MO: org-[name]/trigger
Affected MO: org-[name]/deviceprofile-[name]/trigger
Affected MO: domaingroup-[name]/db-backup-policy-[name]/trigger
Affected MO: org-[name]/db-backup-policy-[name]/trigger
Affected MO: org-[name]/deviceprofile-[name]/db-backup-policy-[name]/trigger
Affected MO: domaingroup-[name]/cfg-exp-policy-[name]/trigger
Affected MO: org-[name]/cfg-exp-policy-[name]/trigger
Affected MO: org-[name]/deviceprofile-[name]/cfg-exp-policy-[name]/trigger

```

**fsmRmtErrMgmtBackupBackup:backupLocal**

**Fault Code:** F10077851

**Message**

[FSM:STAGE:REMOTE-ERROR]: internal database  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: backup-local-failed
mibFaultCode: 10077851
mibFaultName: fsmRmtErrMgmtBackupBackupBackupLocal
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]

```

## fsmRmtErrMgmtBackupBackup:upload

**Fault Code:** F10077851

### Message

[FSM:STAGE:REMOTE-ERROR]: internal system  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10077851
mibFaultName: fsmRmtErrMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]
```

## fsmRmtErrMgmtImporterImport:config

**Fault Code:** F10077852

### Message

[FSM:STAGE:REMOTE-ERROR]: importing the configuration  
file(FSM-STAGE:sam:dme:MgmtImporterImport:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: config-failed
mibFaultCode: 10077852
mibFaultName: fsmRmtErrMgmtImporterImportConfig
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

## fsmRmtErrMgmtImporterImport:downloadLocal

**Fault Code:** F10077852

### Message

[FSM:STAGE:REMOTE-ERROR]: downloading the configuration file from the remote location(FSM-STAGE:sam:dme:MgmtImporterImport:downloadLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: download-local-failed
mibFaultCode: 10077852
mibFaultName: fsmRmtErrMgmtImporterImportDownloadLocal
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

## fsmRmtErrMgmtImporterImport:reportResults

**Fault Code:** F10077852

### Message

[FSM:STAGE:REMOTE-ERROR]: Report results of configuration application(FSM-STAGE:sam:dme:MgmtImporterImport:reportResults)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: report-results-failed
mibFaultCode: 10077852
mibFaultName: fsmRmtErrMgmtImporterImportReportResults
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
```

**Affected MO:** sys/import-config-[hostname]

## fsmRmtErrMgmtDataExporterExportData:dmeDataExport

**Fault Code:** F10077855

### Message

[FSM:STAGE:REMOTE-ERROR]: exporting data from application database(FSM-STAGE:sam:dme:MgmtDataExporterExportData:dmeDataExport)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** dme-data-export-failed  
**mibFaultCode:** 10077855  
**mibFaultName:** fsmRmtErrMgmtDataExporterExportDataDmeDataExport  
**moClass:** mgmt:DataExporter  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/exporter-[hostname]

## fsmRmtErrMgmtDataExporterExportData:upload

**Fault Code:** F10077855

### Message

[FSM:STAGE:REMOTE-ERROR]: uploading data to backup server(FSM-STAGE:sam:dme:MgmtDataExporterExportData:upload)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** upload-failed  
**mibFaultCode:** 10077855  
**mibFaultName:** fsmRmtErrMgmtDataExporterExportDataUpload  
**moClass:** mgmt:DataExporter  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:** sys/exporter-[hostname]

## fsmRmtErrMgmtDataImporterImportData:dmeImport

**Fault Code:** F10077856

### Message

[FSM:STAGE:REMOTE-ERROR]: importing the configuration file(FSM-STAGE:sam:dme:MgmtDataImporterImportData:dmeImport)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** dme-import-failed  
**mibFaultCode:** 10077856  
**mibFaultName:** fsmRmtErrMgmtDataImporterImportDataDmeImport  
**moClass:** mgmt:DataImporter  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/importer-[hostname]

## fsmRmtErrMgmtDataImporterImportData:download

**Fault Code:** F10077856

### Message

[FSM:STAGE:REMOTE-ERROR]: downloading files from backup server(FSM-STAGE:sam:dme:MgmtDataImporterImportData:download)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** download-failed  
**mibFaultCode:** 10077856  
**mibFaultName:** fsmRmtErrMgmtDataImporterImportDataDownload  
**moClass:** mgmt:DataImporter  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:** sys/importer-[hostname]

## fsmRmtErrMgmtDataImporterImportData:reportResults

**Fault Code:** F10077856

### Message

[FSM:STAGE:REMOTE-ERROR]: Report results of application data import(FSM-STAGE:sam:dme:MgmtDataImporterImportData:reportResults)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** report-results-failed  
**mibFaultCode:** 10077856  
**mibFaultName:** fsmRmtErrMgmtDataImporterImportDataReportResults  
**moClass:** mgmt:DataImporter  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/importer-[hostname]

## fsmRmtErrCertRepairEpRepairCert:request

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: request cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true



**Affected MO:** sys/cert-repair

## fsmRmtErrCertRepairEpRepairCert:verify

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertVerify  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrObserveObservedResolvePolicyFsm:Execute

**Fault Code:** F10077950

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077950  
**mibFaultName:** fsmRmtErrObserveObservedResolvePolicyFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10077951

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077951  
**mibFaultName:** fsmRmtErrObserveObservedResolveResourceFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077952  
**mibFaultName:** fsmRmtErrObserveObservedResolveVMFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

**fsmRmtErrObserveObservedResolveControllerFsm:Execute**

**Fault Code:** F10077953

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077953  
**mibFaultName:** fsmRmtErrObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

**fsmRmtErrCommSvcEpRestartWebSvc:restart**

**Fault Code:** F10077955

**Message**

[FSM:STAGE:REMOTE-ERROR]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

**fsmRmtErrExtpolEpRegisterFsm:Execute**

**Fault Code: F10077958**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Register FSM  
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

**fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code: F10077972**

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release**

**Fault Code:** F10077973

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm

```

```

Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10077974

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10077975

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10077976

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany**

**Fault Code:** F10077977

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10077978

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10077978

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10077979

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10077980

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll**

**Fault Code:** F10077981

**Message**

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10077982

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10077982

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10077983

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10077984

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code:** F10077985

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10077986

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10077986

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrConsumerInstRenameCfgDir:MoveCfgDirsFromTmpLocation

**Fault Code:** F10078047

### Message

[FSM:STAGE:REMOTE-ERROR]: moving config backup dirs for client [ip] from temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsFromTmpLocation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** move-cfg-dirs-from-tmp-location-failed  
**mibFaultCode:** 10078047  
**mibFaultName:** fsmRmtErrConsumerInstRenameCfgDirMoveCfgDirsFromTmpLocation  
**moClass:** consumer:Inst  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** universe/inst-[connectorId]

## fsmRmtErrConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation

**Fault Code:** F10078047

### Message

[FSM:STAGE:REMOTE-ERROR]: moving config backup dirs for client [ip] to temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** move-cfg-dirs-to-tmp-location-failed  
**mibFaultCode:** 10078047  
**mibFaultName:** fsmRmtErrConsumerInstRenameCfgDirMoveCfgDirsToTmpLocation  
**moClass:** consumer:Inst  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** universe/inst-[connectorId]



## fsmRmtErrNfsClientDefAddConfig:InternalAdd

**Fault Code:** F10078048

### Message

[FSM:STAGE:REMOTE-ERROR]: adding client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefAddConfig:InternalAdd)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** internal-add-failed  
**mibFaultCode:** 10078048  
**mibFaultName:** fsmRmtErrNfsClientDefAddConfigInternalAdd  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmRmtErrNfsClientDefAddConfig:PeerAdd

**Fault Code:** F10078048

### Message

[FSM:STAGE:REMOTE-ERROR]: adding [ip] to peer(FSM-STAGE:sam:dme:NfsClientDefAddConfig:PeerAdd)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** peer-add-failed  
**mibFaultCode:** 10078048  
**mibFaultName:** fsmRmtErrNfsClientDefAddConfigPeerAdd  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmRmtErrNfsClientDefDeleteConfig:InternalDelete

**Fault Code:** F10078049

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:InternalDelete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** internal-delete-failed  
**mibFaultCode:** 10078049  
**mibFaultName:** fsmRmtErrNfsClientDefDeleteConfigInternalDelete  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmRmtErrNfsClientDefDeleteConfig:PeerDelete

**Fault Code:** F10078049

### Message

[FSM:STAGE:REMOTE-ERROR]: delete [ip] from peer(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:PeerDelete)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** peer-delete-failed  
**mibFaultCode:** 10078049  
**mibFaultName:** fsmRmtErrNfsClientDefDeleteConfigPeerDelete  
**moClass:** nfs:ClientDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]

## fsmRmtErrFirmwareDownloaderDownload:DeleteLocal

**Fault Code:** F10078063

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting temporary files created during download of [fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 10078063
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadDeleteLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

## fsmRmtErrFirmwareDownloaderDownload:Local

**Fault Code:** F10078063

### Message

[FSM:STAGE:REMOTE-ERROR]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078063
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

## fsmRmtErrFirmwareDownloaderDownload:UnpackLocal

**Fault Code:** F10078063

### Message

[FSM:STAGE:REMOTE-ERROR]: unpacking image  
[fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:UnpackLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** unpack-local-failed  
**mibFaultCode:** 10078063  
**mibFaultName:** fsmRmtErrFirmwareDownloaderDownloadUnpackLocal  
**moClass:** firmware:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/fw-catalogue/dnld-[fileName]

## fsmRmtErrConfigBackupDelete:Local

**Fault Code:** F10078064

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting backup instance [fileName] archived on  
[ts](FSM-STAGE:sam:dme:ConfigBackupDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10078064  
**mibFaultName:** fsmRmtErrConfigBackupDeleteLocal  
**moClass:** config:Backup  
**Type:** fsm  
**Auto Cleared:** true

**Affected MO:**  
 sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]  
**Affected MO:**  
 universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]

## fsmRmtErrConfigConsumerCatalogueDelete:Local

**Fault Code:** F10078064

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting consumer catalogue [name](FSM-STAGE:sam:dme:ConfigConsumerCatalogueDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10078064  
**mibFaultName:** fsmRmtErrConfigConsumerCatalogueDeleteLocal  
**moClass:** config:ConsumerCatalogue  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/config-catalogue/consumer-catalogue-[internalName]  
**Affected MO:** universe/inst-[connectorId]/consumer-catalogue-[internalName]

## fsmRmtErrFirmwareDistributableDelete:Local

**Fault Code:** F10078064

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting package [name] from primary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

```

Cause: local-failed
mibFaultCode: 10078064
mibFaultName: fsmRmtErrFirmwareDistributableDeleteLocal
moClass: firmware:Distributable
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/distrib-[name]
Affected MO: sys/remote-fw-catalogue-[server]/distrib-[name]

```

## fsmRmtErrConfigConsumerCatalogueCreate:MakeCfgDirs

**Fault Code:** F10078209

### Message

```
[FSM:STAGE:REMOTE-ERROR]: creating backup dir
[internalName](FSM-STAGE:sam:dme:ConfigConsumerCatalogueCreate:MakeCfgDirs)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: make-cfg-dirs-failed
mibFaultCode: 10078209
mibFaultName: fsmRmtErrConfigConsumerCatalogueCreateMakeCfgDirs
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]

```

## fsmRmtErrNfsExportDefImageSync:Local

**Fault Code:** F10078210

### Message

```
[FSM:STAGE:REMOTE-ERROR]: syncing [name] to remote storage
VM(FSM-STAGE:sam:dme:NfsExportDefImageSync:Local)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10078210  
**mibFaultName:** fsmRmtErrNfsExportDefImageSyncLocal  
**moClass:** nfs:ExportDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]

**fsmRmtErrNfsExportDefAddRepo:Local**

**Fault Code:** F10078211

**Message**

[FSM:STAGE:REMOTE-ERROR]: adding [name] remote storage VM(FSM-STAGE:sam:dme:NfsExportDefAddRepo:Local)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10078211  
**mibFaultName:** fsmRmtErrNfsExportDefAddRepoLocal  
**moClass:** nfs:ExportDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]

**fsmRmtErrDupeChangeTrackerEpConfigure:SendChange**

**Fault Code:** F10078472

**Message**

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10078472  
**mibFaultName:** fsmRmtErrDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

**fsmRmtErrMgmtBackupTriggerTrigger:StateDisable**

**Fault Code:** F10078475

**Message**

[FSM:STAGE:REMOTE-ERROR]: Set Adminstate to disable(FSM-STAGE:sam:dme:MgmtBackupTriggerTrigger:StateDisable)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** state-disable-failed  
**mibFaultCode:** 10078475  
**mibFaultName:** fsmRmtErrMgmtBackupTriggerTriggerStateDisable  
**moClass:** mgmt:BackupTrigger  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** domaingroup-[name]/trigger  
**Affected MO:** org-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/trigger  
**Affected MO:** domaingroup-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** org-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** domaingroup-[name]/cfg-exp-policy-[name]/trigger  
**Affected MO:** org-[name]/cfg-exp-policy-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/cfg-exp-policy-[name]/trigger

**fsmRmtErrMgmtBackupTriggerTrigger:StateEnable**

**Fault Code:** F10078475

**Message**

[FSM:STAGE:REMOTE-ERROR]: Set Adminstate to enable(FSM-STAGE:sam:dme:MgmtBackupTriggerTrigger:StateEnable)



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: state-enable-failed
mibFaultCode: 10078475
mibFaultName: fsmRmtErrMgmtBackupTriggerTriggerStateEnable
moClass: mgmt:BackupTrigger
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/trigger
Affected MO: org-[name]/trigger
Affected MO: org-[name]/deviceprofile-[name]/trigger
Affected MO: domaingroup-[name]/db-backup-policy-[name]/trigger
Affected MO: org-[name]/db-backup-policy-[name]/trigger
Affected MO: org-[name]/deviceprofile-[name]/db-backup-policy-[name]/trigger
Affected MO: domaingroup-[name]/cfg-exp-policy-[name]/trigger
Affected MO: org-[name]/cfg-exp-policy-[name]/trigger
Affected MO: org-[name]/deviceprofile-[name]/cfg-exp-policy-[name]/trigger

```

**fsmFailMgmtBackupBackup**

**Fault Code:** F10999451

**Message**

[FSM:FAILED]: sam:dme:MgmtBackupBackup

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999451
mibFaultName: fsmFailMgmtBackupBackup
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]

```

## fsmFailMgmtImporterImport

**Fault Code:** F10999452

### Message

[FSM:FAILED]: sam:dme:MgmtImporterImport

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999452  
**mibFaultName:** fsmFailMgmtImporterImport  
**moClass:** mgmt:Importer  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** universe/inst-[connectorId]/import-config-[hostname]  
**Affected MO:** sys/import-config-[hostname]

## fsmFailMgmtDataExporterExportData

**Fault Code:** F10999455

### Message

[FSM:FAILED]: sam:dme:MgmtDataExporterExportData

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999455  
**mibFaultName:** fsmFailMgmtDataExporterExportData  
**moClass:** mgmt:DataExporter  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/exporter-[hostname]

## fsmFailMgmtDataImporterImportData

**Fault Code:** F10999456

### Message

[FSM:FAILED]: sam:dme:MgmtDataImporterImportData

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999456  
**mibFaultName:** fsmFailMgmtDataImporterImportData  
**moClass:** mgmt:DataImporter  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/importer-[hostname]

## fsmFailCertRepairEpRepairCert

**Fault Code:** F10999544

### Message

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999544  
**mibFaultName:** fsmFailCertRepairEpRepairCert  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F10999550

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code:** F10999551

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
```

**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999552  
**mibFaultName:** fsmFailObserveObservedResolveVMFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed

```

mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailCommSvcEpRestartWebSvc

**Fault Code:** F10999555

### Message

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

## fsmFailExtpolEpRegisterFsm

**Fault Code:** F10999558

### Message

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999558  
**mibFaultName:** fsmFailExtpolEpRegisterFsm  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmFailPolicyPolicyScopeReleasePolicyFsm**

**Fault Code:** F1099572

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999572  
**mibFaultName:** fsmFailPolicyPolicyScopeReleasePolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseOperationFsm**

**Fault Code:** F1099573

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseStorageFsm**

**Fault Code:** F10999574

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```



**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999575

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999575

**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code:** F10999576

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F10999577

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999577  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseManyPolicyFsm****Fault Code:** F10999578**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999578  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999579

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F10999580

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllPolicyFsm**

**Fault Code:** F10999581

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999582

**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllStorageFsm

**Fault Code:** F10999583

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseAllOperationFsm****Fault Code:** F10999585**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999586

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailConsumerInstRenameCfgDir

**Fault Code:** F10999647

**Message**

[FSM:FAILED]: sam:dme:ConsumerInstRenameCfgDir

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999647
mibFaultName: fsmFailConsumerInstRenameCfgDir
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]
```

**fsmFailNfsClientDefAddConfig**

**Fault Code: F10999648**

**Message**

[FSM:FAILED]: sam:dme:NfsClientDefAddConfig

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999648
mibFaultName: fsmFailNfsClientDefAddConfig
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

**fsmFailNfsClientDefDeleteConfig**

**Fault Code: F10999649**

**Message**

[FSM:FAILED]: sam:dme:NfsClientDefDeleteConfig

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999649
mibFaultName: fsmFailNfsClientDefDeleteConfig
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

**fsmFailFirmwareDownloaderDownload**

**Fault Code: F10999663**

**Message**

[FSM:FAILED]: sam:dme:FirmwareDownloaderDownload

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999663
mibFaultName: fsmFailFirmwareDownloaderDownload
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

**fsmFailConfigBackupDelete**

**Fault Code: F10999664**

**Message**

[FSM:FAILED]: sam:dme:ConfigBackupDelete

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999664
mibFaultName: fsmFailConfigBackupDelete
moClass: config:Backup
Type: fsm
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
```

**fsmFailConfigConsumerCatalogueDelete**

**Fault Code:** F10999664

**Message**

[FSM:FAILED]: sam:dme:ConfigConsumerCatalogueDelete

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999664
mibFaultName: fsmFailConfigConsumerCatalogueDelete
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

## fsmFailFirmwareDistributableDelete

**Fault Code:** F10999664

### Message

[FSM:FAILED]: sam:dme:FirmwareDistributableDelete

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999664
mibFaultName: fsmFailFirmwareDistributableDelete
moClass: firmware:Distributable
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/distrib-[name]
Affected MO: sys/remote-fw-catalogue-[server]/distrib-[name]
```

## fsmFailConfigConsumerCatalogueCreate

**Fault Code:** F10999809

### Message

[FSM:FAILED]: sam:dme:ConfigConsumerCatalogueCreate

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999809
mibFaultName: fsmFailConfigConsumerCatalogueCreate
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

## fsmFailNfsExportDefImageSync

**Fault Code:** F10999810

**Message**

[FSM:FAILED]: sam:dme:NfsExportDefImageSync

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999810  
**mibFaultName:** fsmFailNfsExportDefImageSync  
**moClass:** nfs:ExportDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]

## fsmFailNfsExportDefAddRepo

**Fault Code:** F10999811

**Message**

[FSM:FAILED]: sam:dme:NfsExportDefAddRepo

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999811  
**mibFaultName:** fsmFailNfsExportDefAddRepo  
**moClass:** nfs:ExportDef  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** nfs-ep/nfs-export-def-[name]

## fsmFailDupeChangeTrackerEpConfigure

**Fault Code:** F1100072

### Message

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000072
mibFaultName: fsmFailDupeChangeTrackerEpConfigure
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

## fsmFailMgmtBackupTriggerTrigger

**Fault Code:** F1100075

### Message

[FSM:FAILED]: sam:dme:MgmtBackupTriggerTrigger

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000075
mibFaultName: fsmFailMgmtBackupTriggerTrigger
moClass: mgmt:BackupTrigger
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/trigger
Affected MO: org-[name]/trigger
```

**Affected MO:** org-[name]/deviceprofile-[name]/trigger  
**Affected MO:** domaingroup-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** org-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/db-backup-policy-[name]/trigger  
**Affected MO:** domaingroup-[name]/cfg-exp-policy-[name]/trigger  
**Affected MO:** org-[name]/cfg-exp-policy-[name]/trigger  
**Affected MO:** org-[name]/deviceprofile-[name]/cfg-exp-policy-[name]/trigger





## Policy Manager Faults

---

### fsmStFailCertRepairEpRepairCert:request

**Fault Code:** F10016504

**Message**

[FSM:STAGE:FAILED|RETRY]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10016504  
**mibFaultName:** fsmStFailCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

### fsmStFailCertRepairEpRepairCert:verify

**Fault Code:** F10016504

**Message**

[FSM:STAGE:FAILED|RETRY]: checking that cert was  
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10016510**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveResourceFsm:Execute**

**Fault Code: F10016511**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveVMFsm:Execute**

**Fault Code: F10016512**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016513  
**mibFaultName:** fsmStFailObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10016515  
**mibFaultName:** fsmStFailCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp

```

Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext

```

## fsmStFailExtpolEpRegisterFsm:Execute

**Fault Code:** F10016518

### Message

```
[FSM:STAGE:FAILED|RETRY]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol

```

## fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10016532

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease

```

```

moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10016533

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016535

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany**

**Fault Code:** F10016536

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10016537

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10016537

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany**

**Fault Code:** F10016540

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10016541

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016541

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll**

**Fault Code:** F10016544

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10016545

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10016545

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmStFailPkiEpUpdateEp:SetCertConfLocal

**Fault Code:** F10017011

**Message**

[FSM:STAGE:FAILED|RETRY]: certificates  
configuration(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetCertConfLocal)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: set-cert-conf-local-failed
mibFaultCode: 10017011
mibFaultName: fsmStFailPkiEpUpdateEpSetCertConfLocal
moClass: pki:Ep
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext
Affected MO: sys/pki-ext
```

**fsmStFailDupeChangeTrackerEpConfigure:SendChange**

**Fault Code: F10017032**

**Message**

[FSM:STAGE:FAILED|RETRY]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-change-failed
mibFaultCode: 10017032
mibFaultName: fsmStFailDupeChangeTrackerEpConfigureSendChange
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmRmtErrCertRepairEpRepairCert:request**

**Fault Code: F10077944**

**Message**

[FSM:STAGE:REMOTE-ERROR]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmRmtErrCertRepairEpRepairCert:verify**

**Fault Code: F10077944**

**Message**

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmRmtErrObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10077950**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmRmtErrObserveObservedResolveResourceFsm:Execute**

**Fault Code: F10077951**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10077953

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
```

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrCommSvcEpRestartWebSvc:restart

**Fault Code:** F10077955

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10077955  
**mibFaultName:** fsmRmtErrCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]/svc-ext  
**Affected MO:** sys/svc-ext

## fsmRmtErrExtpolEpRegisterFsm:Execute

**Fault Code:** F10077958

### Message

[FSM:STAGE:REMOTE-ERROR]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077958  
**mibFaultName:** fsmRmtErrExtpolEpRegisterFsmExecute  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code:** F10077972

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10077972  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10077973

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10077974

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany**

**Fault Code:** F10077975

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10077976

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10077976

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10077977

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10077978

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany**

**Fault Code:** F10077979

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10077980

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10077980

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10077981

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10077982

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll**

**Fault Code:** F10077983

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code: F10077984**

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10077984

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10077985

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10077986

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPkiEpUpdateEp:SetCertConfLocal**

**Fault Code:** F10078451

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: certificates
configuration(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetCertConfLocal)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: set-cert-conf-local-failed
mibFaultCode: 10078451
mibFaultName: fsmRmtErrPkiEpUpdateEpSetCertConfLocal
moClass: pki:Ep
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext
Affected MO: sys/pki-ext

```

## fsmRmtErrDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10078472

### Message

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: send-change-failed
mibFaultCode: 10078472
mibFaultName: fsmRmtErrDupeChangeTrackerEpConfigureSendChange
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

## fsmFailCertRepairEpRepairCert

**Fault Code:** F10999544

### Message

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F10999550

**Message**

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code:** F10999551

**Message**

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
```

**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999552  
**mibFaultName:** fsmFailObserveObservedResolveVMFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed

```

mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailCommSvcEpRestartWebSvc

**Fault Code:** F10999555

### Message

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext

```

## fsmFailExtpolEpRegisterFsm

**Fault Code:** F10999558

### Message

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999558  
**mibFaultName:** fsmFailExtpolEpRegisterFsm  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmFailPolicyPolicyScopeReleasePolicyFsm**

**Fault Code:** F1099572

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999572  
**mibFaultName:** fsmFailPolicyPolicyScopeReleasePolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseOperationFsm**

**Fault Code:** F1099573

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseStorageFsm**

**Fault Code:** F10999574

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999575

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999575

**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code:** F10999576

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F10999577

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseManyPolicyFsm****Fault Code:** F10999578**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999579

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F10999580

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllPolicyFsm**

**Fault Code:** F10999581

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999582

**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllStorageFsm

**Fault Code:** F10999583

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseAllOperationFsm****Fault Code:** F10999585**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999586

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPkiEpUpdateEp

**Fault Code:** F1100051

**Message**

[FSM:FAILED]: sam:dme:PkiEpUpdateEp



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000051
mibFaultName: fsmFailPkiEpUpdateEp
moClass: pki:Ep
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext
Affected MO: sys/pki-ext
```

**fsmFailDupeChangeTrackerEpConfigure**

**Fault Code: F1100072**

**Message**

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000072
mibFaultName: fsmFailDupeChangeTrackerEpConfigure
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```



## Resource Manager Faults

---

### fsmStFailMgmtBackupBackup:backupLocal

**Fault Code:** F10016411

**Message**

[FSM:STAGE:FAILED|RETRY]: internal database  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** backup-local-failed  
**mibFaultCode:** 10016411  
**mibFaultName:** fsmStFailMgmtBackupBackupBackupLocal  
**moClass:** mgmt:Backup  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]/backup-[hostname]  
**Affected MO:** extpol/reg/clients/client-[id]/backup-[hostname]  
**Affected MO:** sys/backup-[hostname]

### fsmStFailMgmtBackupBackup:upload

**Fault Code:** F10016411

**Message**

[FSM:STAGE:FAILED|RETRY]: internal system  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10016411
mibFaultName: fsmStFailMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/backup-[hostname]
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]
```

**fsmStFailCertRepairEpRepairCert:request**

**Fault Code: F10016504**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailCertRepairEpRepairCert:verify**

**Fault Code: F10016504**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10016510**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10016511

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveVMFsm:Execute

**Fault Code:** F10016512

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
```

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016513  
**mibFaultName:** fsmStFailObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

**fsmStFailExtpolEpRegisterFsm:Execute**

**Fault Code: F10016518**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

**fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code: F10016532**

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release**

**Fault Code:** F10016533

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-failed

**mibFaultCode:** 10016534

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016535

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10016536

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany**

**Fault Code:** F10016537

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10016538

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10016540

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll**

**Fault Code:** F10016541

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016542

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10016544

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code:** F10016545

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10016546

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailComputeSystemRegister:authenticate

**Fault Code:** F10016639

### Message

[FSM:STAGE:FAILED|RETRY]: authenticating UCS System  
[name](FSM-STAGE:sam:dme:ComputeSystemRegister:authenticate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** authenticate-failed  
**mibFaultCode:** 10016639  
**mibFaultName:** fsmStFailComputeSystemRegisterAuthenticate  
**moClass:** compute:System  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]

## fsmStFailExtpolClientUpdateContextFsm:Execute

**Fault Code:** F10016643

### Message

[FSM:STAGE:FAILED|RETRY]: Update Context FSM  
Execute(FSM-STAGE:sam:dme:ExtpolClientUpdateContextFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016643  
**mibFaultName:** fsmStFailExtpolClientUpdateContextFsmExecute  
**moClass:** extpol:Client  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]

## fsmStFailIdentIdentRequestUpdateIdent:Execute

**Fault Code:** F10016793

### Message

[FSM:STAGE:FAILED|RETRY]: Update identities to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016793
mibFaultName: fsmStFailIdentIdentRequestUpdateIdentExecute
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

## fsmStFailIdentIdentRequestUpdateIdent:ReportIdDomainMap

**Fault Code:** F10016793

### Message

[FSM:STAGE:FAILED|RETRY]: ReportIdDomain map to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:ReportIdDomainMap)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: report-id-domain-map-failed
mibFaultCode: 10016793
mibFaultName: fsmStFailIdentIdentRequestUpdateIdentReportIdDomainMap
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

## fsmStFailIdentMetaSystemSync:Execute

**Fault Code:** F10016794

### Message

[FSM:STAGE:FAILED|RETRY]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemSync:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016794
mibFaultName: fsmStFailIdentMetaSystemSyncExecute
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

## fsmStFailIdentMetaSystemSync:Ping

**Fault Code:** F10016794

### Message

[FSM:STAGE:FAILED|RETRY]: Check identifier manager availability(FSM-STAGE:sam:dme:IdentMetaSystemSync:Ping)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: ping-failed
mibFaultCode: 10016794
mibFaultName: fsmStFailIdentMetaSystemSyncPing
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

## fsmStFailFabricVnetEpSyncEpSyncVnetEpUCS:Sync

**Fault Code:** F10016800

### Message

[FSM:STAGE:FAILED|RETRY]: Update UCS with Vnet Changes(FSM-STAGE:sam:dme:FabricVnetEpSyncEpSyncVnetEpUCS:Sync)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sync-failed  
**mibFaultCode:** 10016800  
**mibFaultName:** fsmStFailFabricVnetEpSyncEpSyncVnetEpUCSSync  
**moClass:** fabric:VnetEpSyncEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/syncEp

## fsmStFailChangeEpSyncChangeUCS:Sync

**Fault Code:** F10016808

### Message

[FSM:STAGE:FAILED|RETRY]: Update UCSM with change objects(FSM-STAGE:sam:dme:ChangeEpSyncChangeUCS:Sync)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** sync-failed  
**mibFaultCode:** 10016808  
**mibFaultName:** fsmStFailChangeEpSyncChangeUCSSync  
**moClass:** change:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/domain-[guid]/syncEp

## fsmStFailCallhomeHolderInventory:SendInventory

**Fault Code:** F10017152

### Message

[FSM:STAGE:FAILED|RETRY]: send ucs central system inventory to cisco cloud(FSM-STAGE:sam:dme:CallhomeHolderInventory:SendInventory)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: send-inventory-failed
mibFaultCode: 10017152
mibFaultName: fsmStFailCallhomeHolderInventorySendInventory
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

## fsmStFailCallhomeHolderConfigure:DisableSmartCallhome

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: disable smart callhome(FSM-STAGE:sam:dme:CallhomeHolderConfigure:DisableSmartCallhome)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: disable-smart-callhome-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailCallhomeHolderConfigureDisableSmartCallhome
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

## fsmStFailCallhomeHolderConfigure:EnableSmartCallhome

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: enable and configure smart callhome(FSM-STAGE:sam:dme:CallhomeHolderConfigure:EnableSmartCallhome)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** enable-smart-callhome-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailCallhomeHolderConfigureEnableSmartCallhome  
**moClass:** callhome:Holder  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartcallhome

## fsmStFailDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep



**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

## fsmStFailLsServerConfigure:AnalyzeImpact

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Analyzing changes  
 impact(FSM-STAGE:sam:dme:LsServerConfigure:AnalyzeImpact)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** analyze-impact-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureAnalyzeImpact  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

## fsmStFailLsServerConfigure:ApplyConfig

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Applying config to server  
 [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-config-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureApplyConfig  
**moClass:** ls:Server

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

## fsmStFailLsServerConfigure:ApplyRename

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Applying rename to server  
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyRename)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-rename-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureApplyRename  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

## fsmStFailLsServerConfigure:ApplyTemplate

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Applying configuration template  
[srcTemplName](FSM-STAGE:sam:dme:LsServerConfigure:ApplyTemplate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** apply-template-failed  
**mibFaultCode:** 10017164

```

mibFaultName: fsmStFailLsServerConfigureApplyTemplate
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]

```

## fsmStFailLsServerConfigure:ApplyThrottle

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Throttle configuration based on concurrent service-profile being processed.(FSM-STAGE:sam:dme:LsServerConfigure:ApplyThrottle)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: apply-throttle-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureApplyThrottle
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]

```

## fsmStFailLsServerConfigure:ConsumerVxanDeployment

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Sending Vxan to consumer(FSM-STAGE:sam:dme:LsServerConfigure:ConsumerVxanDeployment)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning

```

```

Cause: consumer-vxan-deployment-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureConsumerVxanDeployment
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fsmStFailLsServerConfigure:DeleteIdConsumerMap

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Deleting the map between ID and Domain(FSM-STAGE:sam:dme:LsServerConfigure:DeleteIdConsumerMap)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: delete-id-consumer-map-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureDeleteIdConsumerMap
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fsmStFailLsServerConfigure:EvaluateAssociation

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Evaluate association with server [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:EvaluateAssociation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** evaluate-association-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureEvaluateAssociation  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

**fsmStFailLsServerConfigure:EvaluateServerAssign**

**Fault Code:** F10017164

**Message**

[FSM:STAGE:FAILED|RETRY]: Collect binding info for Global Service Profile(FSM-STAGE:sam:dme:LsServerConfigure:EvaluateServerAssign)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** evaluate-server-assign-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureEvaluateServerAssign  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

**fsmStFailLsServerConfigure:ProcessIdConsumerMap**

**Fault Code:** F10017164

**Message**

[FSM:STAGE:FAILED|RETRY]: Creating the map between ID and domain(FSM-STAGE:sam:dme:LsServerConfigure:ProcessIdConsumerMap)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: process-id-consumer-map-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureProcessIdConsumerMap
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmStFailLsServerConfigure:ReplaceIdAcquirer**

**Fault Code: F10017164**

**Message**

[FSM:STAGE:FAILED|RETRY]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ReplaceIdAcquirer)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: replace-id-acquirer-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureReplaceIdAcquirer
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmStFailLsServerConfigure:ResolveIdentifiers**

**Fault Code: F10017164**

**Message**

[FSM:STAGE:FAILED|RETRY]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveIdentifiers)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-identifiers-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureResolveIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmStFailLsServerConfigure:ResolveNetworkTemplates**

**Fault Code: F10017164**

**Message**

[FSM:STAGE:FAILED|RETRY]: Resolving network templates policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkTemplates)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-network-templates-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureResolveNetworkTemplates
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fsmStFailLsServerConfigure:ResolvePolicies

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving various policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolvePolicies)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-policies-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureResolvePolicies
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fsmStFailLsServerConfigure:ResolveStaticIdentifiers

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveStaticIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-static-identifiers-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailLsServerConfigureResolveStaticIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
```



**Affected MO:** org-[name]/ls-[name]

## fsmStFailLsServerConfigure:ThrottleWait

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Throttle wait(FSM-STAGE:sam:dme:LsServerConfigure:ThrottleWait)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** throttle-wait-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureThrottleWait  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

## fsmStFailLsServerConfigure:WaitForAssocCompletion

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for Association completion on server [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:WaitForAssocCompletion)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-assoc-completion-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureWaitForAssocCompletion  
**moClass:** ls:Server  
**Type:** fsm

**Auto Cleared:** true  
**Affected MO:** org- [name] /templ- [name] /ls- [name]  
**Affected MO:** org- [name] /ls- [name]

## fsmStFailLsServerConfigure:WaitForConsumerReceivingVxan

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for consumer receiving Vxan response(FSM-STAGE:sam:dme:LsServerConfigure:WaitForConsumerReceivingVxan)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-for-consumer-receiving-vxan-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailLsServerConfigureWaitForConsumerReceivingVxan  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org- [name] /templ- [name] /ls- [name]  
**Affected MO:** org- [name] /ls- [name]

## fsmStFailSmartlicenseAgentConfigure:config

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: configure or show smart license agent tech support(FSM-STAGE:sam:dme:SmartlicenseAgentConfigure:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** config-failed  
**mibFaultCode:** 10017164  
**mibFaultName:** fsmStFailSmartlicenseAgentConfigureConfig

```

moClass: smartlicense:Agent
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/Agent

```

## fsmStFailSmartlicenseEntitlementEpConfigure:Report

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Report entitlement to cisco(FSM-STAGE:sam:dme:SmartlicenseEntitlementEpConfigure:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: report-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseEntitlementEpConfigureReport
moClass: smartlicense:EntitlementEp
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/entitlement-ep

```

## fsmStFailSmartlicenseEntitlementEpConfigure:RetryReport

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Retry report the entitlement to cisco(FSM-STAGE:sam:dme:SmartlicenseEntitlementEpConfigure:RetryReport)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: retry-report-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseEntitlementEpConfigureRetryReport

```

```

moClass: smartlicense:EntitlementEp
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/entitlement-ep

```

## fsmStFailSmartlicenseHolderConfigure:DisableSmartLicense

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: disable smart license(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:DisableSmartLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: disable-smart-license-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseHolderConfigureDisableSmartLicense
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense

```

## fsmStFailSmartlicenseHolderConfigure:EnableSmartLicense

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: configure smart license state(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:EnableSmartLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: enable-smart-license-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseHolderConfigureEnableSmartLicense

```

```

moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense

```

## fsmStFailSmartlicenseHolderConfigure:RegisterDevice

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Register Device with Cisco Smart Software Manager(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:RegisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: register-device-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseHolderConfigureRegisterDevice
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense

```

## fsmStFailSmartlicenseHolderConfigure:RetryRegisterDevice

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Retry Register Device with Cisco Smart Software Manager if fails to get response(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:RetryRegisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: retry-register-device-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseHolderConfigureRetryRegisterDevice

```

```

moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense

```

## fsmStFailSmartlicenseHolderConfigure:RetryUnregisterDevice

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: retry to Unregister device with Cisco Smart Software manager if fails to get response(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:RetryUnregisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: retry-unregister-device-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseHolderConfigureRetryUnregisterDevice
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense

```

## fsmStFailSmartlicenseHolderConfigure:UnregisterDevice

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: Unregister device with Cisco Smart Software manager(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:UnregisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: unregister-device-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseHolderConfigureUnregisterDevice

```

```

moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense

```

## fsmStFailSmartlicenseTestConfigure:ExecuteTestCli

**Fault Code:** F10017164

### Message

[FSM:STAGE:FAILED|RETRY]: execute test CLI on smart license agent(FSM-STAGE:sam:dme:SmartlicenseTestConfigure:ExecuteTestCli)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: execute-test-cli-failed
mibFaultCode: 10017164
mibFaultName: fsmStFailSmartlicenseTestConfigureExecuteTestCli
moClass: smartlicense:Test
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/Agent/Test

```

## fsmStFailFabricFIPortOperationFIPort:CleanUp

**Fault Code:** F10017259

### Message

[FSM:STAGE:FAILED|RETRY]: Cleanup deleted vnics of this operation(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:CleanUp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: clean-up-failed
mibFaultCode: 10017259
mibFaultName: fsmStFailFabricFIPortOperationFIPortCleanUp

```

```

moClass: fabric:FIPortOperation
Type: fsm
Auto Cleared: true

```

## fsmStFailFabricFIPortOperationFIPort:PushVxan

**Fault Code:** F10017259

### Message

[FSM:STAGE:FAILED|RETRY]: Sending Vxan to consumer(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:PushVxan)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: push-vxan-failed
mibFaultCode: 10017259
mibFaultName: fsmStFailFabricFIPortOperationFIPortPushVxan
moClass: fabric:FIPortOperation
Type: fsm
Auto Cleared: true

```

## fsmStFailFabricFIPortOperationFIPort:RoleConfig

**Fault Code:** F10017259

### Message

[FSM:STAGE:FAILED|RETRY]: Create Port role(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:RoleConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: role-config-failed
mibFaultCode: 10017259
mibFaultName: fsmStFailFabricFIPortOperationFIPortRoleConfig
moClass: fabric:FIPortOperation
Type: fsm

```



**Auto Cleared:** true

## fsmStFailFabricFIPortOperationFIPort:VxanConfig

**Fault Code:** F10017259

### Message

[FSM:STAGE:FAILED|RETRY]: configure port-vxan membership(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:VxanConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** vxan-config-failed  
**mibFaultCode:** 10017259  
**mibFaultName:** fsmStFailFabricFIPortOperationFIPortVxanConfig  
**moClass:** fabric:FIPortOperation  
**Type:** fsm  
**Auto Cleared:** true

## fsmStFailFabricFIPortOperationFIPort:Wait

**Fault Code:** F10017259

### Message

[FSM:STAGE:FAILED|RETRY]: Waiting for consumer receiving Vxan response(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:Wait)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** wait-failed  
**mibFaultCode:** 10017259  
**mibFaultName:** fsmStFailFabricFIPortOperationFIPortWait  
**moClass:** fabric:FIPortOperation  
**Type:** fsm  
**Auto Cleared:** true

## fsmStFailSmartlicenseHolderUpdateState:RefreshState

**Fault Code:** F10017261

### Message

[FSM:STAGE:FAILED|RETRY]: send notification to AG to update the DME state(FSM-STAGE:sam:dme:SmartlicenseHolderUpdateState:RefreshState)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** refresh-state-failed  
**mibFaultCode:** 10017261  
**mibFaultName:** fsmStFailSmartlicenseHolderUpdateStateRefreshState  
**moClass:** smartlicense:Holder  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense

## fsmRmtErrMgmtBackupBackup:backupLocal

**Fault Code:** F10077851

### Message

[FSM:STAGE:REMOTE-ERROR]: internal database backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** backup-local-failed  
**mibFaultCode:** 10077851  
**mibFaultName:** fsmRmtErrMgmtBackupBackupBackupLocal  
**moClass:** mgmt:Backup  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]/backup-[hostname]  
**Affected MO:** extpol/reg/clients/client-[id]/backup-[hostname]

**Affected MO:** sys/backup-[hostname]

## fsmRmtErrMgmtBackupBackup:upload

**Fault Code:** F10077851

### Message

[FSM:STAGE:REMOTE-ERROR]: internal system  
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** upload-failed  
**mibFaultCode:** 10077851  
**mibFaultName:** fsmRmtErrMgmtBackupBackupUpload  
**moClass:** mgmt:Backup  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]/backup-[hostname]  
**Affected MO:** extpol/reg/clients/client-[id]/backup-[hostname]  
**Affected MO:** sys/backup-[hostname]

## fsmRmtErrCertRepairEpRepairCert:request

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrCertRepairEpRepairCert:verify

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertVerify  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrObserveObservedResolvePolicyFsm:Execute

**Fault Code:** F10077950

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077950  
**mibFaultName:** fsmRmtErrObserveObservedResolvePolicyFsmExecute  
**moClass:** observe:Observed

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10077951

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077951  
**mibFaultName:** fsmRmtErrObserveObservedResolveResourceFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmRmtErrObserveObservedResolveControllerFsm:Execute**

**Fault Code: F10077953**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrCommSvcEpRestartWebSvc:restart

**Fault Code:** F10077955

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

## fsmRmtErrExtpolEpRegisterFsm:Execute

**Fault Code:** F10077958

### Message

[FSM:STAGE:REMOTE-ERROR]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

## fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10077972

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10077973

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release**

**Fault Code:** F10077974

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10077975

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10077975

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10077976

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10077977

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany**

**Fault Code:** F10077978

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10077979

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10077979

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10077980

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10077981

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll**

**Fault Code:** F10077982

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10077983

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10077983

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10077984

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10077985

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll**

**Fault Code:** F10077986

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrComputeSystemRegister:authenticate

**Fault Code:** F10078079

### Message

[FSM:STAGE:REMOTE-ERROR]: authenticating UCS System  
[name](FSM-STAGE:sam:dme:ComputeSystemRegister:authenticate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** authenticate-failed  
**mibFaultCode:** 10078079  
**mibFaultName:** fsmRmtErrComputeSystemRegisterAuthenticate  
**moClass:** compute:System  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** compute/sys-[id]

## fsmRmtErrExtpolClientUpdateContextFsm:Execute

**Fault Code:** F10078083

### Message

[FSM:STAGE:REMOTE-ERROR]: Update Context FSM  
Execute(FSM-STAGE:sam:dme:ExtpolClientUpdateContextFsm:Execute)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10078083
mibFaultName: fsmRmtErrExtpolClientUpdateContextFsmExecute
moClass: extpol:Client
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

**fsmRmtErrIdentIdentRequestUpdateIdent:Execute**

**Fault Code:** F10078233

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update identities to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10078233
mibFaultName: fsmRmtErrIdentIdentRequestUpdateIdentExecute
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

**fsmRmtErrIdentIdentRequestUpdateIdent:ReportIdDomainMap**

**Fault Code:** F10078233

**Message**

[FSM:STAGE:REMOTE-ERROR]: ReportIdDomain map to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:ReportIdDomainMap)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: report-id-domain-map-failed
mibFaultCode: 10078233
mibFaultName: fsmRmtErrIdentIdentRequestUpdateIdentReportIdDomainMap
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

**fsmRmtErrIdentMetaSystemSync:Execute**

**Fault Code:** F10078234

**Message**

[FSM:STAGE:REMOTE-ERROR]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemSync:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10078234
mibFaultName: fsmRmtErrIdentMetaSystemSyncExecute
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

**fsmRmtErrIdentMetaSystemSync:Ping**

**Fault Code:** F10078234

**Message**

[FSM:STAGE:REMOTE-ERROR]: Check identifier manager availability(FSM-STAGE:sam:dme:IdentMetaSystemSync:Ping)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: ping-failed
mibFaultCode: 10078234
mibFaultName: fsmRmtErrIdentMetaSystemSyncPing
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

**fsmRmtErrFabricVnetEpSyncEpSyncVnetEpUCS:Sync**

**Fault Code:** F10078240

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update UCS with Vnet Changes(FSM-STAGE:sam:dme:FabricVnetEpSyncEpSyncVnetEpUCS:Sync)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sync-failed
mibFaultCode: 10078240
mibFaultName: fsmRmtErrFabricVnetEpSyncEpSyncVnetEpUCSSync
moClass: fabric:VnetEpSyncEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/syncEp
```

**fsmRmtErrChangeEpSyncChangeUCS:Sync**

**Fault Code:** F10078248

**Message**

[FSM:STAGE:REMOTE-ERROR]: Update UCSM with change objects(FSM-STAGE:sam:dme:ChangeEpSyncChangeUCS:Sync)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: sync-failed
mibFaultCode: 10078248
mibFaultName: fsmRmtErrChangeEpSyncChangeUCSSync
moClass: change:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/domain-[guid]/syncEp
```

**fsmRmtErrCallhomeHolderInventory:SendInventory**

**Fault Code:** F10078592

**Message**

[FSM:STAGE:REMOTE-ERROR]: send ucs central system inventory to cisco cloud(FSM-STAGE:sam:dme:CallhomeHolderInventory:SendInventory)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-inventory-failed
mibFaultCode: 10078592
mibFaultName: fsmRmtErrCallhomeHolderInventorySendInventory
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

**fsmRmtErrCallhomeHolderConfigure:DisableSmartCallhome**

**Fault Code:** F10078604

**Message**

[FSM:STAGE:REMOTE-ERROR]: disable smart callhome(FSM-STAGE:sam:dme:CallhomeHolderConfigure:DisableSmartCallhome)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: disable-smart-callhome-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrCallhomeHolderConfigureDisableSmartCallhome
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

**fsmRmtErrCallhomeHolderConfigure:EnableSmartCallhome**

**Fault Code:** F10078604

**Message**

[FSM:STAGE:REMOTE-ERROR]: enable and configure smart callhome(FSM-STAGE:sam:dme:CallhomeHolderConfigure:EnableSmartCallhome)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: enable-smart-callhome-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrCallhomeHolderConfigureEnableSmartCallhome
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

**fsmRmtErrDupeChangeTrackerEpConfigure:SendChange**

**Fault Code:** F10078604

**Message**

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-change-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrDupeChangeTrackerEpConfigureSendChange
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmRmtErrLsServerConfigure:AnalyzeImpact**

**Fault Code: F10078604**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Analyzing changes  
impact(FSM-STAGE:sam:dme:LsServerConfigure:AnalyzeImpact)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: analyze-impact-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureAnalyzeImpact
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmRmtErrLsServerConfigure:ApplyConfig**

**Fault Code: F10078604**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Applying config to server  
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyConfig)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-config-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureApplyConfig
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmRmtErrLsServerConfigure:ApplyRename**

**Fault Code: F10078604**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Applying rename to server  
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyRename)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: apply-rename-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureApplyRename
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fsmRmtErrLsServerConfigure:ApplyTemplate

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Applying configuration template [srcTemplateName](FSM-STAGE:sam:dme:LsServerConfigure:ApplyTemplate)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: apply-template-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureApplyTemplate
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fsmRmtErrLsServerConfigure:ApplyThrottle

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Throttle configuration based on concurrent service-profile being processed.(FSM-STAGE:sam:dme:LsServerConfigure:ApplyThrottle)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: apply-throttle-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureApplyThrottle
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
```

**Affected MO:** org-[name]/ls-[name]

## fsmRmtErrLsServerConfigure:ConsumerVxanDeployment

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Sending Vxan to consumer(FSM-STAGE:sam:dme:LsServerConfigure:ConsumerVxanDeployment)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** consumer-vxan-deployment-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrLsServerConfigureConsumerVxanDeployment  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

## fsmRmtErrLsServerConfigure:DeleteIdConsumerMap

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Deleting the map between ID and Domain(FSM-STAGE:sam:dme:LsServerConfigure>DeleteIdConsumerMap)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** delete-id-consumer-map-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrLsServerConfigureDeleteIdConsumerMap  
**moClass:** ls:Server  
**Type:** fsm

**Auto Cleared:** true  
**Affected MO:** org- [name] /templ- [name] /ls- [name]  
**Affected MO:** org- [name] /ls- [name]

## fsmRmtErrLsServerConfigure:EvaluateAssociation

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Evaluate association with server  
 [pnDn](FSM-STAGE:sam:dme:LsServerConfigure:EvaluateAssociation)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** evaluate-association-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrLsServerConfigureEvaluateAssociation  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org- [name] /templ- [name] /ls- [name]  
**Affected MO:** org- [name] /ls- [name]

## fsmRmtErrLsServerConfigure:EvaluateServerAssign

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Collect binding info for Global Service  
 Profile(FSM-STAGE:sam:dme:LsServerConfigure:EvaluateServerAssign)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** evaluate-server-assign-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrLsServerConfigureEvaluateServerAssign

```

moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fsmRmtErrLsServerConfigure:ProcessIdConsumerMap

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Creating the map between ID and domain(FSM-STAGE:sam:dme:LsServerConfigure:ProcessIdConsumerMap)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: process-id-consumer-map-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureProcessIdConsumerMap
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fsmRmtErrLsServerConfigure:ReplaceIdAcquirer

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ReplaceIdAcquirer)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: replace-id-acquirer-failed

```

```

mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureReplaceIdAcquirer
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fsmRmtErrLsServerConfigure:ResolveIdentifiers

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveIdentifiers)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-identifiers-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureResolveIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

## fsmRmtErrLsServerConfigure:ResolveNetworkTemplates

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolving network templates policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkTemplates)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-network-templates-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrLsServerConfigureResolveNetworkTemplates  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

**fsmRmtErrLsServerConfigure:ResolvePolicies**

**Fault Code:** F10078604

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving various policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolvePolicies)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** resolve-policies-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrLsServerConfigureResolvePolicies  
**moClass:** ls:Server  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** org-[name]/templ-[name]/ls-[name]  
**Affected MO:** org-[name]/ls-[name]

**fsmRmtErrLsServerConfigure:ResolveStaticIdentifiers**

**Fault Code:** F10078604

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveStaticIdentifiers)

**Explanation**

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-static-identifiers-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureResolveStaticIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmRmtErrLsServerConfigure:ThrottleWait**

**Fault Code: F10078604**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Throttle  
wait(FSM-STAGE:sam:dme:LsServerConfigure:ThrottleWait)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: throttle-wait-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureThrottleWait
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmRmtErrLsServerConfigure:WaitForAssocCompletion**

**Fault Code: F10078604**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for Association completion on server  
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:WaitForAssocCompletion)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-assoc-completion-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureWaitForAssocCompletion
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

**fsmRmtErrLsServerConfigure:WaitForConsumerReceivingVxan**

**Fault Code: F10078604**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Waiting for consumer receiving Vxan response(FSM-STAGE:sam:dme:LsServerConfigure:WaitForConsumerReceivingVxan)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: wait-for-consumer-receiving-vxan-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrLsServerConfigureWaitForConsumerReceivingVxan
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fsmRmtErrSmartlicenseAgentConfigure:config

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: configure or show smart license agent tech support(FSM-STAGE:sam:dme:SmartlicenseAgentConfigure:config)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: config-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrSmartlicenseAgentConfigureConfig
moClass: smartlicense:Agent
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/Agent
```

## fsmRmtErrSmartlicenseEntitlementEpConfigure:Report

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Report entitlement to cisco(FSM-STAGE:sam:dme:SmartlicenseEntitlementEpConfigure:Report)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: report-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrSmartlicenseEntitlementEpConfigureReport
moClass: smartlicense:EntitlementEp
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/entitlement-ep
```

## fsmRmtErrSmartlicenseEntitlementEpConfigure:RetryReport

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Retry report the entitlement to  
cisco(FSM-STAGE:sam:dme:SmartlicenseEntitlementEpConfigure:RetryReport)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** retry-report-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrSmartlicenseEntitlementEpConfigureRetryReport  
**moClass:** smartlicense:EntitlementEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense/entitlement-ep

## fsmRmtErrSmartlicenseHolderConfigure:DisableSmartLicense

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: disable smart  
license(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:DisableSmartLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** disable-smart-license-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrSmartlicenseHolderConfigureDisableSmartLicense  
**moClass:** smartlicense:Holder  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense

## fsmRmtErrSmartlicenseHolderConfigure:EnableSmartLicense

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: configure smart license  
state(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:EnableSmartLicense)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** enable-smart-license-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrSmartlicenseHolderConfigureEnableSmartLicense  
**moClass:** smartlicense:Holder  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense

## fsmRmtErrSmartlicenseHolderConfigure:RegisterDevice

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Register Device with Cisco Smart Software Manager(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:RegisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** register-device-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrSmartlicenseHolderConfigureRegisterDevice  
**moClass:** smartlicense:Holder  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense

## fsmRmtErrSmartlicenseHolderConfigure:RetryRegisterDevice

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Retry Register Device with Cisco Smart Software Manager if fails to get response(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:RetryRegisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: retry-register-device-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrSmartlicenseHolderConfigureRetryRegisterDevice
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense
```

## fsmRmtErrSmartlicenseHolderConfigure:RetryUnregisterDevice

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: retry to Unregister device with Cisco Smart Software manager if fails to get response(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:RetryUnregisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: retry-unregister-device-failed
mibFaultCode: 10078604
mibFaultName: fsmRmtErrSmartlicenseHolderConfigureRetryUnregisterDevice
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense
```

## fsmRmtErrSmartlicenseHolderConfigure:UnregisterDevice

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: Unregister device with Cisco Smart Software manager(FSM-STAGE:sam:dme:SmartlicenseHolderConfigure:UnregisterDevice)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** unregister-device-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrSmartlicenseHolderConfigureUnregisterDevice  
**moClass:** smartlicense:Holder  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense

## fsmRmtErrSmartlicenseTestConfigure:ExecuteTestCli

**Fault Code:** F10078604

### Message

[FSM:STAGE:REMOTE-ERROR]: execute test CLI on smart license agent(FSM-STAGE:sam:dme:SmartlicenseTestConfigure:ExecuteTestCli)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-test-cli-failed  
**mibFaultCode:** 10078604  
**mibFaultName:** fsmRmtErrSmartlicenseTestConfigureExecuteTestCli  
**moClass:** smartlicense:Test  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** smartlicense/Agent/Test

## fsmRmtErrFabricFIPortOperationFIPort:CleanUp

**Fault Code:** F10078699

### Message

[FSM:STAGE:REMOTE-ERROR]: Cleanup deleted vnics of this operation(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:CleanUp)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** clean-up-failed  
**mibFaultCode:** 10078699  
**mibFaultName:** fsmRmtErrFabricFIPortOperationFIPortCleanUp  
**moClass:** fabric:FIPortOperation  
**Type:** fsm  
**Auto Cleared:** true

## fsmRmtErrFabricFIPortOperationFIPort:PushVxan

**Fault Code:** F10078699

### Message

[FSM:STAGE:REMOTE-ERROR]: Sending Vxan to consumer(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:PushVxan)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** push-vxan-failed  
**mibFaultCode:** 10078699  
**mibFaultName:** fsmRmtErrFabricFIPortOperationFIPortPushVxan  
**moClass:** fabric:FIPortOperation  
**Type:** fsm  
**Auto Cleared:** true



## fsmRmtErrFabricFIPortOperationFIPort:RoleConfig

**Fault Code:** F10078699

### Message

[FSM:STAGE:REMOTE-ERROR]: Create Port  
role(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:RoleConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** role-config-failed  
**mibFaultCode:** 10078699  
**mibFaultName:** fsmRmtErrFabricFIPortOperationFIPortRoleConfig  
**moClass:** fabric:FIPortOperation  
**Type:** fsm  
**Auto Cleared:** true

## fsmRmtErrFabricFIPortOperationFIPort:VxanConfig

**Fault Code:** F10078699

### Message

[FSM:STAGE:REMOTE-ERROR]: configure port-vxan  
membership(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:VxanConfig)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** vxan-config-failed  
**mibFaultCode:** 10078699  
**mibFaultName:** fsmRmtErrFabricFIPortOperationFIPortVxanConfig  
**moClass:** fabric:FIPortOperation  
**Type:** fsm  
**Auto Cleared:** true

## fsmRmtErrFabricFIPortOperationFIPort:Wait

**Fault Code:** F10078699

### Message

[FSM:STAGE:REMOTE-ERROR]: Waiting for consumer receiving Vxan response(FSM-STAGE:sam:dme:FabricFIPortOperationFIPort:Wait)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: wait-failed
mibFaultCode: 10078699
mibFaultName: fsmRmtErrFabricFIPortOperationFIPortWait
moClass: fabric:FIPortOperation
Type: fsm
Auto Cleared: true
```

## fsmRmtErrSmartlicenseHolderUpdateState:RefreshState

**Fault Code:** F10078701

### Message

[FSM:STAGE:REMOTE-ERROR]: send notification to AG to update the DME state(FSM-STAGE:sam:dme:SmartlicenseHolderUpdateState:RefreshState)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: refresh-state-failed
mibFaultCode: 10078701
mibFaultName: fsmRmtErrSmartlicenseHolderUpdateStateRefreshState
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense
```

## fsmFailMgmtBackupBackup

**Fault Code:** F10999451

**Message**

[FSM:FAILED]: sam:dme:MgmtBackupBackup

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999451
mibFaultName: fsmFailMgmtBackupBackup
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/backup-[hostname]
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]
```

## fsmFailCertRepairEpRepairCert

**Fault Code:** F10999544

**Message**

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F10999550

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code:** F10999551

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
```

**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999552  
**mibFaultName:** fsmFailObserveObservedResolveVMFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed

```

mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailCommSvcEpRestartWebSvc

**Fault Code:** F10999555

### Message

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext

```

## fsmFailExtpolEpRegisterFsm

**Fault Code:** F10999558

### Message

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999558  
**mibFaultName:** fsmFailExtpolEpRegisterFsm  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmFailPolicyPolicyScopeReleasePolicyFsm**

**Fault Code:** F10999572

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999572  
**mibFaultName:** fsmFailPolicyPolicyScopeReleasePolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseOperationFsm**

**Fault Code:** F10999573

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseStorageFsm**

**Fault Code:** F10999574

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```



**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999575

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999575

**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code:** F10999576

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F10999577

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999577  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseManyPolicyFsm****Fault Code:** F10999578**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999578  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999579

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F10999580

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllPolicyFsm**

**Fault Code:** F10999581

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999582

**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllStorageFsm

**Fault Code:** F10999583

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseAllOperationFsm****Fault Code:** F10999585**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]

```



**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999586

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailComputeSystemRegister

**Fault Code:** F10999679

**Message**

[FSM:FAILED]: sam:dme:ComputeSystemRegister

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999679
mibFaultName: fsmFailComputeSystemRegister
moClass: compute:System
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]
```

**fsmFailExtpolClientUpdateContextFsm**

**Fault Code: F10999683**

**Message**

[FSM:FAILED]: sam:dme:ExtpolClientUpdateContextFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999683
mibFaultName: fsmFailExtpolClientUpdateContextFsm
moClass: extpol:Client
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

**fsmFailIdentIdentRequestUpdateIdent**

**Fault Code: F10999833**

**Message**

[FSM:FAILED]: sam:dme:IdentIdentRequestUpdateIdent

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999833
mibFaultName: fsmFailIdentIdentRequestUpdateIdent
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

**fsmFailIdentMetaSystemSync**

**Fault Code: F1099834**

**Message**

[FSM:FAILED]: sam:dme:IdentMetaSystemSync

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999834
mibFaultName: fsmFailIdentMetaSystemSync
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

**fsmFailFabricVnetEpSyncEpSyncVnetEpUCS**

**Fault Code: F1099840**

**Message**

[FSM:FAILED]: sam:dme:FabricVnetEpSyncEpSyncVnetEpUCS

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999840
mibFaultName: fsmFailFabricVnetEpSyncEpSyncVnetEpUCS
moClass: fabric:VnetEpSyncEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/syncEp
```

**fsmFailChangeEpSyncChangeUCS**

**Fault Code: F1099848**

**Message**

[FSM:FAILED]: sam:dme:ChangeEpSyncChangeUCS

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999848
mibFaultName: fsmFailChangeEpSyncChangeUCS
moClass: change:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/domain-[guid]/syncEp
```

**fsmFailCallhomeHolderInventory**

**Fault Code: F11000192**

**Message**

[FSM:FAILED]: sam:dme:CallhomeHolderInventory

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000192
mibFaultName: fsmFailCallhomeHolderInventory
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

**fsmFailCallhomeHolderConfigure**

**Fault Code:** F11000204

**Message**

[FSM:FAILED]: sam:dme:CallhomeHolderConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailCallhomeHolderConfigure
moClass: callhome:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartcallhome
```

**fsmFailDupeChangeTrackerEpConfigure**

**Fault Code:** F11000204

**Message**

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailDupeChangeTrackerEpConfigure
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmFailLsServerConfigure**

**Fault Code: F11000204**

**Message**

[FSM:FAILED]: sam:dme:LsServerConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailLsServerConfigure
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

## fsmFailSmartlicenseAgentConfigure

**Fault Code:** F11000204

**Message**

[FSM:FAILED]: sam:dme:SmartlicenseAgentConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailSmartlicenseAgentConfigure
moClass: smartlicense:Agent
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/Agent
```

## fsmFailSmartlicenseEntitlementEpConfigure

**Fault Code:** F11000204

**Message**

[FSM:FAILED]: sam:dme:SmartlicenseEntitlementEpConfigure

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailSmartlicenseEntitlementEpConfigure
moClass: smartlicense:EntitlementEp
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/entitlement-ep
```

## fsmFailSmartlicenseHolderConfigure

**Fault Code:** F11000204

### Message

[FSM:FAILED]: sam:dme:SmartlicenseHolderConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailSmartlicenseHolderConfigure
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense
```

## fsmFailSmartlicenseTestConfigure

**Fault Code:** F11000204

### Message

[FSM:FAILED]: sam:dme:SmartlicenseTestConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000204
mibFaultName: fsmFailSmartlicenseTestConfigure
moClass: smartlicense:Test
Type: fsm
Auto Cleared: true
Affected MO: smartlicense/Agent/Test
```



## fsmFailFabricFIPortOperationFIPort

**Fault Code:** F11000299

**Message**

[FSM:FAILED]: sam:dme:FabricFIPortOperationFIPort

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000299
mibFaultName: fsmFailFabricFIPortOperationFIPort
moClass: fabric:FIPortOperation
Type: fsm
Auto Cleared: true
```

## fsmFailSmartlicenseHolderUpdateState

**Fault Code:** F11000301

**Message**

[FSM:FAILED]: sam:dme:SmartlicenseHolderUpdateState

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000301
mibFaultName: fsmFailSmartlicenseHolderUpdateState
moClass: smartlicense:Holder
Type: fsm
Auto Cleared: true
Affected MO: smartlicense
```



## Statistics Manager Faults

---

### fsmStFailCertRepairEpRepairCert:request

**Fault Code:** F10016504

**Message**

[FSM:STAGE:FAILED|RETRY]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10016504  
**mibFaultName:** fsmStFailCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

### fsmStFailCertRepairEpRepairCert:verify

**Fault Code:** F10016504

**Message**

[FSM:STAGE:FAILED|RETRY]: checking that cert was  
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmStFailObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10016510**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveResourceFsm:Execute**

**Fault Code: F10016511**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

**fsmStFailObserveObservedResolveVMFsm:Execute**

**Fault Code: F10016512**

**Message**

```
[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016513  
**mibFaultName:** fsmStFailObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10016515  
**mibFaultName:** fsmStFailCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fsmStFailExtpolEpRegisterFsm:Execute

**Fault Code:** F10016518

### Message

[FSM:STAGE:FAILED|RETRY]: Register FSM  
 Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016518  
**mibFaultName:** fsmStFailExtpolEpRegisterFsmExecute  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

## fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10016532

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016532  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10016533

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016533  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016535

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.



**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany**

**Fault Code:** F10016536

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10016537

### Message

[FSM:STAGE:FAILED|RETRY]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 10016537  
**mibFaultName:** fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany**

**Fault Code:** F10016540

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10016541

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016541

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll**

**Fault Code:** F10016544

**Message**

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code: F10016545**

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10016545

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

**Message**

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10017032

**Message**

[FSM:STAGE:FAILED|RETRY]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: send-change-failed
mibFaultCode: 10017032
mibFaultName: fsmStFailDupeChangeTrackerEpConfigureSendChange
moClass: dupe:ChangeTrackerEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep
Affected MO: extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep
Affected MO: extpol/reg/dup-ep/changetracker-ep
```

**fsmRmtErrCertRepairEpRepairCert:request**

**Fault Code: F10077944**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmRmtErrCertRepairEpRepairCert:verify**

**Fault Code: F10077944**

**Message**

```
[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

**fsmRmtErrObserveObservedResolvePolicyFsm:Execute**

**Fault Code: F10077950**

**Message**

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10077951

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
```

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10077953

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077953  
**mibFaultName:** fsmRmtErrObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrCommSvcEpRestartWebSvc:restart

**Fault Code:** F10077955

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10077955  
**mibFaultName:** fsmRmtErrCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

**fsmRmtErrExtpolEpRegisterFsm:Execute**

**Fault Code:** F10077958

**Message**

[FSM:STAGE:REMOTE-ERROR]: Register FSM  
 Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077958  
**mibFaultName:** fsmRmtErrExtpolEpRegisterFsmExecute  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release**

**Fault Code:** F10077972

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release**

**Fault Code:** F10077973

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10077974

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-failed

**mibFaultCode:** 10077974

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10077975

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
  pe]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
  ]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
  yName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
  Name]

```

## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10077976

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany**

**Fault Code:** F10077977

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code: F10077978**

### Message

[FSM:STAGE:REMOTE-ERROR]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-many-failed  
**mibFaultCode:** 10077978  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10077979

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10077980

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

**fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll**

**Fault Code:** F10077981

**Message**

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)
```

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code: F10077982**

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10077982

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10077983

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-all-failed  
**mibFaultCode:** 10077983  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10077984

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

### Explanation

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
    
```

**fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll**

**Fault Code:** F10077985

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
    
```



**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code: F10077986**

### Message

[FSM:STAGE:REMOTE-ERROR]:  
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-all-failed  
**mibFaultCode:** 10077986  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10078472

### Message

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10078472  
**mibFaultName:** fsmRmtErrDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

## fsmFailCertRepairEpRepairCert

**Fault Code:** F10999544

### Message

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999544  
**mibFaultName:** fsmFailCertRepairEpRepairCert  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F10999550

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code:** F10999551

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
```

**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999552  
**mibFaultName:** fsmFailObserveObservedResolveVMFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed

```

mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

## fsmFailCommSvcEpRestartWebSvc

**Fault Code:** F10999555

### Message

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

## fsmFailExtpolEpRegisterFsm

**Fault Code:** F10999558

### Message

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999558  
**mibFaultName:** fsmFailExtpolEpRegisterFsm  
**moClass:** extpol:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol

**fsmFailPolicyPolicyScopeReleasePolicyFsm**

**Fault Code:** F1099572

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999572  
**mibFaultName:** fsmFailPolicyPolicyScopeReleasePolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseOperationFsm**

**Fault Code:** F1099573

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeReleaseStorageFsm**

**Fault Code:** F10999574

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999575

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999575  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code:** F10999576

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F10999577

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999577  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**fsmFailPolicyPolicyScopeReleaseManyPolicyFsm****Fault Code:** F10999578**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999578  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999579

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F10999580

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

**fsmFailPolicyPolicyScopeResolveAllPolicyFsm**

**Fault Code:** F10999581

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true

```

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999582

**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllOperationFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllStorageFsm

**Fault Code:** F10999583

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]
    
```

**fsmFailPolicyPolicyScopeReleaseAllOperationFsm**

**Fault Code:** F10999585

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
    
```

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999586

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailDupeChangeTrackerEpConfigure

**Fault Code:** F1100072

**Message**

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure



**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 11000072  
**mibFaultName:** fsmFailDupeChangeTrackerEpConfigure  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep



## Service Registry Faults

### fsmStFailCertRepairEpRepairCert:request

**Fault Code:** F10016504

**Message**

[FSM:STAGE:FAILED|RETRY]: request  
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10016504  
**mibFaultName:** fsmStFailCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

### fsmStFailCertRepairEpRepairCert:verify

**Fault Code:** F10016504

**Message**

[FSM:STAGE:FAILED|RETRY]: checking that cert was  
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

**Explanation**

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 10016504  
**mibFaultName:** fsmStFailCertRepairEpRepairCertVerify  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmStFailObserveObservedResolvePolicyFsm:Execute

**Fault Code:** F10016510

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016510  
**mibFaultName:** fsmStFailObserveObservedResolvePolicyFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailObserveObservedResolveResourceFsm:Execute

**Fault Code:** F10016511

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveVMFsm:Execute

**Fault Code: F10016512**

### Message

```
[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmStFailObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10016513

### Message

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10016513  
**mibFaultName:** fsmStFailObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmStFailCommSvcEpRestartWebSvc:restart

**Fault Code:** F10016515

### Message

[FSM:STAGE:FAILED|RETRY]: restart web  
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10016515  
**mibFaultName:** fsmStFailCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10016532

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-failed  
**mibFaultCode:** 10016532  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10016533

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10016534

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10016535

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10016535

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



## fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10016536

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-many-failed  
**mibFaultCode:** 10016536  
**mibFaultName:** fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10016537

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]
```

## fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10016538

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10016539

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-many-failed

**mibFaultCode:** 10016539

**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10016540

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-many-failed  
**mibFaultCode:** 10016540  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10016541

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10016542

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10016543

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10016543

**mibFaultName:** fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code:** F10016544

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-all-failed  
**mibFaultCode:** 10016544  
**mibFaultName:** fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10016545

### Message

[FSM:STAGE:FAILED|RETRY]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10016546

### Message

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```



**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmStFailLicenseDownloaderDownload>DeleteLocal

**Fault Code:** F10016742

**Message**

[FSM:STAGE:FAILED|RETRY]: deleting temporary files for [fileName] on local(FSM-STAGE:sam:dme:LicenseDownloaderDownload>DeleteLocal)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning  
**Cause:** delete-local-failed  
**mibFaultCode:** 10016742  
**mibFaultName:** fsmStFailLicenseDownloaderDownload>DeleteLocal  
**moClass:** license:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/dnld-[fileName]

## fsmStFailLicenseDownloaderDownload:Local

**Fault Code:** F10016742

**Message**

[FSM:STAGE:FAILED|RETRY]: downloading license file [fileName] from [server](FSM-STAGE:sam:dme:LicenseDownloaderDownload:Local)

**Explanation**

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016742  
**mibFaultName:** fsmStFailLicenseDownloaderDownloadLocal  
**moClass:** license:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/dnld-[fileName]

## fsmStFailLicenseDownloaderDownload:ValidateLocal

**Fault Code:** F10016742

### Message

[FSM:STAGE:FAILED|RETRY]: validation for license file [fileName] on primary(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** validate-local-failed  
**mibFaultCode:** 10016742  
**mibFaultName:** fsmStFailLicenseDownloaderDownloadValidateLocal  
**moClass:** license:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/dnld-[fileName]

## fsmStFailLicenseFileInstall:Local

**Fault Code:** F10016743

### Message

[FSM:STAGE:FAILED|RETRY]: Installing license on primary(FSM-STAGE:sam:dme:LicenseFileInstall:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016743
mibFaultName: fsmStFailLicenseFileInstallLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

## fsmStFailLicenseFileClear:Local

**Fault Code: F10016744**

### Message

[FSM:STAGE:FAILED|RETRY]: Clearing license on primary(FSM-STAGE:sam:dme:LicenseFileClear:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016744
mibFaultName: fsmStFailLicenseFileClearLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

## fsmStFailLicenseInstanceUpdateFlexIm:Local

**Fault Code: F10016745**

### Message

[FSM:STAGE:FAILED|RETRY]: Updating on primary(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexIm:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10016745  
**mibFaultName:** fsmStFailLicenseInstanceUpdateFlexlmLocal  
**moClass:** license:Instance  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

## fsmStFailControllerEpQuiesce:QuiesceIDMgr

**Fault Code:** F10016764

### Message

[FSM:STAGE:FAILED|RETRY]: Quiescing ID  
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceIDMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesceidmgr-failed  
**mibFaultCode:** 10016764  
**mibFaultName:** fsmStFailControllerEpQuiesceQuiesceIDMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmStFailControllerEpQuiesce:QuiesceMgmtController

**Fault Code:** F10016764

### Message

[FSM:STAGE:FAILED|RETRY]: Quiescing Mgmt  
controller(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceMgmtController)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-mgmt-controller-failed  
**mibFaultCode:** 10016764  
**mibFaultName:** fsmStFailControllerEpQuiesceQuiesceMgmtController  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmStFailControllerEpQuiesce:QuiesceOpsMgr

**Fault Code:** F10016764

### Message

[FSM:STAGE:FAILED|RETRY]: Quiescing Ops  
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceOpsMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-ops-mgr-failed  
**mibFaultCode:** 10016764  
**mibFaultName:** fsmStFailControllerEpQuiesceQuiesceOpsMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmStFailControllerEpQuiesce:QuiescePolicyMgr

**Fault Code:** F10016764

### Message

[FSM:STAGE:FAILED|RETRY]: Quiescing Policy  
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiescePolicyMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-policy-mgr-failed  
**mibFaultCode:** 10016764  
**mibFaultName:** fsmStFailControllerEpQuiesceQuiescePolicyMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmStFailControllerEpQuiesce:QuiesceResMgr

**Fault Code:** F10016764

### Message

[FSM:STAGE:FAILED|RETRY]: Quiescing Resource Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceResMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-res-mgr-failed  
**mibFaultCode:** 10016764  
**mibFaultName:** fsmStFailControllerEpQuiesceQuiesceResMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmStFailControllerEpQuiesce:QuiesceStatsMgr

**Fault Code:** F10016764

### Message

[FSM:STAGE:FAILED|RETRY]: Quiescing stats mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceStatsMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-stats-mgr-failed  
**mibFaultCode:** 10016764  
**mibFaultName:** fsmStFailControllerEpQuiesceQuiesceStatsMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmStFailDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10017032

### Message

[FSM:STAGE:FAILED|RETRY]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10017032  
**mibFaultName:** fsmStFailDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

## fsmRmtErrCertRepairEpRepairCert:request

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: request cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** request-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertRequest  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrCertRepairEpRepairCert:verify

**Fault Code:** F10077944

### Message

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** verify-failed  
**mibFaultCode:** 10077944  
**mibFaultName:** fsmRmtErrCertRepairEpRepairCertVerify  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmRmtErrObserveObservedResolvePolicyFsm:Execute

**Fault Code:** F10077950

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)



### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveResourceFsm:Execute

**Fault Code: F10077951**

### Message

```
[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmRmtErrObserveObservedResolveVMFsm:Execute

**Fault Code:** F10077952

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077952  
**mibFaultName:** fsmRmtErrObserveObservedResolveVMFsmExecute  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrObserveObservedResolveControllerFsm:Execute

**Fault Code:** F10077953

### Message

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM  
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** execute-failed  
**mibFaultCode:** 10077953  
**mibFaultName:** fsmRmtErrObserveObservedResolveControllerFsmExecute  
**moClass:** observe:Observed

**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmRmtErrCommSvcEpRestartWebSvc:restart

**Fault Code:** F10077955

### Message

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** restart-failed  
**mibFaultCode:** 10077955  
**mibFaultName:** fsmRmtErrCommSvcEpRestartWebSvcRestart  
**moClass:** comm:SvcEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

**Fault Code:** F10077972

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

```

Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

**Fault Code:** F10077973

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

**Fault Code:** F10077974

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** warning

**Cause:** release-failed

**mibFaultCode:** 10077974

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

**Fault Code:** F10077975

**Message**

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

**Explanation**

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

**Fault Code:** F10077976

### Message

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

**Fault Code:** F10077977

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-many-failed

**mibFaultCode:** 10077977

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

**Fault Code:** F10077978

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-many-failed  
**mibFaultCode:** 10077978  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

**Fault Code:** F10077979

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

### Explanation

None set.



### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

**Fault Code:** F10077980

### Message

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

**Fault Code:** F10077981

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** resolve-all-failed

**mibFaultCode:** 10077981

**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

**Fault Code:** F10077982

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** resolve-all-failed  
**mibFaultCode:** 10077982  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

**Fault Code:** F10077983

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

**Fault Code: F10077984**

### Message

```
[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)
```

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

**Fault Code:** F10077985

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning

**Cause:** release-all-failed

**mibFaultCode:** 10077985

**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

**Fault Code:** F10077986

### Message

[FSM:STAGE:REMOTE-ERROR]:  
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** release-all-failed  
**mibFaultCode:** 10077986  
**mibFaultName:** fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmRmtErrLicenseDownloaderDownload:DeleteLocal

**Fault Code:** F10078182

### Message

[FSM:STAGE:REMOTE-ERROR]: deleting temporary files for [fileName] on local(FSM-STAGE:sam:dme:LicenseDownloaderDownload:DeleteLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** delete-local-failed  
**mibFaultCode:** 10078182  
**mibFaultName:** fsmRmtErrLicenseDownloaderDownloadDeleteLocal  
**moClass:** license:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/dnld-[fileName]

## fsmRmtErrLicenseDownloaderDownload:Local

**Fault Code:** F10078182

### Message

[FSM:STAGE:REMOTE-ERROR]: downloading license file [fileName] from [server](FSM-STAGE:sam:dme:LicenseDownloaderDownload:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** local-failed  
**mibFaultCode:** 10078182  
**mibFaultName:** fsmRmtErrLicenseDownloaderDownloadLocal  
**moClass:** license:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/dnld-[fileName]

## fsmRmtErrLicenseDownloaderDownload:ValidateLocal

**Fault Code:** F10078182

### Message

[FSM:STAGE:REMOTE-ERROR]: validation for license file [fileName] on primary(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateLocal)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: validate-local-failed
mibFaultCode: 10078182
mibFaultName: fsmRmtErrLicenseDownloaderDownloadValidateLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]
```

## fsmRmtErrLicenseFileInstall:Local

**Fault Code:** F10078183

### Message

[FSM:STAGE:REMOTE-ERROR]: Installing license on primary(FSM-STAGE:sam:dme:LicenseFileInstall:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078183
mibFaultName: fsmRmtErrLicenseFileInstallLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

## fsmRmtErrLicenseFileClear:Local

**Fault Code:** F10078184

### Message

[FSM:STAGE:REMOTE-ERROR]: Clearing license on primary(FSM-STAGE:sam:dme:LicenseFileClear:Local)

### Explanation

None set.



### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078184
mibFaultName: fsmRmtErrLicenseFileClearLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

## fsmRmtErrLicenseInstanceUpdateFlexlm:Local

**Fault Code:** F10078185

### Message

[FSM:STAGE:REMOTE-ERROR]: Updating on  
primary(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Local)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078185
mibFaultName: fsmRmtErrLicenseInstanceUpdateFlexlmLocal
moClass: license:Instance
Type: fsm
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fsmRmtErrControllerEpQuiesce:QuiesceIDMgr

**Fault Code:** F10078204

### Message

[FSM:STAGE:REMOTE-ERROR]: Quiescing ID  
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceIDMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesceidmgr-failed  
**mibFaultCode:** 10078204  
**mibFaultName:** fsmRmtErrControllerEpQuiesceQuiesceIDMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmRmtErrControllerEpQuiesce:QuiesceMgmtController

**Fault Code:** F10078204

### Message

[FSM:STAGE:REMOTE-ERROR]: Quiescing Mgmt controller(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceMgmtController)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-mgmt-controller-failed  
**mibFaultCode:** 10078204  
**mibFaultName:** fsmRmtErrControllerEpQuiesceQuiesceMgmtController  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmRmtErrControllerEpQuiesce:QuiesceOpsMgr

**Fault Code:** F10078204

### Message

[FSM:STAGE:REMOTE-ERROR]: Quiescing Ops Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceOpsMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-ops-mgr-failed  
**mibFaultCode:** 10078204  
**mibFaultName:** fsmRmtErrControllerEpQuiesceQuiesceOpsMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmRmtErrControllerEpQuiesce:QuiescePolicyMgr

**Fault Code:** F10078204

### Message

[FSM:STAGE:REMOTE-ERROR]: Quiescing Policy  
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiescePolicyMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-policy-mgr-failed  
**mibFaultCode:** 10078204  
**mibFaultName:** fsmRmtErrControllerEpQuiesceQuiescePolicyMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmRmtErrControllerEpQuiesce:QuiesceResMgr

**Fault Code:** F10078204

### Message

[FSM:STAGE:REMOTE-ERROR]: Quiescing Resource  
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceResMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-res-mgr-failed  
**mibFaultCode:** 10078204  
**mibFaultName:** fsmRmtErrControllerEpQuiesceQuiesceResMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmRmtErrControllerEpQuiesce:QuiesceStatsMgr

**Fault Code:** F10078204

### Message

[FSM:STAGE:REMOTE-ERROR]: Quiescing stats mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceStatsMgr)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** quiesce-stats-mgr-failed  
**mibFaultCode:** 10078204  
**mibFaultName:** fsmRmtErrControllerEpQuiesceQuiesceStatsMgr  
**moClass:** controller:Ep  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** controller

## fsmRmtErrDupeChangeTrackerEpConfigure:SendChange

**Fault Code:** F10078472

### Message

[FSM:STAGE:REMOTE-ERROR]: push the object modifications to client(FSM-STAGE:sam:dme:DupeChangeTrackerEpConfigure:SendChange)

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** warning  
**Cause:** send-change-failed  
**mibFaultCode:** 10078472  
**mibFaultName:** fsmRmtErrDupeChangeTrackerEpConfigureSendChange  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep

## fsmFailCertRepairEpRepairCert

**Fault Code:** F10999544

### Message

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999544  
**mibFaultName:** fsmFailCertRepairEpRepairCert  
**moClass:** cert:RepairEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/cert-repair

## fsmFailObserveObservedResolvePolicyFsm

**Fault Code:** F10999550

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveResourceFsm

**Fault Code: F10999551**

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

## fsmFailObserveObservedResolveVMFsm

**Fault Code:** F10999552

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999552  
**mibFaultName:** fsmFailObserveObservedResolveVMFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailObserveObservedResolveControllerFsm

**Fault Code:** F10999553

### Message

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999553  
**mibFaultName:** fsmFailObserveObservedResolveControllerFsm  
**moClass:** observe:Observed  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]

**Affected MO:** extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]  
**Affected MO:** extpol/reg/observed-[dataSrcSysId]-[id]  
**Affected MO:** observe/observed-[dataSrcSysId]-[id]

## fsmFailCommSvcEpRestartWebSvc

**Fault Code:** F1099555

### Message

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999555  
**mibFaultName:** fsmFailCommSvcEpRestartWebSvc  
**moClass:** comm:SvcEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/svc-ext

## fsmFailPolicyPolicyScopeReleasePolicyFsm

**Fault Code:** F1099572

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999572  
**mibFaultName:** fsmFailPolicyPolicyScopeReleasePolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm



```

Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmFailPolicyPolicyScopeReleaseOperationFsm

**Fault Code:** F10999573

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType
]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

## fsmFailPolicyPolicyScopeReleaseStorageFsm

**Fault Code:** F10999574

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999574  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyPolicyFsm

**Fault Code:** F10999575

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

## Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999575  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyOperationFsm

**Fault Code:** F10999576

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

## Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999576  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyOperationFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveManyStorageFsm

**Fault Code:** F10999577

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999577

**mibFaultName:** fsmFailPolicyPolicyScopeResolveManyStorageFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

**Fault Code:** F10999578

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmFailPolicyPolicyScopeReleaseManyOperationFsm

**Fault Code:** F10999579

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
```

**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseManyStorageFsm

**Fault Code:** F10999580

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999580  
**mibFaultName:** fsmFailPolicyPolicyScopeReleaseManyStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllPolicyFsm

**Fault Code:** F10999581

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999581  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllPolicyFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllOperationFsm

**Fault Code:** F10999582

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

## Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999582  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllOperationFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeResolveAllStorageFsm

**Fault Code:** F10999583

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

## Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999583  
**mibFaultName:** fsmFailPolicyPolicyScopeResolveAllStorageFsm  
**moClass:** policy:PolicyScope  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]



**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**Fault Code:** F10999584

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

**Explanation**

None set.

**Recommended Action**

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

**Fault Details**

**Severity:** critical

**Cause:** fsm-failed

**mibFaultCode:** 10999584

**mibFaultName:** fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

**moClass:** policy:PolicyScope

**Type:** fsm

**Auto Cleared:** true

**Affected MO:**

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

**Affected MO:**

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailPolicyPolicyScopeReleaseAllOperationFsm

**Fault Code:** F10999585

**Message**

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

## fsmFailPolicyPolicyScopeReleaseAllStorageFsm

**Fault Code:** F10999586

### Message

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
```

**Affected MO:**  
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]  
**Affected MO:**  
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

## fsmFailLicenseDownloaderDownload

**Fault Code:** F10999782

### Message

[FSM:FAILED]: sam:dme:LicenseDownloaderDownload

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 10999782  
**mibFaultName:** fsmFailLicenseDownloaderDownload  
**moClass:** license:Downloader  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** sys/license/dnld-[fileName]

## fsmFailLicenseFileInstall

**Fault Code:** F10999783

### Message

[FSM:FAILED]: sam:dme:LicenseFileInstall

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999783
mibFaultName: fsmFailLicenseFileInstall
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

## fsmFailLicenseFileClear

**Fault Code:** F10999784

### Message

[FSM:FAILED]: sam:dme:LicenseFileClear

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999784
mibFaultName: fsmFailLicenseFileClear
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

## fsmFailLicenseInstanceUpdateFlexIm

**Fault Code:** F10999785

### Message

[FSM:FAILED]: sam:dme:LicenseInstanceUpdateFlexIm

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999785
mibFaultName: fsmFailLicenseInstanceUpdateFlexlm
moClass: license:Instance
Type: fsm
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

## fsmFailControllerEpQuiesce

**Fault Code:** F10999804

### Message

[FSM:FAILED]: sam:dme:ControllerEpQuiesce

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999804
mibFaultName: fsmFailControllerEpQuiesce
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

## fsmFailDupeChangeTrackerEpConfigure

**Fault Code:** F11000072

### Message

[FSM:FAILED]: sam:dme:DupeChangeTrackerEpConfigure

### Explanation

None set.

### Recommended Action

Copy the message exactly as it appears on the console or in the system log. Research and attempt to resolve the issue using the tools and utilities provided at <http://www.cisco.com/tac>. If you cannot resolve the issue, create a **show tech-support** file and contact Cisco Technical Support.

### Fault Details

**Severity:** critical  
**Cause:** fsm-failed  
**mibFaultCode:** 11000072  
**mibFaultName:** fsmFailDupeChangeTrackerEpConfigure  
**moClass:** dupe:ChangeTrackerEp  
**Type:** fsm  
**Auto Cleared:** true  
**Affected MO:** extpol/reg/clients/client-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/controllers/contro-[id]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/providers/prov-[type]/dup-ep/changetracker-ep  
**Affected MO:** extpol/reg/dup-ep/changetracker-ep