

IOS Firewall Feature Set



Severity: **High**
ID: **Cisco-SA-20011128-ios-cbac-dynacl**
Date: **2001-11-28 16:00**
Version: **1.3** : Final
Workarounds: **No Workarounds available**
Cisco Bug ID:

[CVE-2001-0929](#)

High Severity: CVE-2001-0929: Denial of Service (DoS) Vulnerability in Cisco IOS Firewall CBAC

Summary

This vulnerability exists in Cisco IOS Firewall Secure Integrated Software (CBAC) Context Based Access Control (CBAC) when the CBAC engine is in the 'dynamic' mode. An attacker can exploit this vulnerability by sending a large number of SYN packets to a target host, causing the target host to become unresponsive.

Cisco Bug ID

CSCdv48261

Severity: High

Workarounds: None

For more information, please visit <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAlerts-20011128-ios-cbac-dynacl>

Impact

The impact of this vulnerability is a Denial of Service (DoS) attack on the target host.

Configuration

CBAC is configured on the interface. The configuration shows the 'dynamic' mode is enabled.

```
ip inspect name rule1 udp
ip inspect name rule1 tcp
!
!
interface FastEthernet0/1
```

```
ip address 1.2.3.4 255.255.255.0
ip inspect rule1 in
duplex auto
speed auto
!
```

æ¬;ã®ä¼ã®ã,^ãtä«ã€ã,½ăf•ăf^ã,|ã,šã,ćã«IOSăf•ã,;ã,ªã,ćã,|ã,©ăf¼ăf«æ©ÿèf½ã,»ăf.
versionã,³ăfžăf³ăf%ã®šă½¿ç"ã®šã®ã,ăf«ăf¼ã,¿ã,ªăf;ăf¼ã,ã®ăf•ã,;ã,ªăf«ã®ã«ã®ã€

<#root>

Router>

show version

```
Cisco Internetwork Operating System Software
IOS (tm) C2600 Software (C2600-I03-M),
Version 12.1(5)T, RELEASE SOFTWARE (fc1)
(the rest is truncated)
```

ã"ã®ä¼ã®šã®ã,ªăf;ăf¼ã,ăf•ã,;ã,ªăf«ã®ã®c2600-io3-
mãšã™ã€,ã®ã%ã®«ã€Eoã®ã®Eã®ã®¼ã,CEã®|ã®,ã,ăÿã,ã®ã®ã"ã®ã,ªăf
IOSă,ªăf;ăf¼ã, IDã®è©³°ã®«ã®ªã®,ã®|ã®ã®<http://www.cisco.com/warp/public/620/1.html#t>
IOSăf^ăf-ã,ªăf³ã®æ¬;ã®ã®ãšã,šãšã®ã€,

- 11.2P
- 11.3T
- 12.0ã®12.0T
- 12.1ã®12.1Tã®12.1E
- 12.2ã®12.2T

ã"ã,CEã,%ã®®ăfªăfªăf¼ã,¹ã«ăšã®^ã®|ã®ã®,ã®ã®ªã®ã®ã®Early
Deploymenti¼^Early

Deploymenti¼>æ—©æœÿăŽă...ÿi¼%oi¼^Xăfªăfªăf¼ã,¹ã®ã,ă¼ã®°ã,CEã,îi¼%ã®Eè©²ă½"ã®—

è©²ă½"ã®™ã®,ăf®ăf¼ăf%ã®,|ã,šã,ćăfćăfªăf«ã®æ¬;ã®ã®ãšã,šãšã®ã€,

- 800ã®820ã®950ã®1400ã®1600ã®1700ã®2500ã®2600ã®3600ã®4000ã,²ăf¼
70ã®ubr900ã®ICS775 0.
- Catalyst 5000ã®šã,^ã®³6000i¼^Cisco
IOSă,½ăf•ăf^ã,|ã,šã,ćã,â®ÿè;CEã®—ã®|ã®,ã,ă¼ã®^i¼%

è,†ă¼±æ€šã,'ă«ã,"ãšã®,ã®ã®,ã®ã"ã®ã®CEçç°èã®ã®ã,CEã®ÿè£½ă"®

11.xãf™ãf¼ã,¹ã®ãfªãfªãf¼ã,¹	
11.2P	æ—©æœÿå°Žã...¥¼šãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®É™ã,‰ã,Æã ã,,ã,ç
11.3T	
12.0 ãf™ãf¼ã,¹ã®ãfªãfªãf¼ã,¹	
12.0	ã™ã¹ã ã®ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã'ã'ã®ã,€è^-ã°Žã...¥ãfªãfªãf¼ã,
12.0T	æ—©æœÿå°Žã...¥¼šã•ã¾ã-ã¾ãªãf—ãf©ãffãf^ãf•ã,©ãf¼ãf
12.0XA	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XB	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XC	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XD	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XE	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XG	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XI	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XK	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)
12.0XM	é,æŠžã-ãÿãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã®æ—©æœÿå°Žã...¥(ED)

12.0XQ	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.0XR	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.0XV	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1 ăf™ăf¼ă,¹ă®ăf^ăf^ăf¼ă,¹	
12.1	ă™ă¹ă ă®ăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă'ă'ă'ăé™ă®ăšă°Žă...¥ăf^ăf^ăf
12.1E	ă,³ă,ç/ISPă,ăf ăf¼ăf^¼šGSRă€RSPă€c7200
12.1E	Catalyst 6000
12.1T	Early Deployment(ED):VPNă€Distributed Directoră€ăăă¼ă-ă¼ăăăf—ăf©ăffăf^ăf•ă,©ăf¼ăf
12.1XB	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1XC	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1XF	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1XG	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1XH	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1XI	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.1XJ	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)

12.1XK	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1XL	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1XM	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1XP	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1XT	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1YB	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1YC	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1YE	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.1YF	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)

12.2 ăf™ăf¼ă,¹ă®ăfªăfªăf¼ă,¹

12.2	ă•ă¾ă—ă¾ăªăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă'ă'ă®é™ă®šă°Žă...¥ăfªă
12.2DD	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.2T	ă•ă¾ă—ă¾ăªăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ç'' ă®æ—©æœÿă°Žă...¥ăfªăfªă
12.2XD	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)
12.2XE	é,æšžă—ăÿăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœÿă°Žă...¥(ED)

12.2XH	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.2XI	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.2XJ	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.2XK	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)
12.2XQ	é,æŠžă—ăŸăf—ăf©ăffăf^ăf•ă,©ăf¼ăf ă®æ—©æœŸă°Žă...¥(ED)

æ³æ,,ă°é ...

æ—Ÿă»~ă™ă¹ă | ä^ă@săšă,ă,Šă€ăâ%œ'ă•ă,Œă,ă-èf½æ€šăŒă,ă,Šă¾ă
 é€šă,ă®ăfjăf³ăftăfšăf³ă,¹
 ăfăăf¼ă,ă"æ"è¼ăfă—ăŸă 'ă^ă€ăæš«ă®šăfăăf¼ă,ă«ă¾ă—ă |ă-ăŽ³æ¼ă

ă,æŁă^©ç""ă°ă¾ăă "ă...-ă¼ç™°èj"

ă"ă®è,,†ă¼±æ€šă-ăšă®çæš~ă«ă,^ăŁă | ç™°è |ă•ă,Œă¾ă—ăŸăă€ă"ă®ă,çă.
 Cisco PSIRT ă«ă-ă,,ă,ă,%ă,Œă |ă,,ă¾ă>ă,"ă€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20011128-ios-cbac-dynacl>

æ''è,,ă±Ÿæ'

ăfăăf"ă,ăfšăf³ 1.3	2006ă¹'7æœ^13æ—Ÿ	12.2ăf™ăf¼ă,ă®ăfăăf¼ă,ă®ăž®æŁă,ăžă,½ăf•ăf^ă, ă
ăfăăf"ă,ăfšăf³ 1.2	2002ă¹'1æœ^2æ—Ÿ	ăfăăf¼ă,¹2.2Tă®ă,½ăf•ăf^ă, ă,šă,çæf...ă±ă®èj"ă«ă€

äf³äf“ã, äf§äf³ 1.1	2001å¹¹1æœ²29æ—¥	äj®æfæ, ^ã; äf³äf³äf¼ã,¹ã®è;¨ã®12.2Tã®è;Œã§sä€äf
äf³äf“ã, äf§äf³ 1.0	2001å¹¹1æœ²28æ—¥	å^å>žã...-é-<äf³äf³äf¼ã,¹

å^©ç””è!ç´,,

æœ-ã, çäf%ãf äã, ðã, ¶äf³ä ç,, jã ç è¨¼ã®ã,, äã®ã¨¨ äã—ã | ä”æ ä¾ã—ã | ä Šã, Šã€
 æœ-ã, çäf%ãf äã, ðã, ¶äf³ä®æf... å ±ã Šã, ^ã³äf³äf³ã, ¯ã®ä½ç”¨¨ ä«é-çã™ã, <è²-ä»ã®ä, €
 ä¾ãã Yã€ã, ·ã,¹ã,³ã ¯æœ-äf%ã, äf¥äfjãf³äf³ã®å†... å®¹ã, 'ã°ãŠãªã—ã«å¼%ææ’ã—ã€
 æœ-ã, çäf%ãf äã, ðã, ¶äf³ä®è¨¨è:°å†... å®¹ã«é-çã—ã | æf... å ±é... äçjã® URL
 ä, çœçç¥ã—ã€å ç<-ã®è»çè¼%ã,, æ,, è¨³ã, /æ-½ã—ã Yã´ã ^ã€å½”ç¾¾ãŒç®çç
 ä”ã®äf%ã, äf¥äfjãf³äf³ã®æf... å ±ã ¯ã€ã, ·ã,¹ã,³è£½ã”ã®ã,¨¨ äf³äf%ãf! äf¼ã, ¶ã, 'ã³¾è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。