







æ©ÿèf½ã™ã,ç	Official-Fix	çç°èª
-------------	--------------	-------

**CSCse29244i½šIOS reload when transferrin**  
ç°åçfã,¹ã,³ã,çã,'èç®—ã™ã,ç [CSC](#)

CVSS åÿ°æœ-ã,¹ã,³ã,ç½š2.0

æ»»æ'få...fåĈ°á†	æ»»æ'fæjã»¶ã®èèçé'ã•	[Authentication]	æ©ÿá†æ€šã,ã®½±éÿç	å®Ĉã.
Remote	ã½žã,,	Required	ãªã—	ãªã

CVSS ç¾çš¶ã,¹ã,³ã,ç½š1.7

æ»»æ'fã•ã,Ĉã,çã,æ½æ€š	åĈç°ª-èf½ãªª¾ç-ã®ãf-ãf™ãf«	Report
æ©ÿèf½ã™ã,ç	Official-Fix	çç°èª

## åžéç-

æ¬½ã®ã,³ãžãf³ãf%ã,¹ã,³ãf³ãf•ã,£ã,®ãf¥ãf-ãf½ã,ãfšãf³  
ãfçãf½ãf%ãšã®ÿèĈã™ã,çã"ã"ãªã,ã,šã€IOS FTP  
ã,µãf½ãfæ©ÿèf½ã®ã½ç"ã,ç,ªãš¹ãªãšãšã¾ã™ã€,

<#root>

no ftp-server enable

Cisco æ©ÿã™ãª«éĈç"ª-èf½ãªª½ãšã®è»½æ,ç-ãªªªã,ãª|ãªª»¥ã,ã®  
"Cisco Applied Intelligence companion document"ã,ã,šã...¥æ%ãª-èf½ãªšã™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoAppliedMitigationBulletin/cisco-amb-20070509-iosftp>



!--- Deny FTP packets from all other sources destined to infrastructure addresses.

```
access-list 150 deny tcp any INFRASTRUCTURE_ADDRESSES MASK eq 21
access-list 150 deny tcp any INFRASTRUCTURE_ADDRESSES MASK eq 20
```

!--- Permit all other traffic to transit the device.

```
access-list 150 permit IP any any

interface serial 2/0
 ip access-group 150 in
```

### Protecting Your Core: Infrastructure Protection Access Control

Lists...

## ACL(rACL)

Cisco 12000

12.0(21)S2 Cisco 7500

12.0(24)S Cisco 10720

12.0(31)S IOS

Receive ACL

ACL

ACL

Receive ACL

ACL

ACL

any

IP

ACL

ACL

ACL

ACL

ACL

### Receive Access Control

Lists...

### receive path ACL

ACL

*!--- Permit FTP from trusted hosts allowed to the RP.*

```
access-list 151 permit tcp TRUSTED_ADDRESSES MASK any eq 21
access-list 151 permit tcp TRUSTED_ADDRESSES MASK any eq 20
```

*!--- Deny FTP from all other sources to the RP.*

```
access-list 151 deny tcp any any eq 21
access-list 151 deny tcp any any eq 20
```

*!--- Permit all other traffic to the RP.*  
*!--- according to security policy and configurations.*

```
access-list 151 permit ip any any
```

*!--- Apply this access list to the 'receive' path.*

```
ip receive access-list 151
```

## ã,³ãf³ãf^ãfãf¼ãf«ãf—ãf-ãf¼ãf³ãfãfã,ãf³ã,°i¼^CoPPi¼%o

ã,³ãf³ãf^ãfãf¼ãf«ãf—ãf-ãf¼ãf³

ãfãfã,ãf³ã,°i¼^CoPPi¼%oæ©ÿèf½ã,'ã½ç"ã™ã,ãã"ã€ãã"ã,CEã,%ãã®è,,†ã¼±æ€Sã,'ç·©ã'CE

IPã,çãf%ãf-ã,¹ãCEã€Ereceiveã€ãSã,ã,<FTP

ãf^ãf©ãfã,£ãffã,ãã®ãçãCEãf«ãf¼ãf^

ãf—ãfã,»ãffã,µi¼^RPi¼%ã«ã^°é"ãSãããã¾ã™ã€,

ä,æ~ŽãªIPã,çãf%ãf-ã,¹ã,,ãçjé¼ãSãããªã,,IP

ã,çãf%ãf-ã,¹ãã,ã,®ããf^ãf©ãfã,£ãffã,ã,ã»fæ£,,ã™ã,ãã"ã"ã«ã,^ã,Šã€Cisco

IOSãfãfã,ã,ã,¹ã,ãã®ãæŽççšãSIP

ã,çãf%ãf-ã,¹ãCEãçš,,ã«ã%²ã,Šã½"ã|ã,%ã,CEãÿãfã,¹ãfã«ãã½±éÿãCEãŠããã

```
access-list 152 deny tcp TRUSTED_ADDRESSES MASK any eq 21
access-list 152 deny tcp TRUSTED_ADDRESSES MASK any eq 20
access-list 152 permit tcp any any eq 20
access-list 152 permit tcp any any eq 21
access-list 152 deny ip any any
!
class-map match-all COPP-KNOWN-UNDESIRABLE
  match access-group 152
!
!
policy-map COPP-INPUT-POLICY
  class COPP-KNOWN-UNDESIRABLE
```







12.2	12.2(40a)	12.2(46)
12.2T	è,,†â¼±æ€§ã,ã,Šã€ 12.3(21)ä»¥é™ã«çš»è;Ē	
12.2XA	è,,†â¼±æ€§ã,ã,Šã€ 12.3(21)ä»¥é™ã«çš»è;Ē	
12.2XG	è,,†â¼±æ€§ã,ã,Šã€ 12.3(21)ä»¥é™ã«çš»è;Ē	
12.2XT	è,,†â¼±æ€§ã,ã,Šã€ 12.3(21)ä»¥é™ã«çš»è;Ē	
12.2ZF	è,,†â¼±æ€§ã,ã,Šã€ 12.4(12)ä»¥é™ã«çš»è;Ē	
12.2ZH	è,,†â¼±æ€§ã,ã,Šã€,TACã«ãŠã•ã„,ã^ã,ã»ãããã•ã	
12.2ZJ	è,,†â¼±æ€§ã,ã,Šã€ 12.4(12)ä»¥é™ã«çš»è;Ē	
12.2ZL	è,,†â¼±æ€§ã,ã,Šã€,TACã«ãŠã•ã„,ã^ã,ã»ãããããã•ã	
12.2ZN	è,,†â¼±æ€§ã,ã,Šã€ 12.4(12)ä»¥é™ã«çš»è;Ē	
è©²â½“ã™ã,< 12.3 ãf™ãf¼ã,¹ã®ãfªãfªãf¼ã,¹	ãfªãf“ãf«ãf%o	ãf;ãf³ãf†ãfŠãf³ã,¹
12.3		12.3(21)
12.3B	è,,†â¼±æ€§ã,ã,Šã€ 12.4(12)ä»¥é™ã«çš»è;Ē	
12.3T	è,,†â¼±æ€§ã,ã,Šã€ 12.4(12)ä»¥é™ã«çš»è;Ē	
12.3TPC	è,,†â¼±æ€§ã,ã,Šã€,TACã«ãŠã•ã„,ã^ã,ã»ãããããã•ã	

12.3XA	è,,†â¼±æ€§ã,ã,Šă€TACã«ãŠă•ã„â^ã,ã>ãããã•ã	
12.3XC	è,,†â¼±æ€§ã,ã,Šă€TACã«ãŠă•ã„â^ã,ã>ãããããã•ã	
12.3XD	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3XE	è,,†â¼±æ€§ã,ã,Šă€TACã«ãŠă•ã„â^ã,ã>ãããããã•ã	
12.3XF	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3XG	è,,†â¼±æ€§ã,ã,Šă€TACã«ãŠă•ã„â^ã,ã>ãããããã•ã	
12.3XH	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3XK	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3XQ	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3XR	è,,†â¼±æ€§ã,ã,Šă€TACã«ãŠă•ã„â^ã,ã>ãããããã•ã	
12.3XS	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3XX	12.3(8)XX2d	
12.3YA	è,,†â¼±æ€§ã,ã,Šă€12.4(12)ä»¥é™ã«çš»è;Ĉ	
12.3YD	è,,†â¼±æ€§ã,ã,Šă€12.4(11)Tä»¥é™ã«çš»è;Ĉ	
12.3YG	è,,†â¼±æ€§ã,ã,Šă€12.4(11)Tä»¥é™ã«çš»è;Ĉ	

12.3YH	è,,†â¼±æ€§ã,ã,Šã€ 12.4(11)Tä»¥é™ã«çš»è;€	
12.3YI	è,,†â¼±æ€§ã,ã,Šã€ 12.4(11)Tä»¥é™ã«çš»è;€	
12.3YK	è,,†â¼±æ€§ã,ã,Šã€ 12.4(11)Tä»¥é™ã«çš»è;€	
12.3YM	è,,†â¼±æ€§ã,ã,Šã€,TACã«ãŠã•ã„ã^ã,ã>ãããã•ã	
12.3YS	è,,†â¼±æ€§ã,ã,Šã€ 12.4(11)Tä»¥é™ã«çš»è;€	
12.3YT	è,,†â¼±æ€§ã,ã,Šã€ 12.4(11)Tä»¥é™ã«çš»è;€	
12.3YZ	è,,†â¼±æ€§ã,ã,Šã€,TACã«ãŠã•ã„ã^ã,ã>ããããã•ã	
è©²â½“ã™ã,< 12.4 ãª™ãª¼ã,¹ã®ãªãªã¼ã,¹	ãªãª“ãª«ãª%º	ãª;ãª³ãª†ãªŠãª³ã,¹
12.4	12.4(10b)	
	12.4(3g)	
	12.4(7d)	
	12.4(8c)	12.4(12)
12.4SW	è,,†â¼±æ€§ã,ã,Šã€,TACã«ãŠã•ã„ã^ã,ã>ããããã•ã	
12.4T	12.4(4)T6	
	12.4(6)T6	



āfāf“ā, āfšāf³ 1.1	2007 ā¹ 5 æœ^ 9 æ—Ÿ	è»½ā¼āāæ-†æ³•ă,Šă”ă,¹ă,žă,āf«ă,Šăāç”é†
āfāf“ā, āfšāf³ 1.0	2007 ā¹ 5 æœ^ 9 æ—Ÿ	ā^ç%o^āfāfāf¼ā,¹

## ā^©ç””è!ç’,,

æœ-ā, çāf%āfā, ā, ā, āfāāç, jăž è”¼āā, āāāāā—ā|ā”æāā¼āā—ā|āŠă, Šăæ  
 æœ-ā, çāf%āfā, ā, ā, āfāāāæf...ā ±āŠă, ^ā³āfāfā, āā½žç””ā«é-çā™ā, <è²-ā»āā, €  
 ā¼āYāā, ā, ā, āæœ-āf%ā, āfāfjāfāfāāāā...āā¹ā, ā°āŠăāā—ā«ā%āæ’ā—ā  
 æœ-ā, çāf%āfā, ā, ā, āfāāā”èž°āt...āā¹ā«é-çā—ā|æf...ā ±é...ăžjāā URL  
 ā, çœç•Ÿā—ā€ā~ç<-āāè»çè¼%āā,,,æ,, è”³ā, /æ-½ā—āYā’ā^ā€ā½”ç¼āāçççç  
 ā”āāf%ā, āfāfjāfāfāāāæf...ā ±āā€ā, ā, ā, ā, ³è£½ā”āā, ”āfāf%āf!āf¼ā, ā, ā³¼è±j

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。