

Cisco Security Advisory: Cisco IP Video Phone E20 Default Root Account

Advisory ID: cisco-sa-20120118-te

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20120118-te>

æ—Ÿæœ—èªžã «ã, ^ã, <æf...å ±ã —ã€—è±èªžã «ã, ^ã, <ãžŸæ—†ã —é—žã...—å¼—ãªçž»è³ã—šã—ã,š

Revision 1.0

For Public Release 2012 January 18 16:00 UTC (GMT)

ç>®æ¬¡;

[è!ç´„](#)
[è©²å½‘è£½å“](#)
[è©³ç´°](#)
[è,†å¼±æ€šã,¹ã,³ã,çè©³ç´°](#)
[å½±éŸž](#)
[ã,½ãf•ãf^ã,lä,šã,çãfãf¼ã,ãfšãf³ãšã,^ã³ãž®æf](#)
[åžéçç-](#)
[ãž®æfæ,^ãžã,½ãf•ãf^ã,|ã,šã,çã®å...Ÿæ%œ<](#)
[ã,æfå^©ç””ã°<ã¾ãã”ã...—å¼—ç™°èj”](#)
[ã”ã®éšçŸŸã®ã,¹ãf†ãf¼ã,žã,¹i¼šFINAL](#)
[æf...å±é...ãžj](#)
[æ>æ°—å±Ÿæ´](#)
[ã,ã,¹ã,³ã,»ã,ãfŸãf^ãf†ã,æ%œ<é†](#)

è!ç´„

Cisco TelePresence [ã,½ãf•ãf^ã,lä,šã,çãfãf¼ã,ãfšãf³](#) TE 4.1.0 [ã«ã—ãf†ãf^ã,©ãf«ãf^](#)
[ã,çã,«ã,|ãf³ãf^ã®è,,†å¼±æ€šã—æã,ã,šã€èªžè”¼ã•ã,æã|ã„ãªã„ãfãfçãf¼ãf^ã®æ](#)
[ã”ã®è,,†å¼±æ€šã—ã€ã,ã,¹ãf†ãfãçç®jç†ã,çã,«ã,|ãf³ãf^ã,ç¶ææã™ã,æ-¹æ³•ã«é-ç](#)
IP Video Phone E20 [ãf†ãf^ã,ã,¹ã, TE 4.1.0](#)
[ã«ã,çãffãf—ã,°ãf—ãf¼ãf%œã™ã,ãf—ãfã,»ã,¹ã«ãšã„ã|ã€å®œå...”ãšãªã„ãf†ãf^ã](#)
[ã,çã,«ã,|ãf³ãf^ã®èåžã...Ÿã•ã,æã,ã°ã—ãçæã,ã,šã¾ãã™ãã,ã”ã®è,,†å¼±æ€šã,¹ãçç””ã](#)
root
[ãf¼ãf¼ã,¶ã—ã—ã|ãf†ãf^ã,ã,¹ã«ãfã,°ã,ããf³ã—ã€ç%œ¹æ””æ””é™ãšã»æ„ã®æ](#)

ã,ã,¹ã,³ã—ã”ã®è,,†å¼±æ€šã«ã¾å†|ã™ã,ç„jã,Ÿã®ã,½ãf•ãf^ã,|ã,šã,çã,çãffãf—ãf†ãf¼ãf^ã,¹ã—ã¾ã—ãŸã€


```
*s SystemUnit Uptime: 91273

*s SystemUnit Software Version: "TE4.1.0.137456"

*s SystemUnit Software Name: "s52100"
*s SystemUnit Software ReleaseDate: "2011-11-18"
*s SystemUnit Hardware Module SerialNumber: "M1AD18B023025"
*s SystemUnit Hardware Module MainBoard: "101390-6"
*s SystemUnit Hardware Module BootSoftware: "U-Boot 2010.06-36"
*s SystemUnit State System: Initialized
*s SystemUnit State Subsystem Application: Initialized
*s SystemUnit State Cradle: On
*s SystemUnit State CameraLid: Off
*s SystemUnit ContactInfo: "demo.user@example.com"
*s SystemUnit Bluetooth Devices 1 Name: "9xxPlantronics"
*s SystemUnit Bluetooth Devices 1 Address: "L023:8F:425M3D"
*s SystemUnit Bluetooth Devices 1 Type: 2360324
*s SystemUnit Bluetooth Devices 1 Status: bonded
*s SystemUnit Bluetooth Devices 1 LastSeen: "2011-12-20 11:49:36"

** end
```

OK

è,,†â¼±æ€§ã¤¢â~âœ¨ã¤—ã¤ªã¤,,è£½â"¤

ä»-ã¤@ã¤,·ã¤,¹ã¤,³è£½â"¤ã¤«ã¤šã¤,,ã¤|ã¤€ã¤"ã¤@ã¤,ćã¤%ã¤ã¤,ã¤,¶ã¤,¶ã¤ã¤@ã¤½±éÿ¿ã¤,â¤—ã¤'

è©³ç'°

Cisco TelePresence TE ã¤,½ã¤•ã¤^ã¤,lä¤,§ã¤,çã¤ ¯ã¤ "ã¤,¢ã¤¾ã¤šã¤€¤ admin ã¤šã¤,^ã¤³ root
ã¤@ã¤,jä¤-¹ã¤«ã¤¾ã¤™ã¤,â¤~ã¤,€ã¤@ã¤,ćã¤,«ã¤,|ã¤³ã¤^ã¤,â¤«ã¤,"ã¤šã¤,,ã¤¾ã¤—ã¤ÿã¤€,ã¤"ã¤@ã¤
ã¤,ćã¤,«ã¤,|ã¤³ã¤^ã¤ ¯ admin ã¤šã¤,^ã¤³ root
ã¤@ã¤,jä¤-¹ã¤@èª¤è¨¼ã¤«ã¤¢ä¤,€ã¤@ã¤fã¤,¹ã¤fã¤¼ã¤f%ã¤,'ã¤½¿ç¨"¨ã¤—ã¤€ã¤ã¤ã¤ã¤,ã¤«æœ%ã¤
4.1.0
ã¤šã¤ ¯ã¤fã¤ã¤ã¤,ã¤,¹ã¤,'ã¤,^ã¤,šã¤ ...ç%ã¤ćã¤«ã¤™ã¤,ã¤ã¤ÿã¤,ã¤«ã¤,ćã¤¼ã¤,ã¤fã¤, ¯ã¤fã¤ã¤fã¤,šã¤@ã¤ã¤æ%ã¤»

root

ã, çã, «ã, lãf³ãf^ã, 'ç,,jãš1ã «ã™ã, <ã "ã "ã CEã Sãããã, <ã, ^ã tã «ãªã, Šã¾ã —ã Yã€ã,ã "ã
ã, çã, «ã, |ãf³ãf^ã, ' root ã " admin ã® 2
ãªã®ã, çã, «ã, |ãf³ãf^ã «ã^tê>çã —ã€ããfããf^ã, ©ãf«ãf^ã S root
ã, çã, «ã, lãf³ãf^ã, 'ç,,jãš1ã «ã™ã, <ã "ã "ã Sã™ã€ã,

ã»¥ã%ã® TE ã, ½ãf^ãf^ã, |ã, Šã, çããfããf^ãã, 1ã, ' TE 4.1.0
ã «ã, çãfãfã—ã, °ãf-ãf¼ãf%ãã —ã Yã Šã®çãS~ã®ãªšãããããã, ±ãf¼ã, 1ã Sã€ã root
ã, çã, «ã, lãf³ãf^ã CEé©ã^fã «ç,,jãš1ã «ãªã, CEãªã,,ã "ã,,ã tã, "ãf©ãf¼ã CEç™°ç" Yã —ã,
root ã, çã, «ã, lãf³ãf^ã CEãfãf^ã, ©ãf«ãf^ã®ãfã, 1ãf^ãf¼ãf%ãã «ã, ^ã £ã | SSH
çµCEç"±ã Sã, çã, ã, »ã, 1ã -èf¼ã «ãªã, <çS¶ã³ãã CEã½çæ^ãã, CEã¾ãã™ã€ã,ããããã®ã¾ãç
root
ã, çã, «ã, lãf³ãf^ã, 'æœ%ãš1ã¾ã Yãç,,jãš1ã «ã Sãããã, <ã, ^ã tã «ã "ã®Yè£...ãã, CEã Yã, ³ã

ã>žéçç-ã «ãªã,,ã |ã -ã€ãã "ã®ã, çãf%ããfãã, ãã, ¶ãfããã®ã€CEã>žéçç-ã€ãã®ã, »ã, -
root ã Šã, ^ã³ admin
ãf^ã, 1ãf^ãf¼ãf%ãã, 'ãª%ãæ>ã Sãããã, <ã, ^ã tã «ã™ã, <ã,,ã®ã Sã™ã€ã,

ã "ã®è,, tã¼±æ€Sã -ã€ã Cisco Bug ID [CSCtw69889](#) i¼^ registered
ãfãf¼ã, ¶ã®ãã ç¼%ãã "ã —ã |ã -ãæ>ã CE-ãã, CEã€ã Common Vulnerabilities and
Exposuresi¼^CVEi¼%ãID ã "ã —ã |ã CVE-2011-4659
ã CEã%ã²ã, Šã½"ã |ã, %ãã, CEã |ã,,ã¾ãã™ã€ã,

è,, tã¼±æ€Sã, 1ã, ³ã, çè©³ç´°

ã, ã, 1ã, ³ã -ã "ãããã, çãf%ããfãã, ãã, ¶ãfããã Sã®è,, tã¼±æ€Sã «ã¾ã —ã |ã Common
Vulnerability Scoring
Systemi¼^CVSSI¼%ãã «ãY°ã Yãã,,ã Yã, 1ã, ³ã, çã, 'æãã¾ãã —ã |ã,,ã¾ãã™ã€ã,ã "ãã®ã,,
ã, çãf%ããfãã, ãã, ¶ãfããã Sã® CVSS ã, 1ã, ³ã, çã - CVSS ãfãf¼ã, ãfSãf³ 2.0
ã «ãY°ã Yãã,,ã |ã,,ã¾ãã™ã€ã,

CVSS

ã -ã€ãè,, tã¼±æ€Sã®èçèè |ã° |ã, çªã"tã™ã, <ã,,ã®ã Sã€ãçç·Šæ€Yæ€Sã Šã, ^ã³ã¾ãçœ
ã, ã, 1ã, ³ã -ãY°æœ-è©ã¾ãã, 1ã, ³ã, ç¼^Base
Scorei¼%ãã Šã, ^ãçç¾ãçS¶è©ã¾ãã, 1ã, ³ã, ç¼^Temporal
Scorei¼%ãã, 'æãã¾ãã —ã |ã,,ã¾ãã™ã€ã,ã Šã®çãS~ã -ã "ã, CEã, %ãã, 'ç" "ã,,ã |ã ç'ãçfè©
Scorei¼%ãã, ç® —ãªãã —ã€ãèªè°ã «ã®ãfããfãf^ãf^ãf¼ã, -ã «ã Šãã'ã, <è,, tã¼±æ€Sã®ã½±éY

ã, ã, 1ã, ³ã -æ-ããã®ãfãf³ã, -ã S CVSS
ã «é-çã™ã, <è½ãš æf...ã ±ã, 'æãã¾ãã —ã |ã,,ã¾ãã™ã€ã,

<http://www.cisco.com/web/about/security/intelligence/cvss-qandas.html>

ã¾ãã Yã€ã, ã, 1ã, ³ã -ããã...ã®ãfããfãf^ãf^ãf¼ã, -ã «ã Šãã'ã, <ç'ãçfã½±éY:ã° |ã, ç® —ãªãã
CVSS è "ç® —ãf,,ãf¼ããf^ã, 'æ-ããã®ãfãf³ã, -ã Sæãã¾ããã —ã |ã,,ã¾ãã™ã€ã,

<http://tools.cisco.com/security/center/cvssCalculator.x/>

CSCtw69889 - Cisco TelePresence TE Software Default Root Account Vulnerability

Calculate the environmental score of

CVSS Base Score - **10.0**

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Low	None	Complete	Complete	Complete

CVSS Temporal Score - **8.7**

Exploitability	Remediation Level	Report Confidence
High	Official-Fix	Confirmed

Summary:

This vulnerability allows an attacker to access the root account of the system.

The attack is performed by sending a specially crafted request to the system.

References:

1. <http://www.cisco.com>

2. Cisco Security Advisories and Responses

3. Technical Assistance

4. Center of Excellence

Cisco TelePresence TE Software Default Root Account Vulnerability TE 4.1.0 to TE 4.1.1

Cisco.com

Affected Product	Affected Version	First Fixed Version
Cisco TelePresence Software TE 4.x	TE 4.1.0	TE 4.1.1

Security

`admin` root
`root`

root
rootsettings on <password>

Admin
xcommand systemunit adminpassword set password: <password>

Applied
 Intelligence
<http://tools.cisco.com/security/center/content/CiscoAmb-20120118-te>

Security

Applied
 Intelligence
<http://tools.cisco.com/security/center/content/CiscoAmb-20120118-te>

http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN_.html
<http://www.cisco.com/public/sw-center/sw-usingswc.shtml>

Applied
 Intelligence
<http://tools.cisco.com/security/center/content/CiscoAmb-20120118-te>

Applied
 Intelligence
<http://tools.cisco.com/security/center/content/CiscoAmb-20120118-te>

Security

Applied
 Intelligence
<http://tools.cisco.com/security/center/content/CiscoAmb-20120118-te>

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。