

Cisco ASAã, ãf©ã, ðã, çãf³ãf^ãf-ã, !SSL

VPNã®æf...ã ±æ¼ã^ã,,ã ã,µãf¼ãf"ã,¹æ'ã |ã®è,,tã¼±æ€Sãæ,ªç"ãã,æã,ãã"ã€ã

Cisco ASAã, ãf©ã, ðã, çãf³ãf^ãf-ã, !SSL

VPNãfãf¼ã,ãf«ã®ã,«ã,¹ã,ãfžã,ðã,°æ'ã^æ€Sã®è,,tã¼±æ€Sãæ,ªç"ãã,æã,ãã"ã€ãã

VPNãfãf¼ã,ãf«ãæ¾ãµã®³ãã,æã,ãã-èf½æ€Sãæã,ã,šã€ã,ãfã,¹ã,µã,ðãfã,¹ã,ãfãf-ã

Cisco ASA Smart Call

Homeã®ãfãã,ã,ãf«è¼æžæ,æææè¼ã®è,,tã¼±æ€Sãæ,ªç"ãã,æã,ãã"ã€ããfãã,ã,ãfã

Adaptive Security Device

Management(ASDM)çµæç"±ãsè²ã½"ã,ã,¹ãftãfãã,ã®ç®;çtã,çã,ãã,¹ã,ãã-ã¾-ã-ããY

ã,ã,¹ã,³ãã"ãã,æã,%ãã®è,,tã¼±æ€Sãæ«ã¾ãþ|ã™ã,ã,½ãfãf^ã,|ã,šã,çã,çãffãf-ãfãf¼ãf^ã,ã

ã"ã®ã,çãf%ããfã,ðã,¶ãfãã-ã€æ-ãã®ãfããfãã,ã,ã,šççèªããsããã¾ã™ã€, <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20141008-asa>

è²ã½"è£½ã"?

æ-ãã®è£½ã"ããsã®Yè;æãã,æãã|ã,,ã,«Cisco

ASAã,½ãfãf^ã,|ã,šã,çãã-ã€èèææ°ãã®è,,tã¼±æ€Sãæ®ã½±éYã,ãã-ãã¾ã™ã€,

- Cisco ASA 5500ã,ãfãf¼ã,°é©ã¿æãžã,»ã,ãfãfãfãfãfã,£ã,çãf-ãf©ã,ðã,çãf³ã,¹
- Cisco ASA 5500-Xã,ãfãf¼ã,°æ-ãã,ã»£ãfã,ã,ã,ðã,çã,ãã,©ãf¼ãf«
- Cisco Catalyst 6500ã,ãfãf¼ã,°ã,¹ã,ðãfãfãfããšã,ã³Cisco 7600ã,ãfãf¼ã,°ãf«ãf¼ã,çç" Cisco ASAã,µãf¼ãf"ã,¹ãfçã,ãfãf¼ãf«
- Cisco ASA 1000Vã,ãf©ã,ãf%ããfã,ã,ðã,çã,ãã,©ãf¼ãf«
- Cisco é©ã¿æãžã,»ã,ãfãfãfãfãfã,£ã»æf³ã,çãf-ãf©ã,ðã,çãf³ã,¹i¼^ASAvi¼%

ã½±éYã,ãã-ãã,«Cisco

ASAã,½ãfãf^ã,|ã,šã,çãã®ãfããfãf¼ã,¹ãã-ã€ç%¹ã®šã®è,,tã¼±æ€Sãæ«ã,ãã£ãã|ç°ãã,šã

è,,tã¼±æ€Sããã,ã,è£½ã"

Cisco ASA SQL*NETã,ðãf³ã,¹ãfšã,ã,ãfšãf³ã,ãf³ã,ãf³ã®DoSè,,tã¼±æ€S

to-LAN IKEv2

VPN

VPN

show running-config crypto ikev2 | include

enable

outside

ASA

ciscoasa# show running-config crypto ikev2 | include enable
crypto ikev2 enable outside

IKEv2

ASA

show running-config crypto map | include

interface

outside

cmap

ciscoasa# show running-config crypto map | include interface
crypto map outside_map interface outside

IPsec IKEv2

VPN

Cisco ASA Health and Performance Monitor Denial of Service Vulnerability

Cisco

ASA

HPM

show running-config | include

hpm

ASA

ciscoasa# show running-config | include hpm
ciscoasa# hpm topn enable

IPsec HPM

Cisco ASA

GPRSãf^ãfãf «ãfãfã,°ãf—ãfãf^ã,³ãf«ã,ããfã,¹ãfšã,¬ã,·ãfšãfã,¨ãfã,ããfã «®DoSè,,tä¼±æ

Cisco

ASAã,½ãf•ãf^ã, |ã, §ã, çã «¬ã€ «GPRSãf^ãfãf «ãfãfã,°ãf—ãfãf^ã,³ãf«(GTP)ã,ããfã,¹ãfšã,¬ã,·ãfšãfã

GTPã,ããfã,¹ãfšã,¬ã,·ãfšãfã «æœœ%òáŒ¹ã «ã «ã «£ã « |ã «,,ã,«ã «ã «©ã «tä «ã,‘çç°èª «ã «™ã,

show service-policy | include

gtpã,³ãfžãfãf%òã, ’ã¼ç”ã «—ã « |ã € «ã†°áŒ>ã «æè:”ã «•ã,æã,«ã «”ã «¨ã,‘çç°èª «ã «—ã «¼ã «™ã

ASAã,½ãf•ãf^ã, |ã, §ã, çã, ‘çç°ã «—ã « |ã «,,ã «¼ã «™ã€,

ciscoasa# show service-policy | include gtp

Inspect: gtp, packet 0, drop 0, reset-drop 0

æ³¹¼šGTPã,ããfã,¹ãfšã,¬ã,·ãfšãfã «¬ãfãfã,©ãf«ãf^ã «šã «¬æœœ%òáŒ¹ã «ã «ã «£ã « |ã «,,ã «¼ã «™ã

Cisco ASA SunRPCã,ããfã,¹ãfšã,¬ã,·ãfšãfã,¨ãfã,ããfã «®DoSè,,tä¼±æ€š

SunRPCã,ããfã,¹ãfšã,¬ã,·ãfšãfã «æœœ%òáŒ¹ã «ã «ã «£ã « |ã «,,ã,«ã ’ã «^ã € «Cisco

ASAã,½ãf•ãf^ã, |ã, §ã, çã «¬ã «”ã «®è,,tä¼±æ€šã «®ã¼±éÿã,‘ã «—ã «’ã «¼ã «™ã€,

SunRPCã,ããfã,¹ãfšã,¬ã,·ãfšãfã «æœœ%òáŒ¹ã «ã «ã «£ã « |ã «,,ã,«ã «ã «©ã «tä «ã,‘çç°èª «ã «™ã

show service-policy | include

sunrpcã,³ãfžãfãf%òã, ’ã¼ç”ã «—ã « |ã € «ã†°áŒ>ã «æè:”ã «•ã,æã,«ã «”ã «¨ã,‘çç°èª «ã «—ã «¼ã «™ã

ASAã,½ãf•ãf^ã, |ã, §ã, çã, ‘çç°ã «—ã « |ã «,,ã «¼ã «™ã€,

ciscoasa# show service-policy | include sunrpc

Inspect: sunrpc, packet 0, drop 0, reset-drop 0

æ³¹¼šSunRPCã,ããfã,¹ãfšã,¬ã,·ãfšãfã «¬ãfãfã,©ãf«ãf^ã «šæœœ%òáŒ¹ã «ã «ã «£ã « |ã «,,ã «¼ã «™ã

Cisco ASA DNSã,ããfã,¹ãfšã,¬ã,·ãfšãfã,¨ãfã,ããfã «®DoSè,,tä¼±æ€š

Cisco

ASAã,½ãf•ãf^ã, |ã, §ã, çã «¬ã€ «DNSã,ããfã,¹ãfšã,¬ã,·ãfšãfã «æœœ%òáŒ¹ã «ã «ã «£ã «ã «”ã «®è,

DNSã,ããfã,¹ãfšã,¬ã,·ãfšãfã «æœœ%òáŒ¹ã «ã «ã «£ã « |ã «,,ã,«ã «ã «©ã «tä «ã,‘çç°èª «ã «™ã

show service-policy | include

```
dns, 3afzãf3ãf%ã, 'äl/2iç"'ã—ã |ã€ã±°ãš>ãÇè;"ã,ã,Çã,ã"ã"ã"ã, 'çç°èªã—ã¼ã™ã
ASAã, ½ãfãfã, |ã, šã, çã, 'çª°ã—ã |ã, „ã¼ã™ã€,
```

```
ciscoasa# show service-policy | include dns
Inspect: dns preset_dns_map, packet 0, drop 0, reset-drop 0, v6-fail-close 0
```

```
æ³'ï¼šDNSã,ªãf³ã,¹ãfšã,ã,ãfšãf³ã—ãfãfã,©ãf«ãfãšæœ%ãš¹ã«ãªã£ã|ã,„ã¼ã™ã™ã
```

Cisco ASA

VPNãfã,šãf¼ãf«ã,ªãf¼ãfãf¼ã,³ãfzãf³ãf%ã,ªãf³ã,ã,šã,ã,ãfšãf³ã®è,,tä¼±æ£š

Cisco ASAã, ½ãfãfã, |ã, šã, çã—ã€ã,ãfã,ã, çãfãfãfã,¹SSL

VPNã,é™ªãª™ã¹ã |ã®ã,ã,ªãf—ã®VPNæžç¶ç«ã™ã,ã,ããtä«ã,ã,¹ãftã

ç®iç†è€...ã— show running-config crypto map | include

interfaceã, 3afzãf3ãf%ã, 'äl/2iç"'ã—ã |ã€ã,ã,¹ãftãfã«IKEv1ã¼ãŸã—IKEv2 IPsec

VPNãÇè"ã®šãã,Çã |ã,„ã,ãã©ã†ãã, 'çç°èªã—ã€ show running-

config webvpn | include anyconnectã, 3afzãf3ãf%ã, 'äl/2iç"'ã—ã |ã€AnyConnect SSL

VPNãÇè"ã®šãã,Çã |ã,„ã,ãã©ã†ãã, 'çç°èªã—ã¼ã™ã€æ¬ã®ã¼ã™ã

SSL VPNã®ã,ª-¹ãÇè"ã®šãã,ÇãŸCisco ASAã, 'çª°ã—ã |ã,„ã¼ã™ã€,

```
ciscoasa# show running-config webvpn | include anyconnect enable
anyconnect enable
```

```
ciscoasa# show run crypto map | include interface
crypto map outside_map interface outside
```

ç®iç†è€...ã— show

failoverã, 3afzãf3ãf%ã, 'äl/2iç"'ã—ã |ã€ãfã,ã, çãf™ã,ªãfãfãfã,£ãfçãf¼ãf%ãÇè"ã®šãã

ONãšãã,ã,ãã"ã"ã, 'çç°èªãšãªã¼ã™ã€æ¬ã®ã¼ã™ã€ãfã,ã, çãf™ã,ªãfãfã

ASAã, 'çª°ã—ã |ã,„ã¼ã™ã€,

```
ciscoasa# show failover
Failover On
```

```
[...]
```

æ³'ï¼šã"ã®è,,tä¼±æ£šã—ã€ãfã,šãf¼ãf«ã,ªãf¼ãfãf¼ãfãfãfã,£ãffã,ã,ãçèªã™ã,ã

Cisco ASA VNCMã®Command Input Validation Vulnerability

è©²ã½"ã™ã,ãfãf¼ã,ãfšãf³ã®ã, ½ãfãfã, |ã, šã, çã, 'ã®Ÿè;Çã—ã |ã,„ã,ãã™ã¹ã |ã

ASAãÇã€ãã"ã®è,,tä¼±æ£šã®ã½±éŸã, 'ã—ã'ã¼ã™ã€,

Cisco ASA 5505, configuration, part 1

5505, configuration, part 1

Cisco ASA 5505, configuration, part 2

Cisco ASA 5505, configuration, part 2

show running-config

```
webvpn
  enable
  outside
  ...

VPN
  enable
  outside
  ...
```

```
ciscoasa# show running-config webvpn
webvpn
  enable outside
  ...
```

VPN configuration, part 2

Cisco ASA 5505, configuration, part 3

VPN configuration, part 3

Cisco

ASA 5505, configuration, part 3

1. VPN configuration, part 3

```
VPN
  enable
  outside
  ...
```

2. VPN configuration, part 3

```
VPN
  enable
  outside
  ...
```

ASA 5505, configuration, part 3

VPN configuration, part 3

show running-config

```
webvpn
  enable
  outside
  ...

VPN
  enable
  outside
  ...
```


ASA> ciscoasa# show running-config webvpn

```
webvpn
enable outside
[...]
```

ASA> ciscoasa# show running-config webvpn
webvpn
enable outside
[...]

Cisco ASA> ciscoasa# show running-config webvpn

```
webvpn
enable outside
[...]
```

ASA> ciscoasa# show running-config webvpn
webvpn
enable outside
[...]

export webvpn customization <object name> <dest

fname> ciscoasa# show running-config webvpn

```
webvpn
enable outside
[...]
```

export webvpn customization DfltCustomization Customization_to_verify

```
Customization_to_verify
[...]
```

Customization_to_verify

```
Customization_to_verify
[...]
```

ciscoasa# export webvpn customization DfltCustomization Customization_to_verify

```
Customization_to_verify
[...]
```

```
Customization_to_verify
[...]
```

Cisco ASA Smart Call Home

Cisco ASA Smart Call Home

ãf^ãf©ãf•ã,£ãffã,¯ã IPv6

ãf^ãf©ãf•ã,£ãffã,¯ãšãf^ãfã,-ãf¼ã•ã,£ã,ã«èf½æ€šã£ã,ã,šã¾ã™ã€,

ã“ã®è,,tã¼±æ€šã¯ã€Cisco Bug ID [CSCum00556](#)(

ç™»é£²ãf!ãf¼ã,¶ã°,ç”)ã”ã—ã|æ-†æ,ã£ã€CVE IDã”ã—ã|CVE-2014-3385ã£ã%²ã,šã½”ã|ã,%ã,£ã|ã,,ã¾ã™ã€,

Cisco ASA

GPRŠãf^ãf³ãfãf³ã,°ãf—ãfãf^ã,³ãf«ã,ªãf³ã,¹ãfšã,¯ã,ãfšãf³ã,ãf³ã,ãf³ã®DoSè,,tã¼±æ€š

Ciscoé©ã¿œãžã,»ã,ãf¥ãfãftã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹(ASA)ã,½ãf•ãf^ã,|ã,šã,çã®GPRŠãf^ãf³ãf

ã“ã®è,,tã¼±æ€šã¯ã€ç%¹ã®šã®ã,ãf¼ã,±ãf³ã,¹ãšé€ã¿ã•ã,£ãÿGTPãfã,±ãffãf^ã

æ³¹¼šã“ã®è,,tã¼±æ€šã®ã,æ£ã^©ç”ã«ã½¿ç”ãšããã,ã®ã¯ã€Cisco ASA

GTPã,ªãf³ã,¹ãfšã,¯ã,ãfšãf³ã,ãf³ã,ãf³ã«ã,^ã£ã|æªœæÿ»ã•ã,£ãÿé€šéŽãf^ãf©ãf•ã,£ãffã

ã“ã®è,,tã¼±æ€šã¯ã€Cisco Bug ID [CSCum56399](#)(

ç™»é£²ãf!ãf¼ã,¶ã°,ç”)ã”ã—ã|æ-†æ,ã£ã€CVE IDã”ã—ã|CVE-2014-3386ã£ã%²ã,šã½”ã|ã,%ã,£ã|ã,,ã¾ã™ã€,

Cisco ASA SunRPCã,ªãf³ã,¹ãfšã,¯ã,ãfšãf³ã,ãf³ã,ãf³ã®DoSè,,tã¼±æ€š

Ciscoé©ã¿œãžã,»ã,ãf¥ãfãftã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹(ASA)ã,½ãf•ãf^ã,|ã,šã,çã®SunRPCã,ªãf³ã,

ã“ã®è,,tã¼±æ€šã¯ã€ã·šã|™ã«ç°ã¥ãã,£ãÿSunRPCãfã,±ãffãf^ã®ã,ãããã^tãª

æ³¹¼šã“ã®è,,tã¼±æ€šã®ã,æ£ã^©ç”ã«ã½¿ç”ãšããã,ã®ã¯ã€Cisco ASA

SunRPCã,ªãf³ã,¹ãfšã,¯ã,ãfšãf³ã,ãf³ã,ãf³ã«ã,^ã£ã|æªœæÿ»ã•ã,£ãÿé€šéŽãf^ãf©ãf•ã,£ãffã

ãf^ãf©ãf•ã,£ãffã,¯ãšãf^ãfã,-ãf¼ã•ã,£ã,ã«èf½æ€šã£ã,ã,šã¾ã™ã€,

ã“ã®è,,tã¼±æ€šã¯ã€Cisco Bug ID [CSCun11074](#)(

ç™»é£²ãf!ãf¼ã,¶ã°,ç”)ã”ã—ã|æ-†æ,ã£ã€CVE IDã”ã—ã|CVE-2014-

root@f1af14a,¶ã®æ™é™ã,ä½ç™ã—ã|ã€ãÿç>ã™ã,«Linuxã,°ãfšãf-ãf¼ãftã,£ãf³ã,°ã,

ã“ã®è,,†ã¼±æ€šã-ã€ãf|ãf¼ã,¶ã®ææ†ã®šã—ãÿã...¥ãšã®ã,µãfã,¿ã,ªã,°ã®æä,®ã

æ³i¼šã“ã®è,,†ã¼±æ€šã®ä,æ£ã^ç™ã«ä½ç™ãšãã,ã®ã-ã€è²ã½“ã,ã,1ãftãf

ã“ã®è,,†ã¼±æ€šã-ã€Cisco Bug ID [CSCuq41510](#)([ç™»éæ²ãfãf¼ã,¶ã°,ç™™](#))ãšã,^ã³
[CSCuq47574](#)([ç™»éæ²ãfãf¼ã,¶ã°,ç™™](#))ã™ã—ã|æ-†æ>ãæ-ã•ã,æã€CVE
IDã™ã—ã|CVE-2014-3390ã®æã%²ã,šã½“ã|ã,%ã,æã|ã,,ã¾ã™ã€,

Cisco ASAãfãf¼ã,«ãf«ãf^ã,1ãæ...ã«ã®è,,†ã¼±æ€š

Cisco

ASAã,½ãfãf^ã,ã,šã,çã®ç'°ãçfãª%ã°ã,ã,™ã,™ã,1ãfãf¼ãf^ã™ã,æ©ÿèf½ã®è,,†ã¼±æ€šã«ã,

ã“ã®è,,†ã¼±æ€šã-ã€LD_LIBRARY_PATHç'°ãçfã®ä,é©ã^†ãè™ã®šã«èµãã—ã
OSã«ã,çã,™ã,»ã,1ããã€ã,ã,1ãftãfã®ã®æã...ãã¾ãµã³ã,ã¼ãèµã“ã™ãèèf½

æ³i¼šã“ã®è,,†ã¼±æ€šã®ä,æ£ã^ç™ã«ä½ç™ãšãã,ã®ã-ã€è²ã½“ã,ã,1ãftãf

ã“ã®è,,†ã¼±æ€šã-ã€Cisco Bug ID [CSCtq52661](#)(
[ç™»éæ²ãfãf¼ã,¶ã°,ç™™](#))ã™ã—ã|æ-†æ>ãæ-ã•ã,æã€CVE IDã™ã—ã|CVE-2014-
3391ã®æã%²ã,šã½“ã|ã,%ã,æã|ã,,ã¾ã™ã€,

Cisco ASAã,ãfãã,ªã,çãf³ãf^ãf-ã,1SSL VPNã®æf...ã±é-çª°ãšã,^ã³DoSè,,†ã¼±æ€š

ã,ãfãã,ªã,çãf³ãf^ãf-ã,1SSL

VPNãfãf¼ã,¿ãf«æ©ÿèf½ã®è,,†ã¼±æ€šã«ã,^ã,šã€èè¼ãã,ã,æã|ã,,ã¾ã„ãfãfçãf

ã“ã®è,,†ã¼±æ€šã-ã€ãf|ãf¼ã,¶ã®ææ†ã®šã—ãÿã...¥ãšã®ã,µãfã,¿ã,ªã,°ã®æä,®ã
VPNãfãf¼ã,¿ãf«ãã®ã,çã,™ã,»ã,1ãã«æ,ããã,æã,ãfãfãf¼ã,¿ã«ãfãf³ãfãããæã,

æ³¼šā "ā @è,,t¼±æ€šā @ä, æ£â©ç" " ā «ä½ç" " ā šā ā, ā @ā ā€è²ā½"ā, ā, 1āftāf
āfāf@āf•ā, £āffā, ā IPv6
āfāf@āf•ā, £āffā, ā šāfāfā, -āf¼ā •ā, CEā, <ā -èf½æ€šā CEā, ā, Šā ¾ā™ā€,,ā "ā @è,,t¼±æ

ā "ā @è,,t¼±æ€šā ā€ Cisco Bug ID [CSCun10916](#)(
ç™»éCE²āf¼ā, ¶ā°, ç"")ā " ā —ā | æ-†æ, āCE-ā •ā, CEā€ CVE IDā " ā —ā | CVE-2014-
3394ā CEå²ā, Šā½"ā | ā, %ā, CEā | ā,,ā¾ā™ā€,,

ā>žé ç-

æ¬ā @è,,t¼±æ€šā «ā¾ā —ā | ā ā€ā½±éç, ā —ā ā, æ©ÿèf½ā, ç,,jāš¹ā «ā™ā, <ā»¥

- Cisco ASA SQL*NETā, māf³ā, 1āfšā, ā, āfšāf³ā, āf³ā, āf³ā @DoSè,,t¼±æ€š
- Cisco ASA VPNā @DoSè,,t¼±æ€š
- Cisco ASA IKEv2ā @DoSè,,t¼±æ€š
- Cisco ASA Health and Performance Monitorā @Denial of Service Vulnerability
- Cisco ASA
GPRSāfāf³āfāfāf³ā, °āf—āfāfā, ³āfā, māf³ā, 1āfšā, ā, āfšāf³ā, āf³ā @DoSè,,t¼±æ€š
- Cisco ASA SunRPCā, māf³ā, 1āfšā, ā, āfšāf³ā, āf³ā, āf³ā @DoSè,,t¼±æ€š
- Cisco ASA DNSā, māf³ā, 1āfšā, ā, āfšāf³ā, āf³ā, āf³ā @DoSè,,t¼±æ€š
- Cisco ASA VNMCA @Command Input Validation Vulnerability
- Cisco ASAāfāf¼ā, «āf«āf'ā, 1āCE...ā «ā @è,,t¼±æ€š
- Cisco ASAā, āf©ā, mā, çāf³āfāfāfā, 1SSL VPNā @æf...ā ±é-çºā Šā, ā³DoSè,,t¼±æ€š
- Cisco ASAā, āf©ā, mā, çāf³āfāfāfā, 1SSL
VPNāf¼ā, çāf«ā, «ā, 1ā, çāfžā, mā, °ā @ā@CEā... æ€šā @è,,t¼±æ€š
- Cisco ASA Smart Call Homeāf†ā, ā, çāf«è¼æžæ, æœè¼ā @è,,t¼±æ€š

æ³¼šCisco ASA Smart Call

Homeāf†ā, ā, çāf«è¼æžæ, æœè¼ā @è,,t¼±æ€šā šā ā€SCHè " ā@šā, ā%šé™ā —ā | ā,,āf

no crypto ca trustpoint

<TP_name>ā, ³āfžāf³āf%ā, 'ā½ç" " ā™ā, <āç...è | ā CEā, ā, Šā ¾ā™ā€,,æ¬ā @ä¾ā ā€SCHæ

```
ciscoasa(config)# no crypto ca trustpoint _SmartCallHome_ServerCA
```

Cisco ASA VPN Failover Command Injection

Vulnerabilityā šā ā€āf•ā, šāf¼āf«ā, āf¼āf¼ā, āf¼ā, 'è " ā@šā™ā, <ā "ā " ā šā€ā "ā @
failover key <key>ā, ³āfžāf³āf%ā, 'ā½ç" " ā —ā¾ā™ā€,,æ¬ā @ä¾ā ā€ cisco-
keyā " ā,,ā tåå%ā @āf•ā, šāf¼āf«ā, āf¼āf¼ā, āf¼ā, 'è " ā@šā™ā, <æ-¹æ³•ā, çºā —ā

ciscoasa(config)#failover key cisco-key

ipsec

ipsec

failover

failover

<http://www.cisco.com/go/psirt>

failover

failover

Technical Assistance

Technical Assistance

failover

failover

failover

CSCum46027: Cisco ASA SQL*NET
CSCul36176: Cisco ASA VPN Denial of Service Vulnerability
CSCum96401: Cisco ASA IKEv2 Denial of Service Vulnerability
CSCum00556: Cisco ASA Health and Performance Monitor Denial of Service Vulnerability
CSCum56399: Cisco ASA GPRS Tunneling Protocol Inspection Engine Denial of Service Vulnerability
CSCun11074: Cisco ASA SunRPC Denial of Service Vulnerability
CSCuo68327 - Cisco ASA DNS DoS
CSCuq28582: Cisco ASA VPN Denial of Service Vulnerability

ASA,µāf¼āf"ā,¹āfċā,āf¥āf¼āf«ā@ā 'ā^ā-ā€[è£½ā"(Products)] >
[Ciscoā,µāf³ā,ġāf¼āf•ā,šā,µā,¹āŠā,^ā³āfċā,āf¥āf¼āf«(Cisco Interfaces and Modules)] >
[Ciscoā,µāf¼āf"ā,¹āfċā,āf¥āf¼āf«(Cisco Services Modules)] > [Cisco Catalyst
6500ā,·āfāf¼ā,°/7600ā,·āfāf¼ā,°ASAā,µāf¼āf"ā,¹āfċā,āf¥āf¼āf«(Cisco Catalyst 6500 Series /
7600 Series ASA Services Module)] > [Adaptive Security Appliance (ASA Software)
]ā«]ā«çš»ā•ā—ā¾ā™ā€,ā"ā,Ĉā,%ā@āfāf¼ā,āfšāf³ā@ä,€éf"ā-æš«āšāfāf¼ā,
ā,ġāf-ā,'ā±•é-ā™ā,ā«è;ç°ā•ā,Ĉā¾ā™ā€,

Cisco ASA 1000Vā,āf©ā,āf%āf•ā,ġā,µā,ċā,ā,©āf¼āf«ā@ā 'ā^ā-ā€[è£½ā"(Products)] >
[ā,»ā,āf¥āfāfċā,£(Security)] > [āf•ā,ġā,µā,ċā,ā,©āf¼āf«(Firewalls)] >
[é©āġœāžā,»ā,āf¥āfāfċā,£ā,ċāf-āf©ā,µā,ċāf³ā,¹(ASA)(Adaptive Security Appliances
(ASA))] > [Cisco ASA 1000Vā,āf©ā,āf%āf•ā,ġā,µā,ċā,ā,©āf¼āf«(Cisco ASA 1000V Cloud
Firewall)] >
[é©āġœāžā,»ā,āf¥āfāfċā,£ā,ċāf-āf©ā,µā,ċāf³ā,¹(ASA)ā,½āf•āf^ā,ā,šā,ċ(Adaptive Security
Appliance (ASA) Software)] ā«çš»ā•ā—ā¾ā™ā€,

Ciscoé©āġœāžā,»ā,āf¥āfāfċā,£ā»@æf³ā,ċāf-āf©ā,µā,ċāf³ā,¹(ASAv)āš€[è£½ā"(Products)]
> [ā,»ā,āf¥āfāfċā,£(Security)] > [āf•ā,ġā,µā,ċā,ā,©āf¼āf«(Firewalls)] >
[é©āġœāžā,»ā,āf¥āfāfċā,£ā,ċāf-āf©ā,µā,ċāf³ā,¹(ASA)(Adaptive Security Appliances
(ASA))] > [Ciscoé©āġœāžā,»ā,āf¥āfāfċā,£ā»@æf³ā,ċāf-āf©ā,µā,ċāf³ā,¹(ASAv)(Cisco
Adaptive Security Virtual Appliance (ASAv))] >
[é©āġœāžā,»ā,āf¥āfāfċā,£ā,ċāf-āf©ā,µā,ċāf³ā,¹(ASA)ā,½āf•āf^ā,ā,šā,ċ(Adaptive Security
Appliance (ASA Software)] ā«çš»ā•ā—ā¾ā™ā€,

ä,æ£ā^©ç"" ä°<ā¾ā«å...-ā¼ç™°è;"

Cisco ASA VPN Failover Command Injection Vulnerability€Cisco ASA VNMC Command Input
Validation Vulnerability€āšā,^ā³Cisco ASA Clientless SSL VPN Portal Customization
Integrity Vulnerability-ā€Alec Stuart-
Muirkā«ā,^ā£ā|ā,ā,¹ā,³ā«ā ±ā'šā•ā,Ĉā¾ā—āYā€,

Cisco ASA VPN Failover Command Injection Vulnerability€Cisco ASA VNMC Command Input
Validation Vulnerability€Cisco ASA Clientless SSL VPN Portal Customization Integrity
Vulnerability€āšā,^ā³Cisco ASA Local Path Inclusion
Vulnerability@ä,æ£ā^©ç"" ā-ā€Alec Stuart-Muirkā«ā,^ā,«Ruxcon
2014ā,»ā,āf¥āfāfċā,£ā,«āf³āf•ā,ġāf-āf³ā,¹āš@ÿè"¼ā•ā,Ĉā|ā,,ā¾ā™ā€,

Cisco ASAā,āf©ā,µā,ċāf³āf^āf-ā,¹SSL
VPN@æf...ā ±æ¼āā^ā,,ā"ā,µāf¼āf"ā,¹æ'ā|ā@è,,tā¼±æššā-ā€SecurityMetricsā@
Mā«ā,^ā£ā|ā,ā,¹ā,³ā«ā ±ā'šā•ā,Ĉā¾ā—āYā€,

Hyrum

Mã «ã, ^ã, <ãf-ãfã, °æŠ•ç¨ çã,,ã€ã"ã®è,,tã¼±æ€šã®ä, æ£ã^©ç"ã, çç°ã™ã...-é-<ã•ã, Çã

ã"ã®ã, Çãf%ãã, mã, ¶ãfã «è¨è¼%ã•ã, Çã |ã,,ã,<ã»-ã™ã¹ã |ã®è,,tã¼±æ

Cisco Product Security Incident Response

Team(PSIRT)ãšã-ãæœ-ã, Çãf%ãã, mã, ¶ãfã «è¨è¼%ã•ã, Çã |ã,,ã,<ã»-ã®è,,tã¼±æ

Cisco PSIRTã-ã€Cisco ASAã, -ãf©ã, mã, Çãf³ãf^ãf-ã,¹SSL

VPNãfãf¼ã, çãf«ã, «ã,¹ã, çãfzã, mã, °ã®ã®Çãã...¨æ€šã®è,,tã¼±æ€šãÇæ,ªç"ã•ã, ÇãÝã"ã

ãŠã©çæšã-ã-ã"ã®ã,»ã,ãfãfãfãfã,£ã, Çãf%ãã, mã, ¶ãfã®ã€Ç

ã,½ãfãf^ã, |ã, §ã, çãfãf¼ã,ãfšãf³ã¨ãçæ£ã€ã,»ã, -ã,ãfšãf³ã®ã€ÇCisco

ASAã, -ãf©ã, mã, Çãf³ãf^ãf-ã,¹SSL

VPNãfãf¼ã, çãf«ã, «ã,¹ã, çãfzã, mã, °ã®ã®Çãã...¨æ€šã®è,,tã¼±æ€šã«é-çã™ã,é†èè |ãªæ

2015-July-08 UPDATE: Cisco

PSIRTãšã-ã-ã"ã®ã,»ã,ãfãfãfãfã,£ã, Çãf%ãã, mã, ¶ãfãšãã...-é-<ã•ã, ÇãÝCisco

ASA VPNã®DoSè,,tã¼±æ€šãšã,ã,<CVE-2014-3383ã®ã½±éÿã,ã-ãã,<Cisco

ASAãfãfã, mã,¹ã,ã½çç"ã-ã |ã,,ã,<ã,€éf"ã®ã,ã,¹ã,³ã®ãšã©çæšã®ã,æ-ã,èªèã

Cisco ASAã,½ãfãf^ã, |ã,§ã,ç

ãfãfãf¼ã,¹ã«ã, Çãffãf-ã, °ãf-ãf¼ãf%ã™ã,ã"ã¨ã«ã,ã£ã |ã€ã"ã®ã•éçã,ãç

Cisco

PSIRTãšã-ã-ã"ã®ã, Çãf%ãã, mã, ¶ãfã «è¨è¼%ã•ã, Çã |ã,,ã,<ã»-ã®è,,tã¼±æ

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20141008-asa>

æ”¹è¨,ã±ÿæ’

ãfãfãf¼ã,ãf§ãf³ 3.0	2015ã¹7æœ^9 æ—ÿ	7æœ^8æ—ÿã®æ’æ-°æf...ã±ã,[Summary]ã,»ã,-ã,ãfšãf³ã®ã,
ãfãfãf¼ã,ãf§ãf³ 3.0	2015ã¹7æœ^8æ—ÿ	CSCul36176 - Cisco ASA VPN Denial of Service Vulnerabilityã®Â€Â

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。