

Cisco Unified Communications

Manager Web Interface



Cisco Unified Communications Manager Web Interface ID : cisco-sa-

[CVE-2018-0198](#)

20180207-ucm1

Published : 2018-02-07 16:00

Version : 1.0 : Final

CVSS Score : [6.5](#)

Workarounds : No workarounds available

Cisco ID : [CSCvh66592](#)

Summary: A remote denial of service (DoS) vulnerability exists in the Cisco Unified Communications Manager Web Interface. An attacker can exploit this vulnerability to cause a denial of service to the affected system.

Details

Cisco Unified Communications

Manager Web Interface

The vulnerability is located in the `WebInterface` component of the Cisco Unified Communications Manager. It is triggered by a specially crafted HTTP request.

The vulnerability is a Denial of Service (DoS) issue. An attacker can exploit this vulnerability to cause a denial of service to the affected system.

The vulnerability is a Denial of Service (DoS) issue. An attacker can exploit this vulnerability to cause a denial of service to the affected system.

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180207-ucm1>

References

https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180207-ucm1

Cisco Unified Communications Manager

Version 1.0

Bug ID: CSCvh66592

CVSS Score: 6.5

Workarounds: No workarounds available

å>žé ċ-

ā“ā®è,,†å¼±æ€šā«ā^{-¾}â†|ā™ā,å>žé ċ-ā ā,ā,šā¾āā>ā,“ā€,

ä ċ®æ£æ, ^ā ċ ċā, ½āf•āf^ā, | ā, šā, ċ

ä ċ®æ£æ, ^ā ċ ċā, ½āf•āf^ā, | ā, šā, ċ

āf^aāf^aāf¼ā, ¹ā®è³ċ[°]ā«ā¶ā,,ā | ā⁻ā€æœ-ā, ċāf%āfā, mā, ¶āf^aā, šéf[·]ā® Cisco Bug ID ā, 'ā, ċ...šā ā ā•ā,,ā€,

ā, ½āf•āf^ā, | ā, šā, ¶ā®ā, ċāffāf—ā, °āf-āf¼āf%ā, 'æœè[·]žā™ā, <és>ā«ā⁻ā€[ā, ·ā, ¹ā, ³ā®ā, »ā, āf Security Advisories and Alerts^{i¼%}]

āfšāf¼ā, āšā...¥æ%āšā ā, <ā, ·ā, ¹ā, ³è£½ā[°]ā®ā, ċāf%āfā, mā, ¶āf^aā, 'ā®šæœŸċš,,ā«ā, ċ ā, ½āf^aāf¼ā, ·āfšāf³ā, 'ċċ[°]è^aā—ā | ā ā•ā,,ā€,

ā,,āšā, Ċā®ā 'ā^ā,,ā€ā, ċāffāf—ā, °āf-āf¼āf%ā™ā, <āf†āfā, mā, ¹ā«ā[°]ā^†ā^aāf;āfċā Technical Assistance

Center^{i¼}TAC^{i¼%}ā,,ā—ā ā⁻ā'ċ[·], ā—ā | ā,,ā, <āf;āf³āf†āfšāf³ā, ¹āf—āfāfā, māf€āf¼ā<

ä, æ£ā^ċ[°]ā^¾ā[°] ā...-ā¼ċTMèⁱ

Cisco Product Security Incident Response

Team^{i¼}PSIRT^{i¼%}ā⁻ā€æœ-ā, ċāf%āfā, mā, ¶āf^aā«è[·]~è¼%ā•ā, Ċā | ā,,ā, <è,,†å¼±æ€šā<

å[°]å... ,

æœ-è,,†å¼±æ€šā⁻ā€ā, ·ā, ¹ā, ³â†...éf[·]āšā®ā, »ā, āfāfāf†ā, £ āf†ā, ¹āf^ā«ā, ^ā£ā | ċTMè | <ā•ā, Ċā¾ā—āŸā€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180207-ucm1>

æ[°]è[·], å±¥æ[·]

| āfāf¼ā, āfšāf ³ | è ^a -æ~ž | ā,»ā, -ā, ·āfšāf ³ | ā, ¹ āf†āf¼ā, ċā, ¹ | æ—Ÿā [~] |
|----------------------------|--|-------------------------------|---|---|
| 1.0 | å [^] å>žā...-é-<āf ^a āf¼ā, ¹ | - | Final | 2018 å ¹ 2 æœ [^] 7 æ—Ÿ |

å^ċ[°]è|ċ[·], ,

æœ-ā, ċāf%āf

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。